

PRODUCT GUIDE

...Solutions for Healthcare





About Ascot

Ascot is a division of Able Rehab, a family owned business which has been supplying to the hospital and aged care industry since 1981. Ascot is dedicated to providing solutions for the healthcare sector. Our continued growth is leveraged on our values of integrity, trust and establishing long term relationships with our clients, employees and suppliers.

Our Products

Our extensive product range is the result of our experience, focus and determination to deliver solutions. It comes from listening to the needs of customers and the ability to source and develop new products for the challenges and opportunities you face. This gives unequalled choice to even the most discerning of buyers, in what is sometimes an overwhelmingly pressured and busy environment.

Our Service

At Ascot we are passionately committed to provide a superior level of customer satisfaction, and unrivalled service that reflects our distinctive character. Our Product Specialists provide exceptional advice, training and solutions to meet all your equipment requirements. These qualities have cemented Ascot as a reliable source and a trusted supplier to healthcare professionals today.

Our Commitment

Ascot is certified to global quality standards ISO9001:2008, demonstrating, our commitment to quality management and superior service and customer satisfaction. Ascot consistently offers a recognised standard of quality and excellence. We welcome the opportunity to serve you.

Ascot. Solutions for Healthcare

CONTENTS

>	Medical Equipment & Carts	01
>	Surgical	51
	Monitoring & Diagnostic	61
	Patient Care Equipment	95
>	Healthcare Furniture	119
>	Facility Service Equipment	131
	Index	143
	Terms & Conditions	152



& CARTS

Instrument Trolleys	02
Dressing Trolleys	04
Emergency Carts	07
Paediatric Emergency Carts	09
Anaesthetic Carts	10
Isolation Carts	15
Resuscitation Carts	17
Procedure Carts	19
Medication Carts	24
Stock Carts	18
Chart Trolleys	29
File Carts	29
IT Equipment Carts	31
IT Equipment Cart Options	32
IV Poles	33
IV Accessories	35
CSSD Equipment	36
Oxygen Trolleys	38
Theatre Equipment	39
Viva Cart Accessory Options	42
Viva Colour Ontions	/, C



- 2 Shelves no rails
- 480mm Clearance between shelves
- · Round tube frame
- 75mm Twin wheel plastic castors (not shown)
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
220801	Stainless Steel	500mm	500mm	900mm
220803	Powder Coated	500mm	500mm	900mm
220821	Stainless Steel	600mm	500mm	900mm
220823	Powder Coated	600mm	500mm	900mm
220831	Stainless Steel	700mm	500mm	900mm
220833	Powder Coated	700mm	500mm	900mm
220841	Stainless Steel	800mm	500mm	900mm
220843	Powder Coated	800mm	500mm	900mm
220851	Stainless Steel	900mm	500mm	900mm
220853	Powder Coated	900mm	500mm	900mm
220861	Stainless Steel	1000mm	500mm	900mm
220863	Powder Coated	1000mm	500mm	900mm
220871	Stainless Steel	1100mm	500mm	900mm
220873	Powder Coated	1100mm	500mm	900mm
220881	Stainless Steel	1200mm	500mm	900mm
220883	Powder Coated	1200mm	500mm	900mm
*Height is	overall including ca	stors		



- 2 Shelves no rails
- Full under bracing support for all shelves providing maximum stability and strength
- · Double safety folds to all shelf edges
- 75mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
229551	Stainless Steel	490mm	490mm	900mm
229553	Powder Coated	490mm	490mm	900mm
229561	Stainless Steel	600mm	490mm	900mm
229563	Powder Coated	600mm	490mm	900mm
229571	Stainless Steel	750mm	490mm	900mm
229573	Powder Coated	750mm	490mm	900mm
229581	Stainless Steel	900mm	490mm	900mm
229583	Powder Coated	900mm	490mm	900mm
*Height is	overall including ca	stors		



- · 2 Shelves no rails
- Full under bracing support for all shelves providing maximum stability
- Double safety folds to all shelf edges
- 125mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
229601	Stainless Steel	1000mm	490mm	900mm
229603	Powder Coated	1000mm	490mm	900mm
229611	Stainless Steel	1200mm	490mm	900mm
229613	Powder Coated	1200mm	490mm	900mm
229621	Stainless Steel	1000mm	600mm	900mm
229623	Powder Coated	1000mm	600mm	900mm
229631	Stainless Steel	1200mm	600mm	900mm
229633	Powder Coated	1200mm	600mm	900mm
*Height is	overall including ca	stors		



- 3 Shelves no rails
- 300mm Clearance between shelves
- · Round tube frame
- 75mm Twin wheel plastic castors (not shown)
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
221771	Stainless Steel	1000mm	500mm	900mm
221773	Powder Coated	1000mm	500mm	900mm
221781	Stainless Steel	1100mm	500mm	900mm
221783	Powder Coated	1100mm	500mm	900mm
221791	Stainless Steel	1200mm	500mm	900mm
221793	Powder Coated	1200mm	500mm	900mm
221721	Stainless Steel	500mm	500mm	900mm
221723	Powder Coated	500mm	500mm	900mm
221731	Stainless Steel	600mm	500mm	900mm
221733	Powder Coated	600mm	500mm	900mm
221741	Stainless Steel	700mm	500mm	900mm
221743	Powder Coated	700mm	500mm	900mm
221751	Stainless Steel	800mm	500mm	900mm
221753	Powder Coated	800mm	500mm	900mm
221761	Stainless Steel	900mm	500mm	900mm
221763	Powder Coated	900mm	500mm	900mm
*Height is	overall including ca	stors		



- 2 Shelves with rails
- 480mm Clearance between shelves
- · Round tube frame
- 75mm Twin wheel plastic castors (not shown)
- · 304 Grade stainless steel construction
 - Satin finish
- · Also available in powder coated finish

Code	FINISN	WIGEN	Debtu	Height*
220501	Stainless Steel	1000mm	500mm	940mm
220503	Powder Coated	1000mm	500mm	940mm
220601	Stainless Steel	1100mm	500mm	940mm
220603	Powder Coated	1100mm	500mm	940mm
220701	Stainless Steel	1200mm	500mm	940mm
220703	Powder Coated	1200mm	500mm	940mm
220001	Stainless Steel	500mm	500mm	940mm
220003	Powder Coated	500mm	500mm	940mm
220101	Stainless Steel	600mm	500mm	940mm
220103	Powder Coated	600mm	500mm	940mm
220201	Stainless Steel	700mm	500mm	940mm
220203	Powder Coated	700mm	500mm	940mm
220301	Stainless Steel	800mm	500mm	940mm
220303	Powder Coated	800mm	500mm	940mm
220401	Stainless Steel	900mm	500mm	940mm
220403	Powder Coated	900mm	500mm	940mm
*Height is o	verall including cas	tors		



- · 2 Shelves with rails
- Full under bracing support for all shelves providing maximum stability
- Double safety folds to all shelf edges
- 75mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
229651	Stainless Steel	490mm	490mm	970mm
229653	Powder Coated	490mm	490mm	970mm
229661	Stainless Steel	600mm	490mm	970mm
229663	Powder Coated	600mm	490mm	970mm
229671	Stainless Steel	500mm	490mm	970mm
229673	Powder Coated	500mm	490mm	970mm
229681	Stainless Steel	900mm	490mm	970mm
229683	Powder Coated	900mm	490mm	970mm
*Height is	overall including ca	stors		



- · 2 Shelves with rails
- Full under bracing support for all shelves providing maximum stability and strength
- Double safety folds to all shelf edges
- 125mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
229691 229693 229721 229723 229701 229703	Stainless Steel Powder Coated Stainless Steel Powder Coated Stainless Steel Powder Coated	1000mm 1000mm 1200mm 1200mm 1000mm	490mm 490mm 490mm 490mm 600mm	970mm 970mm 970mm 970mm 970mm
229711	Stainless Steel	1200mm	600mm	970mm
229713	Powder Coated	1200mm	600mm	970mm
*Height is	overall including ca	stors		

Dressing Trolleys



- 1 x 125mm Drawer with double extension roller bearing slides
- · 400mm clearance between drawer and lower shelf
- · Round tube frame
- · Work surface with 3 rails
- · Lower shelf with 3 rails
- 75mm Twin wheel plastic castors
- 304 Grade stainless steel construction Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
222701	Stainless Steel	1000mm	500mm	940mm
222703	Powder Coated	1000mm	500mm	940mm
222801	Stainless Steel	1100mm	500mm	940mm
222803	Powder Coated	1100mm	500mm	940mm
222901	Stainless Steel	1200mm	500mm	940mm
222903	Powder Coated	1200mm	500mm	940mm
222201	Stainless Steel	500mm	500mm	940mm
222203	Powder Coated	500mm	500mm	940mm
222301	Stainless Steel	600mm	500mm	940mm
222303	Powder Coated	600mm	500mm	940mm
222401	Stainless Steel	700mm	500mm	940mm
222403	Powder Coated	700mm	500mm	940mm
222501	Stainless Steel	800mm	500mm	940mm
222503	Powder Coated	800mm	500mm	940mm
222601	Stainless Steel	900mm	500mm	940mm
222603	Powder Coated	900mm	500mm	940mm
*Height is	overall including ca	stors		



- 1 x 125mm Drawer with full extension runners • Full under bracing support for all shelves providing maximum stability and strength
- · Double safety folds to all shelf edges
- · Work surface with 3 rails
- Lower shelf with 3 rails
- · 75mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
229751	Stainless Steel	490mm	490mm	970mm
229753	Powder Coated	490mm	490mm	970mm
229761	Stainless Steel	600mm	490mm	970mm
229763	Powder Coated	600mm	490mm	970mm
229771	Stainless Steel	750mm	490mm	970mm
229773	Powder Coated	750mm	490mm	970mm
229781	Stainless Steel	900mm	490mm	970mm
229783	Powder Coated	900mm	490mm	970mm
*Height is	overall including ca	stors		

Dressing Trolleys



- 2 x 125mm Drawers with double extension roller bearing slides
- · 400mm clearance between drawer and lower shelf
- · Work surface with 3 rails
- Lower shelf with 3 rails
- · Round tube frame
- 75mm Twin wheel plastic castors
- 304 Grade stainless steel construction Satin finish
- Also available in powder coated finish

Code	Finish	Width	Depth	Height*
223501	Stainless Steel	1000mm	500mm	940mm
223503	Powder Coated	1000mm	500mm	940mm
223601	Stainless Steel	1100mm	500mm	940mm
223603	Powder Coated	1100mm	500mm	940mm
223701	Stainless Steel	1200mm	500mm	940mm
223703	Powder Coated	1200mm	500mm	940mm
223001	Stainless Steel	500mm	500mm	940mm
223003	Powder Coated	500mm	500mm	940mm
223101	Stainless Steel	600mm	500mm	940mm
223103	Powder Coated	600mm	500mm	940mm
223201	Stainless Steel	700mm	500mm	940mm
223203	Powder Coated	700mm	500mm	940mm
223301	Stainless Steel	800mm	500mm	940mm
223303	Powder Coated	800mm	500mm	940mm
223401	Stainless Steel	900mm	500mm	940mm
223403	Powder Coated	900mm	500mm	940mm
*Height is	overall including ca	stors		



- 2 x 125mm Drawer with full extension runners
- · Complete ball bearing full extension drawer runners
- Full under bracing support for all shelves providing maximum stability and strength
- · Double safety folds to all shelf edges
- Work surface with 3 rails
- · Lower shelf with 3 rails
- 75mm Ball bearing fork castor with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
229801 229803 229811 229813 229821 229823 229831	Stainless Steel Powder Coated Stainless Steel Powder Coated Stainless Steel Powder Coated Stainless Steel	490mm 490mm 600mm 600mm 750mm 750mm	490mm 490mm 490mm 490mm 490mm 490mm	970mm 970mm 970mm 970mm 970mm 970mm
229833	Powder Coated	900mm	490mm	970mm
*Height is o	overall including cas	stors		



We can manufacture to your specifications and requirements

...ask us how

Dressing Trolleys



- 3 x 125mm Drawers with full extension runners
- Full under bracing support for all shelves providing maximum stability and strength
- Double safety folds to all shelf edges
- · Work surface with 3 rails
- · Lower shelf with 3 rails
- 125mm Ball bearing fork castor with grey rubber wheels
- 304 Grade stainless steel construction -Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
229851 229853 229861 229863 229871 229873 229881	Stainless Steel Powder Coated Stainless Steel Powder Coated Stainless Steel Powder Coated Stainless Steel	490mm 490mm 600mm 600mm 750mm 900mm	490mm 490mm 490mm 490mm 490mm 490mm 490mm	970mm 970mm 970mm 970mm 970mm 970mm
229883	Powder Coated	900mm	490mm	970mm
*Height is o	verall including cas	tors		



- 4 x 125mm Drawers with full extension runners
- Full under bracing support for all shelves providing maximum stability and strength
- · Double safety folds to all shelf edges
- Work surface with 3 rails
- · Lower shelf with 3 rails
- 125mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction
- Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
229901	Stainless Steel	490mm	490mm	970mm
229903	Powder Coated	490mm	490mm	970mm
229911	Stainless Steel	600mm	490mm	970mm
229913	Powder Coated	600mm	490mm	970mm
229921	Stainless Steel	750mm	490mm	970mm
229923	Powder Coated	750mm	490mm	970mm
229931	Stainless Steel	900mm	490mm	970mm
229933	Powder Coated	900mm	490mm	970mm
411 1 1 1 1 1	11 2 1 12	1		

*Height is overall including castors



Ascot Healthcare offers a range of rental equipment to meet your short, medium or long term needs.

... Contact the customer care team for more information

Emergency Carts



The Viva Emergency Cart is designed with input from emergency room professionals to deliver the ultimate in convenience and safety.

These carts define a new standard of organisation and function, offering stable, smooth mobility and enhanced convenience.

- · ABS top with slide-out work surface
- · Dividers in two drawers
- · Central key lock control
- · Push handle
- Break-away lock options available see page 45
- 4 x 125mm swivel castors; two locking, one directional

- · Adjustable IV Pole
- · Defibrillator Shelf
 - Rotates 360°
 - Locks tight during transportation
- CPR Cardiac board (mounted on rear of cart)
 - Easy clean polymer
- · Sharps container set
- · Oxygen tank holder
 - The oxygen tank is fixed securely on the side with adjustable ties
- · Cart is also available without the above standard accessories

Code	76mm Drawer		234mm Drawer	Total Drawers	Width	Depth	Height*
292603	2	1	1	4	690mm	520mm	850mm
292653	3	1	1	5	690mm	520mm	930mm
292703	2	2	1	5	690mm	520mm	1010mm
292753	0	3	1	4	690mm	520mm	1010mm
292803	3	2	1	6	690mm	520mm	1085mm
*Height i	s overall i	ncluding (castors				











Emergency Carts



The Viva LX Emergency Cart is designed with the input from the Emergency room professionals to deliver the ultimate in convenience and safety.

These carts define a new standard of organisation and function, offering stable, smooth mobility and enhanced convenience.

- ABS top with slide out work surface
- Adjustable dividers in 2 drawers
- Central key lock control
- · Aluminium push handle
- · Aluminium ergonomic drawer handles
- No tools required when adjusting or assembling accessories
- Break-away lock options available, see page 45
- 4 x 125mm swivel castors; two locking, one directional

- Adjustable IV Pole
- Magnetic label holders for each drawer front
- · Defibrillator shelf
 - Rotates 360°
 - Locks tight during transportation
- · Suction unit holder
 - Side accessory
- · CPR Cardiac board
 - Easy clean Polymer
- · Oxygen tank holder
 - With tank securing straps

Code	76mm Drawer	155mm Drawer		Total Drawers	Width	Depth	Height*
293203	3	1	1	5	690mm	540mm	930mm
293253	2	2	1	5	690mm	540mm	1010mm
293353	3	2	1	6	690mm	540mm	1090mm
*Height	is overall	including	castors				



Emergency Carts



- 3 x 100mm Drawers
- 1 x 150mm Drawer
- 1 x 250mm Drawer
- 3 x Top drawers include removable divider bins
- 1 x Folding side shelf
- · Central locking drawers
- · Adjustable IV Pole
- Oxygen tank holder "C" size
- CPR Board
- 4 x 125mm Castors with 2 x Locking
- · Full stainless steel work surface with rail at rear
- 304 Grade stainless steel construction satin finish
- · Other sizes, specifications and accessories available
- Also available with Powder coated panels and drawers

Code	Finish	Width	Depth	Height*
290003	Stainless Steel Powder Coated s overall including	800mm	500mm 500mm	960mm 960mm

Paediatric Emergency Carts



- · ABS top with slide-out work surface
- Drawer dividers available
- · Central key lock control in addition to tab locks or locking bar
- · Push handle
- · 4 x 125mm swivel castors; two locking, one directional
- Individual break-away lock
- Drawers: 8 x 76mm and 1 x 155mm Drawer

Also Available:

· 291705 Full locking bar (refer inset photo)

Width: 690mm Depth: 520mm Height: 1085mm *Height is overall including castors



291203 Paediatric Emergency Cart

- · Broselow hinkle colours
- Stainless steel recessed top
- Drawers: 1 x 80mm and 9 x 55mm
- · Top drawer 3 dividers
- · 2nd drawer O dividers
- 3rd to 10th drawer 2 dividers
- · Double maxi bin rail
- · Ramshead IV Pole
- · Lift up side shelf
- · Equipment rail
- Central locking
- 4 x 125mm castors, 2 locking

Width: 800mm Depth: 500mm Height: 1045mm *Height is overall including castors

Anaesthetic Carts



The Viva Anaesthetic Cart is designed with a combination of functions and technology specific to the needs of the anaesthesia department.

This series offers a wide choice of accessories to personalise carts for every possible situation. The top narcotics drawer is lockable to ensure medications are secure at all times.

Features

- · ABS top with slide-out work surface
- · Dividers in two drawers
- · Central key lock control
- · Push handle
- Multi-functional top accessories
- 4 x 125mm swivel castors; two locking, one directional (shown with optional dust proof castors)

- · Accessory bridge
- · Adjustable IV Pole
- · Sharps container set
- Tilt bin organiser 10 small compartments
- Tilt bin organiser 5 large compartments
- · Glove dispenser
- · Waste container with lid
- · Cart is also available without the above standard accessories

Code	76mm Drawer		234mm Drawer	Total Drawers	Width	Depth	Height*
415053	2	1	1	4	690mm	520mm	850mm
415103	3	1	1	5	690mm	520mm	930mm
415153	2	2	1	5	690mm	520mm	1010mm
415203	3	2	1	6	690mm	520mm	1085mm
*Height	is overall	including	castors				









Anaesthetic Carts



The Viva LX Anaesthetic Cart is designed with a combination of functions and technology specific to the needs of the anaesthetic department

These carts define a new standard of organisation and function, offering stable, smooth mobility and enhanced convenience.

- · Top narcotics drawer with lockable lid
- · ABS top with slide -out work surface
- Adjustable dividers in 2 drawers
- · Central key lock control
- · Aluminium push handle
- Aluminium ergonomic drawer handles
- No tools required when adjusting or assembling accessories
- 4 x 125mm plastic medical castors; two locking, one directional

- · Adjustable IV Pole
- · Magnetic label holders for each drawer front
- Tilt bin organiser 10 small compartments
- Tilt bin organiser 5 large compartments
- · Accessory bridge
- · Glove dispenser
- · Sharps container set
- · Waste container with lid

Code	76mm Drawer	155mm Drawer		Total Drawers	Width	Depth	Height*
415803	3	1	1	5	690mm	540mm	930mm
415853	2	2	1	5	690mm	540mm	1010mm
415903	3	2	1	6	690mm	540mm	1090mm
*Height	is overall	including	castors				



Anaesthetic Carts



- 5 x Full width drawers
- 4 x Half width drawers
- 125mm Ball bearing fork castors with grey rubber wheels (2 x Locking)
- 304 Grade stainless steel construction Satin finish
- Also available in Powder coated finish
- · Other sizes, specifications and accessories available

Code	Finish	Width	Depth	Height*
414103	Stainless Steel Powder Coated s floor to work surf	600mm	490mm 490mm	970mm 970mm



- 3 x Drawers 125mm Deep
- 1 x Drawer 250mm Deep
- 125mm Ball bearing fork castors with grey rubber wheels (2 x Locking)
- · 304 Grade stainless steel construction Satin finish
- · Also available in Powder coated finish
- Other sizes, specifications and accessories available

Code	Finish	Width	Depth	Height*	
	Stainless Steel	600mm	490mm	970mm	
414003	Powder Coated	600mm	490mm	970mm	
*Height is overall including castors					



- 2 x Drawers 125mm Deep
- 2 x Drawers 250mm Deep
- 4 x 125mm Heavy duty castors (2 x Locking)
- 304 Grade stainless steel construction Satin finish
- · Also available in Powder coated finish
- · Other sizes, specifications and accessories available

Code	Finish	Width	Depth	Height*
414203	Stainless Steel Powder Coated overall including c	600mm	490mm 490mm	

Anaesthetic Carts



- 1st Drawer 75mm
- 2nd and 3rd Drawers 150mm
- · 4th Drawer 75mm
- 5th&6th Drawers 100mm
- 2 x Shelves with rails
- 4 x 125mm Heavy duty castors (2 x Locking)
- 304 Grade stainless steel construction Satin finish
- · Also available in Powder coated finish
- · Other sizes, specifications and accessories available

Code	Finish	Width	Depth	Height*
414303	Stainless Steel Powder Coated overall including o	900mm	490mm 490mm	970mm 970mm



- 1st Drawer 75mm (fitted with dividers)
- 2nd and 3rd Drawers 150mm
- · 4th Drawer 75mm (fitted with dividers)
- 5th&6th Drawers 100mm
- 3 x Shelves with rails
- Central Locking
- 4 x 125mm Heavy duty castors (2 x Locking)
- 304 Grade stainless steel construction Satin finish
- Also available in Powder coated finish
- · Other sizes, specifications and accessories available

Code	Finish	Width	Depth	Height*
	Stainless Steel Powder Coated overall including of	900mm 900mm castors	500mm 500mm	940mm 940mm



- 3 x 125mm Drawers
- 1 x 250mm Drawer
- · All Drawers have divided compartments
- Central locking
- 4 x 125mm Heavy duty castors (2 x Locking)
- Also available in Stainless steel
- Other sizes, specifications and accessories available

Code	Finish	Width	Depth	Height*
413201 413203	Stainless Steel Powder Coated	600mm 600mm	500mm 500mm	940mm 940mm
110200	overall including c		30011111	340111111

Anaesthetic Carts



- 6 x Half drawers 125mm deep
- 1 x Drawer 250mm deep
- 4 x 125mm Heavy duty castors (2 x Locking)
- 304 Grade stainless steel frame and work surface - Satin finish
- · Also available in Powder coated finish

Code	Finish	Width	Depth	Height*
246703	Stainless Steel Powder Coated overall including o	600mm 600mm castors		970mm 970mm



- 5 x Drawers 125mm
- 2 x Half drawers 250mm deep
- Lift up shelf with Stainless Steel surface
- 125mm Ball bearing fork castors with grey rubber wheels (2x locking)
- · 304 Grade stainless steel frame and work surface with Powder coated door fronts and panels
- · Also available in 304 Grade stainless steel - Satin finish

Code	Finish	Width	Depth	Height*	
246301	Stainless Steel	900mm	490mm	970mm	
246303	Powder Coated	900mm	490mm	970mm	
*Height is overall including castors					



We offer equipment repair and preventative maintenance contracts for your Hospital or health facility

...ask us about how

Isolation Carts



The bright yellow colour of the Viva Isolation Cart is synonymous with the high risk infection control areas in the facility.

Safe and dust free storage of clean gowns, caps, gloves etc provide peace of mind for staff and visitors.

- ABS top with slide-out work surface
- · Divider in two drawers
- · Central key lock control
- Push handle
- · 4 x 125mm swivel castors; two locking, one directional

- Waste container set & lid
- Multi-storage basket
- · Glove dispenser
- Cart is also available without the above standard accessories

Code				Total Drawers	Width	Depth	Height*
297003	1	0	2	3	690mm	520mm	850mm
297053	0	1	2	3	690mm	520mm	930mm
297103	0	0	3	3	690mm	520mm	1010mm
297153	1	0	3	4	690mm	520mm	1085mm
*Heinht	is overall	including	rastors				











Isolation Carts



The Viva LX Isolation Cart were designed in bright yellow, a colour synonymous with the high risk infection control areas in a facility.

Safe and dust free storage of clean gowns, caps, gloves etc provide peace of mind for staff, visitors and clients.

- ABS top with slide out work surface
- · Adjustable dividers in 2 drawers
- · Central key lock control
- · Aluminium push handle
- Aluminium ergonomic drawer handles
- No tools required when adjusting or assembling accessories
- 4 x 125mm plastic medical castors; two locking, one directional

- Multi storage basket
- Glove dispenser
- · Waste container with lid

Code	76mm Drawer	155mm Drawer		Total Drawers	Width	Depth	Height*
297853	1	2	1	4	690mm	540mm	930mm
297903	1	1	2	4	690mm	540mm	1010mm
297953	1	0	3	4	690mm	540mm	1090mm
*Height	is overall	including	castors				



Resuscitation Carts



- 2 x 125mm Half width drawers
- 1x Shelf with 3 Rails
- Work surface with 3 Rails
- · Round tube frame
- 75mm Twin wheel plastic castors
- 304 Grade stainless steel construction
- Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*		
222001	Stainless Steel	800mm	500mm	940mm		
222003	Powder Coated	800mm	500mm	940mm		
222101	Stainless Steel	900mm	500mm	940mm		
222103	Powder Coated	900mm	500mm	940mm		
*Height is overall including castors						



- 2 x 125mm Drawers
- 1 x 80mm Drawer
- · Work surface with 3 Rails
- · Fold down side table
- · Round tube frame
- 125mm Castors (2 x Locking)
- · 304 Grade stainless steel construction Satin finish
- · Also available in powder coated finish
- Other sizes and drawer options available

Code	Finish	Width	Depth	Height*	
445201	Stainless Steel	600mm	500mm	940mm	
445203	Powder Coated	600mm	500mm	940mm	
*Height is overall including castors					



- 4 x 125mm Half width drawers
- Work surface with 3 Rails
- 1 x Shelf with 3 Rails
- · Round tube frame
- 125mm Castors (2 Locking)
- 304 Grade stainless steel construction
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*	
224001	Stainless Steel	800mm	500mm	940mm	
224003	Powder Coated	800mm	500mm	940mm	
224101	Stainless Steel	900mm	500mm	940mm	
224103	Powder Coated	900mm	500mm	940mm	
*Height is overall including castors					



- 4 x 125mm Half width drawers
- 1 x 70mm Full width drawer
- Work Surface with 3 Rails
- 1 x Shelf with 3 Rails
- · Drop down side shelf
- · Round tube frame
- 125mm Castors (2 Locking)
- · 304 Grade stainless steel construction Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*		
445501	Stainless Steel	800mm	500mm	940mm		
445503	Powder Coated	800mm	500mm	940mm		
*Height is overall including castors						

Resuscitation Carts



- 4 x Half drawers 125mm
- 1 x Shelf with 3 Rails
- Full under bracing support for all shelves providing maximum stability and strength
- Double safety folds to all shelf edges
- · 125mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*			
442101 442103	Stainless Steel Powder Coated	750mm 750mm	490mm 490mm	970mm 970mm			
*Height is (*Height is overall including castors						



- 4 x 125mm Half width drawers
- 1 x Full width drawer 125mm
- 1 x Shelf with 3 Rails
- Full under bracing support for all shelves providing maximum stability
- Double safety folds to all shelf edges
- · 125mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*	
442201	Stainless Steel	750mm	490mm	970mm	
442203	Powder Coated	750mm	490mm	970mm	
*Height is overall including castors					



- 6 x 125mm Half width drawers
- 1 x 250mm Full width drawer
- Double safety folds to all shelf edges
- 125mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
442301	Stainless Steel	750mm	490mm	970mm
442303	Powder Coated	750mm	490mm	970mm
*Height is o	overall including cas	stors		

Procedure Carts



The Viva Procedure Cart is a complete solution package suited for a wide range of functions in the healthcare environment. Some applications of the Viva Procedure

- Medical/Surgical Wards
- · Cast Rooms
- Dressing Equipment Storage
- IV Therapy
- · Critical Care
- Oncology Treatment
- Trauma
- Laboratory

Features

- ABS top with slide-out work surface
- · Dividers in two drawers
- · Central key lock control
- · Push handle
- $4 \times 125 \text{mm}$ swivel castors; two locking, one directional

- · Adjustable IV Pole
- · Waste container set & lid
- Multi-storage basket
- · Sharps container set
- · Cart is also available without the above standard accessories

Code	76mm Drawer	155mm Drawer		Drawers	Width	Depth	Height*
453903	2			4	690mm	520mm	850mm
453953	1	2	1	4	690mm	520mm	930mm
454003	2	2	1	5	690mm	520mm	1010mm
454053	1	3	1	5	690mm	520mm	1085mm
*!!a:abb:	a avacall i	a aludia a a					

^{*}Height is overall including castors









454053

Procedure Carts



The Viva LX Procedure Cart is complete solution package suited for a wide range of functions in the healthcare environment

- ABS top with slide —out work surface
- Adjustable dividers in 2 drawers
- · Central key lock control
- · Aluminium push handle
- Aluminium ergonomic drawer handles
- No tools required when adjusting or assembling accessories
- 4x125mm plastic medical castors; two locking, one directional

- Adjustable IV Pole
- Multi storage basket
- · Sharps container set
- Garbage bin with lid
- · Catheter holder

Code	76mm Drawer	155mm Drawer	234mm Drawer	Drawers	Width	Depth	Height*
453503	1	2	1	4	690mm	540mm	930mm
453553	2	2	1	5	690mm	540mm	1010mm
453603	1	3	1	5	690mm	540mm	1090mm
*Height i	s overall i	ncluding c	astors				



Procedure Carts



- 4 x 150mm Drawers
- 2 x 200mm Drawers
- Double safety folds to all shelf edges
- 125mm Ball bearing fork castors with grey rubber wheels
- 304 Grade stainless steel construction - Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*
250501 250503	Stainless Steel Powder Coated	900mm 900mm	490mm 490mm	970mm 970mm
*Height is	overall including ca	stors		



- 5 x 100mm Drawers
- 1 x 180mm Drawer
- · Central locking
- 4 x 125mm Heavy duty castors (2 x Locking)
- Stainless steel work surface with 3 Rails
- Also available in 304 Grade stainless steel construction - Satin finish

Code	Finish	Width	Depth	Height*
250001	Stainless Steel	1050mm	500mm	940mm
250003	Powder Coated	1050mm	500mm	940mm
*Height is	overall including ca	stors		



- · Recessed work surface
- · Plaster bowl shelf
- 1 x Full width drawer 150mm
- 3 x 1/4 Drawers 150mm
- 1 x 3/4 Drawer 150mm
- 1 x 3/4 Drawer 300mm
- · Drop down side shelf
- 4 x 125mm Heavy duty castors (2 x Locking)
- 304 Grade stainless steel construction Satin finish
- · Also available in powder coated finish
- Other sizes, specifications and accessories available

Code	Finish	Width	Depth	Height*			
261051	Stainless Steel	900mm	600mm	840mm			
261053	Powder Coated	900mm	600mm	840mm			
*Height is overall including castors							

Procedure Carts



- 4 x Drawers 165mm
- 4 x 125mm Heavy duty castors (2x Locking)
- · Round tube frame
- 304 Grade stainless steel construction Satin finish
- Also available in powder coated finish
- Other sizes, specifications and accessories available

Code	Finish	Width	Depth	Height*
284001 284003	Stainless Steel Powder Coated	1000mm 1000mm	500mm 500mm	940mm 940mm
*Height is	overall including ca	stors		



- 2 x Drawers 80mm
- 2 x Drawers 140mm
- 1 x Shelf with rails
- · Drop down side shelf
- Round tube frame
- 4 x 125mm Heavy duty castors
- 304 Grade stainless steel construction Satin finish
- · Also available in powder coated finish

	Code	Finish	Width	Depth	Height*		
	284501	Stainless Steel	1000mm	500mm	940mm		
	284503	Powder Coated	1000mm	500mm	940mm		
*Height is overall including castors							



- 4 x Drawers 100mm
- 1 x Drawer 140mm
- 1 x Shelf with rails
- · Drop down side shelf
- · Round tube frame
- 4 x 125mm Heavy duty castors
- 304 Grade stainless steel construction Satin finish
- Also available in powder coated finish

Code	Finish	Width	Depth	Height*			
285001	Stainless Steel	1000mm	500mm	900mm			
285003	Powder Coated	1000mm	500mm	900mm			
*Height is overall including castors							

Procedure Carts



The Viva Narrow Cart is designed with smaller overall dimensions than the regular procedure cart. This is ideal for areas with limited space. It provides convenient storage and easy manoeuvrability.

- · ABS top with slide out work surface
- · ABS Protection bumpers
- Central key lock control
- · Push handle
- 4 x 100mm Castors; two locking, one directional
- Dividers available refer Options page 46

Code				Total Drawers	Width*	Depth*	Height**
452753	2	2	1	5	510mm	542mm	977mm
452803	3	2	1	6	510mm	542mm	1056mm
*Including	g bumper						



The Viva Mini Cart is designed with smaller overall dimensions than the regular procedure cart. This is ideal for areas with limited space and those seeking a cost effective option.

Features

- ABS top
- · ABS Protection bumpers
- Central key lock control
- 4 x 100mm Castors; two locking, one directional
- Dividers available refer Options page 46

Code	76mm Drawer	155mm Drawer			Width*	Depth*	Height**
452603	3	1	1	5	510mm	542mm	867mm
452653	2	2	1	6	510mm	542mm	946mm
452703	3	2	1	6	510mm	542mm	1025mm
*Including bumper							

^{**}Height is overall including castors

**Height is overall including castors



We offer free product training, trials and equipment assessments at your facility

...ask us how

Medication Carts



The Viva 4 Drawer Double Sided Medication Cart is designed making the supply of medicines fast and efficient.

Strong changeable drawers and dividers provide a variety of large and small spaces which can easily accommodate supplies of all sizes.

Features

- · Drawer access on both sides
- ABS top & push handles
- · Aluminium side frames
- · Central key lock control
- · Storage shelf
- 4 x 100mm swivel castors; two locking, one directional

Drawers	76mm Bins	155mm Bins	Width	Depth	Height*	Height (inc. push handle)
4	20	20	900mm	490mm	950mm	1090mm
*Height is	overall i	ncluding	castors			







ABS Bin 155mm W112 x D215 x H155mm



The Viva 8 & 10 Drawer Double Sided Medication Carts are designed making the supply of medicines fast and efficient.

Strong changeable drawers and dividers provide a variety of large and small spaces which can easily accommodate supplies of all sizes.

Features

- · Drawer access on both sides (bin drawers only)
- ABS top & push handles
- Aluminium side frames
- · Central key lock control
- 4 x 100mm swivel castors; two locking, one directional

Code	Drawers	76mm Bins		234mm Drawer	Width	Depth	Height*	Height* (inc. push handle)
363403	8	20	10	1	760mm	490mm	950mm	1090mm
363553	10	40	10	1	760mm	490mm	950mm	1090mm
*Height is overall including castors								



ABS Bin 76mm W112 x D215 x H76mm



ABS Bin 155mm W112 x D215 x H155mm



The Viva Medication Cart is designed making the supply of medicines

Convenient size and practical in the dispensing and transportation of medication make this an ideal option for transporting and storing medications.

- · ABS top & push handles
- · Aluminium side frames
- · Central key lock control
- · 2 x 76mm Drawers
- 1 x 155mm Drawer
- · Storage shelf · 4 x 100mm swivel castors; two locking, one directional
- Drawer dividers available see page 45

Width: 760mm 490mm Depth: Height: 930mm (inc Push handle) Work Surface Height: 800mm

900mm 490mm

930mm

690mm

520mm

1010mm

1010mm

MEDICAL EQUIPMENT & CARTS

Width:

Depth:

Height:

(inc Push handle)

Work Surface Height: 800mm

Medication Carts



383703 Viva Medication Cart

The Viva Medication Cart is designed making the supply of medicines

Convenient size and practical in the dispensing and transportation of medication make this an ideal option for transporting and storing medications.

Features

- · ABS top & push handles
- · Aluminium side frames
- · Central key lock control
- 2 x 76mm Drawers
- · 1 x 155mm Drawer
- · 1 x 234mm Drawer
- 4 x 100mm swivel castors; two locking, one directional
- Drawer dividers available see page 45

Width:

Depth:

Height:



384003 Viva Medication Cart

The Viva Medication Cart is designed making the supply of medicines fast and efficient.

Convenient size and practical in the dispensing and transportation of medication make this an ideal option for transporting and storing medications.

Features

- · ABS top with slide out work surface
- · Central key lock control
- · Push handle
- · 3 x 155mm Drawers
- 1 x 234mm Drawer
- 4 x 125mm swivel castors; two locking, one directional
- · Dividers in each drawer



382803 Viva Double Medical Cart

The Double Viva Medication Cart provides large space for storage and organizes medicines easily and clearly. The key lock design secures all drawers, it also offers stable, smooth mobility and enhanced convenience with changeable accessories to meet your needs.

- · ABS top with slide out work surface
- · Central key lock control
- · Push handle
- · 4 x 125mm swivel castors; two locking, one directional
- · Drawer dividers available see page 46

Width: 1125mm Depth: 545mm

Height:

Medication Carts



- 3 x 275mm Drawers
- · Lift up side shelf
- 4 x 125mm Heavy duty castors
- 304 Grade stainless steel construction Satin finish
- Also available in powder coated finish

Code	Finish	Width	Depth	Height*
341903	Stainless Steel Powder Coated overall including o	650mm	550mm 550mm	



- 3 x 100mm Drawers
- 1 x 250mm Drawer
- Top 3 drawers have removable aluminum compartments each with 3 dividers
- Central locking
- 4 x 125mm Heavy duty castors (2 x Locking)
- powder coated finish
- Also available in 304 Grade stainless steel construction - Satin finish

Code	Finish	Width	Depth	Height*	
310001	Stainless Steel	600mm	500mm	1000mm	
310003	Powder Coated	600mm	500mm	1000mm	
*Height is overall including castors					



- 3 x Side Rails
- 5 x 100mm Drawers
- 1 x 250mm Drawer
- Top 5 drawers have removable aluminum compartments each with 3 dividers
- 4 x 125mm Heavy duty castors (2 x Locking)
- · Central locking
- · 304 Grade stainless steel construction Satin finish
- · Also available in powder coated finish

Code	Finish	Width	Depth	Height*	
310201	Stainless Steel	600mm	500mm	1000mm	
310203	Powder Coated	600mm	500mm	1000mm	
*Height is overall including castors					

Medication Carts



The Viva Medication Cart is designed making the supply of pre packed medicines fast and efficient.

Convenient size and practical in the dispensing and transportation of medication make this an ideal option for transporting and storing medications.

Features

- · ABS top with slide out work surface
- 4 x 125mm swivel castors; two locking, one directional
- Central key lock control
- · Push handle
- 1x 155mm Drawer
- 2x 250mm Drawers

Width:

Depth:

Height:

Width:

Depth:

Height:

690mm

520mm

690mm

520mm

1110mm

1020mm



The Viva Medication Cart is designed making the supply of pre packed medicines fast and efficient.

Convenient size and practical in the dispensing and transportation of medication make this an ideal option for transporting and storing medications.

- · ABS top with slide out work surface
- 4 x 125mm swivel castors; two locking, one directional
- · Central key lock control
- · Push handle
- 3 x 250mm Drawers



- · Lockable sloping front compartment
- 4 x Tiered shelves
- 1 x 200mm Lockable drawer
- · Push handle
- 4 x 100mm Castors (2x Locking)
- · 304 Grade stainless steel construction Satin finish
- Also available in powder coated finish

Code	Finish	Width	Depth	Height*
	Stainless Steel Powder Coated			1190mm 1190mm
	s overall including		30011111	115011111

Stock Carts



- Tray access both sides of cart
- ABS Trays 600mm x 400mm
- · Dividers available
- 4 x 100mm swivel castors; two locking, one directional
- · See options page 47

Code	Push Handles	Width	Depth	Height*	71mm Trays	150mm Trays
778203	N/A	895mm	610mm	665mm	4	4
778253	Included	895mm	610mm	915mm	4	6
778303	N/A	895mm	610mm	1300mm	4	12
*Height is overall including castors						





219309 71mm Tray

219319 150mm Tray



- Tray access both sides of cart
- ABS Trays 600mm x 400mm
- · Dividers available
- · 4 x 100mm swivel castors; two locking, one directional
- · See options page 47

Code	Push Handles	Width	Depth	Height*	71mm Trays	150mm Trays
778053	N/A	660mm	410mm	825mm	2	2
778103	Included	660mm	410mm	1070mm	2	3
778153	N/A	660mm	410mm	1455mm	2	6
*Height is	overall inc	luding cas	tors			





219309 71mm Tray

219319 150mm Tray





- Ideal for storage and transport of medications and supplies
- · Easy close lightweight ABS shutter to protect contents during transportation
- · Central key lock
- · ABS top with slide out work surface
- Push handle
- · Accommodates removable ABS trays and or wire baskets. (Total combination to equal internal height see options page 47)
- · Trays, baskets and dividers not included
- 4 x 125mm swivel castors; two locking, one directional

Code	Туре	Width	Depth	Height*	Internal Height	
736203	Shutter	716mm	520mm	945mm	533mm	
736403	Shutter	716mm	520mm	1025mm	610mm	
736603	Shutter	716mm	520mm	1105mm	686mm	
736303	Locking Bar	716mm	520mm	945mm	533mm	
736503	Locking Bar	716mm	520mm	1025mm	610mm	
736703	Locking Bar	716mm	520mm	1105mm	686mm	
*Height is overall including castors						



Locking Bar



219469



219479 148mm Basket 226mm Basket 71mm Tray



219489



219309



219319 150mm Tray



- · Stainless steel construction
- Capacity 10-12 Charts (not included)
- · Push handle to one end
- · Lower storage shelf
- Corner buffers
- 4 X 125mm castors

Width: 420mm Depth: 500mm 900mm Height:

805mm

530mm

900mm

Width:

Depth:

Height:



- Stainless steel construction
- Capacity 22-24 Charts (not included)
- · Push handle to one end
- · Lower storage shelf
- · Corner buffers
- 4 X 125mm castors



- · ABS top with slide out work surface
- · Central key lock control
- · Push handle
- 2 x 310mm Drawer
- · 4 x 125mm swivel castors; two locking, one directional
- · Supplied with suspension file hanging rails

Options Available:

· 214559 Suspension files for drawers



Width:

Depth:

Height:

*height is overall

including castors







- · ABS top with slide out work surface
- Central key lock control
- · Push handle
- · 400mm Lift up door with handle
- · 310mm Drawer
- 4 x 125mm swivel castors; two locking, one directional
- Supplied with suspension file hanging rails
- · Folders not included

Options Available:

· 214559 Suspension files for bottom drawer





690mm

520mm

1010mm



203703 LX File Cart

- · ABS top with slide out work surface
- 2 x 310mm Drawers
- · Central key lock control
- · Aluminium push handle
- Aluminium ergonomic drawer handles
- No tools required when adjusting or assembling accessories
- 4 x 125mm plastic medical castors; two locking, one directional
- Supplied with suspension file hanging rails

Options Available:

· 214559 Suspension files for bottom drawer

Width: 690mm Depth: 540mm Height: 927mm *height is overall









- · ABS top with slide out work surface
- 400mm Lift up door with handle
- 310mm Drawer
- · Central key lock control
- · Aluminium push handle
- · Aluminium ergonomic drawer handles
- · No tools required when adjusting or assembling accessories
- 4x 125mm plastic medical castors; two locking, one directional
- Supplied with suspension file hanging rails

Options Available:

· 214559 Suspension files for bottom drawer

Width: 690mm 540mm Depth: 1006mm Height: *height is overall including castors







- · For Binder/Folder use
- · ABS top with slide out work surface
- · Separate key lock control on each door
- Push handle
- 2 x 400mm Lift up door with handle
- 4 x 125mm swivel castors; two locking, one directional
- · Folders not included

Width: 690mm Depth: 520mm Height: *height is overall



IT Equipment Carts



- 4 x 100mm Swivel castors; two locking,
- · Aluminium mount profile
- · Powder coated metal sheves
- · Powder coated steel push handle
- · ABS shelves and base cover
- Cart weight 32kg
- · Shelf load limit 20kg

Specifications	Width	Depth	Height	
Cart dimensions*	500mm	610mm	1350mm	
Shelf dimensions	455mm	360mm	30mm	
*Height is overall including castors				



- 4 x 100mm Swivel castors; two locking
- · Aluminium mount profile
- · Powder coated metal drawer/shelf
- · Adjustable shelves
- ABS shelves and base cover
- Auto return drawer glides
- · Cart weight 32kg
- · Drawer load limit 10kg
- · Shelf load limit 20kg

nm

*Height is overall including castors



- 4 x 100mm Swivel castors; two locking
- · Aluminium mount profile
- · Powder coated metal drawer/shelf
- ABS shelves and base cover
- · Auto return drawer glides
- · Cart weight 32kg
- · Drawer load limit 10kg
- · Shelf load limit 20kg

Specifications	Width	Depth	Height	
Cart dimensions*	500mm	610mm	1350mm	
Drawer dimensions	380mm	300mm	85mm	
Shelf dimensions	455mm	360mm	30mm	
*Height is overall including castors				



IT Equipment Carts



- 4 x 100mm Swivel castors; two locking
- · Aluminium mount profile
- · Powder coated metal drawer/shelf
- ABS shelves and base cover
- · Auto return drawer glides
- · Cart weight 48kg
- · Drawer load limit 10kg
- · Shelf load limit 20kg
- · Computer not included

Specifications	Width	Depth	Height	
Cart dimensions*	500mm	610mm	1350mm	
Drawer dimensions 1+2	350mm	270mm	85mm	
Drawer dimensions 3+4	350mm	275mm	170mm	
Shelf dimensions	455mm	360mm	30mm	
*Height is overall including castors				

IT Equipment Carts Options



- · Mounts to cabinet side
- Steel construction with Powder
- Holds probes up to: W43 x L260 x H90mm

473613 Bottle Holder



- · Mounts to cabinet side
- · Steel construction with Powder
- · Holds bottle diameter up to: W54 x L54 x H89mm



- · Mounts to aluminum central post
- · Steel construction with PVC finish
- 200 x 200 x 150mm

473653 Push Handle



- Mounts to aluminum central post
- · Steel construction with Powder coat finish
- · Handle width 435mm
- · Handle diameter 25mm

473673 Monitor holder set - Short arm



- · Mounts to aluminum central post
- · Aluminum construction with grey painted finish
- · Multi adjustable arm
- · Maximum length 250mm
- · Weight capacity 10kg
- Monitor not included



- · Mounts to aluminum central post
- · Aluminum construction with grey painted finish
- Multi adjustable arm
- · Maximum length 250mm
- · Weight capacity 10kg
- · Monitor not included

IT Equipment Carts Options



- · Mounts to aluminum central post
- · Aluminium construction
- · Angle adjustable
- Fits most keyboards
- Keyboard and mouse not included

473703 Notebook holder



- · Mounts to aluminum central post
- Aluminium construction
- Rotation 270 degrees
- · Pivot 180 degrees
- Adjustable fixings to retain computer
- Weight capacity 8kg

IV Poles



- · Adjustable height 1420mm-2380mm
- · Non removable top pole
- · No pinch/crush points
- Heavy duty 600mm Nylon base with 50mm twin wheel castors
- · Stainless steel pole construction



- 2 Hook design
- Adjustable height 1420mm-2380mm
- · Non removable top pole
- No pinch/crush points
- Heavy duty 600mm Alloy base with 50mm twin wheel Castors
- · Stainless steel pole construction

IV Poles



- 4 Hook design
- · Adjustable height 1420mm-2380mm
- · Non removable top pole
- No Pinch/ Crush points
- Heavy duty 600mm Nylon base with 50mm twin wheel castors
- · Stainless steel pole construction



- Adjustable height 1420mm-2380mm
- · Non removable top pole
- · No Pinch/ Crush points
- Heavy duty 600mm Alloy base with 50mm twin wheel castors
- · Stainless steel pole construction



242301 One Touch IV Stand

- 2 Hook design
- · One touch single handed height adjustment operation
- Adjustable height 1350mm-2100mm
- Low profile base with 50mm twin wheel castors
- · Stainless steel pole construction

IV Poles



242401 Classic Transfusion Pump Stand

- 2 Hook design
- · Offset Pole for additional stability
- · Integrated push handle
- Adjustable height 1350mm-2100mm
- Heavy Duty 600mm Alloy base with 50mm twin wheel castors
- · Stainless steel pole construction

IV Accessories



- · Stainless steel handle
- · Alloy clamp
- · Adjustable height



- Type "C" size stainless steel holder
- · Alloy clamp
- · Adjustable height



- White plastic coated wire basket 50 x 250 x 125mm
- Alloy clamp
- · Adjustable height

CSSD Equipment



- Each leg has a nylon cap and one is height adjustable for uneven surfaces
- Can be supplied with castors
- · Optional cross supports for legs
- Stainless steel construction

Code	Width	Depth	Height
481301 481351	1100mm 1700mm	600mm 600mm	860mm 860mm
481401	2300mm	600mm	860mm
481601	1100mm	750mm	860mm
481651	1700mm	750mm	860mm
481701	2300mm	750mm	860mm



481201 CSSD Prep Table

- Each leg has a nylon cap and one is height adjustable for uneven surfaces
- · Can be supplied with castors
- Stainless steel construction

Width: Depth: 600mm 860mm Height:



- 1 Drawer 125mm deep
- · Pull out keyboard shelf
- Custom dimensions and specifications
- · Stainless steel construction

CSSD Equipment



483201 CSSD Kimguard Drying Rack

- 4 x 125mm castors
- · Stainless steel construction

Width: 1200mm Depth: 500mm Height: 1500mm



482201 CSSD Transportation Trolley

- Rails to 3 sides
- 4 x 125mm castors
- · Stainless steel construction





482901 CSSD Preparation Table

- Adjustable height 830-1130mm
- Electrically operated height control with battery back up
- 4 x 100mm locking castors
- · Stainless steel work surface and storage shelves

Width: 1800mm Depth: 900mm Height:

830-1130mm




- 2 x Hinged doors
- · Internal adjustable shelves
- · Concealed push handle
- · Full bumper surround
- 4 x 200mm Castors
- · Stainless steel construction

Width: 1200mm Depth: 600mm Height: 1430mm







1200mm

620mm

900mm

Oxygen Trolleys



- Robust design and construction
- · Soft touch handle
- 150mm Heavy duty castors

Code	Finish	Cylinder Size	Handle Height
215303	Powder Coated	C size	1000mm
215301	Stainless Steel	C size	1000mm
215363	Powder Coated	G size	1000mm
215361	Stainless Steel	G size	1000mm



- Robust design and construction
- · Securing chain to attach cylinder
- 150mm Heavy duty castors

Code	Finish	Cylinder Size	Handle Height
215313	Powder Coated	D size	1000mm
215311	Stainless Steel	D size	1000mm



- Robust design and construction
- Ideal for storage and transportation of cylinders
- 150mm Heavy duty castors

Code	Finish	Cylinder Size	Capacity	Handle Height
215533	Powder Coated	C size	9 Cylinders	1000mm
215531	Stainless Steel	C size	9 Cylinders	1000mm
215653	Powder Coated	C size	12 Cylinders	1000mm
215651	Stainless Steel	C size	12 Cylinders	1000mm

Theatre Equipment



212151 Pan Bottle Rack

- Capacity 6 Pans and 7 Bottles
- · Removable drip tray for cleaning
- · Full back plate
- Fixings not included
- 304 Grade stainless steel construction Satin finish

Width: 800mm Depth: 300mm Height: 650mm



- 6 Double hangers
- 4 x 125mm Wheels
- · 304 Grade stainless steel construction Satin finish

Width: 630mm 600mm Depth: 1420mm Height:



- Set of 3
- · Stack to occupy minimal space
- 75mm Castors
- 304 Grade Stainless steel construction Satin finish

Size	WIULII	рерии	пеідііі
Small	850mm	480mm	840mm
Medium	950mm	500mm	880mm
Large	1050mm	520mm	920mm

Theatre Equipment



491501 Kick Bucket and Stand

- Bucket Capacity 11.4 litre
- 300mm Diameter
- 4x 50mm Castors
- 304 Grade Stainless steel construction Satin finish

Options Available:

- 491851 Separate bucket
- 491951 Lid for kick bucket optional



421301 Bowl Stand

- Suits 300mm diameter stainless steel bowl
- Height 910mm
- 4x 50mm Twin castors
- 304 Grade stainless steel construction Satin finish

• 421351 Double bowl stand also available



- Work surface with 3 Rails
- 4 Swing out baskets
- · 2 Fixed baskets
- 4 x 100mm Twin castors with 2 locking
- Powder coated frame

	WIGGII	Length	Height
Overall size	560mm	610mm	950mm
Swing Baskets	250mm	250mm	125mm
Fixed Baskets	100mm	500mm	100mm

Theatre Equipment



- · Adjustable height
- 2 x 75mm Twin castors
- 304 Grade stainless steel construction Satin finish

• 468001 Non adjustable model

Code	Width	Depth	Height
468051	750mm	490mm	845-1100mm
468001	750mm	490mm	900mm



- Lip to 3 sides of work surface
- Adjustable height
- 4 x 75mm Twin castors
- 304 Grade stainless steel construction Satin finish

Width: 750mm Depth: 490mm Height: 730-950mm



- Removable tray
- · Leg slide base
- · Adjustable height
- 2 x 75mm Castors
- · 304 Grade stainless steel construction Satin finish

Width: 560mm Depth: 410mm 820-1120mm Height:



434201 Mayo Table

- Removable tray
- 3 Leg base
- · Adjustable height
- 3 x 75mm Castors
- · 304 Grade stainless steel construction Satin finish

Width: 560mm Depth: 410mm Height: 820-1120mm



434301 Mayo Table

- Removable tray
- 4 Leg base
- · Adjustable height
- 4 x 50mm Twin castors
- 304 Grade stainless steel construction Satin finish

Width: 560mm 410mm Depth: 820-1120mm Height:

Viva Cart Accessory Options



- · Fits to rear of cart
- · 2 Hooks
- · Easy height adjustment

214383 Defibrillator Shelf



- Rotates 360°
- Locks tight
- · Fits to rear of cart
- · Width: 335mm
- Length: 335-415mm



- · Macromolecular polymer CPR Board, strong and easy to clean
- Back accessory
- Width: 440mm · Height: 510mm · Thickness: 10mm



- · Side accessory includes side rail
- · Width: 110mm · Height: 215mm • Depth: 113mm

213781 Sharps Bin Bracket BD® for Large Bin



- Side accessory includes side rail
- · Height adjustable



- Side accessory includes side rail
- · Height adjustable

213812 Sharps Bin Bracket Daniels® Hook on type



- · Removable bracket
- Does not include side rail

213822 Sharps Bin Bracket Daniels® with fixing plate



- Side accessory includes side rail
- Height adjustable

Viva Cart Accessory Options



- The oxygen tank is fixed securely on the side with adjustable ties.
- Side accessory, includes side rail
- Width: 145mmDepth: 125mm
- · Height: 405mm



- · Side accessory, includes side rail
- · Width: 100mm · Height: 480mm
- Depth: 100mm



- Used for mounting accessoriesWidth: 800mm

214399 Small Tilt Bin Organizer



- Top accessory
- Requires an accessory bridge
- for mounting
- 12 Bins
- · Width: 603mm • Depth: 123mm
- · Height: 153mm



- Top accessory
- Requires an accessory bridge for mounting
- Five bins
- Width: 603
- Depth: 106
- · Height: 253mm

214548 Waste Container Set & Lid



- Side accessory, includes side rail
- · Width: 255mm • Depth: 170mm · Height: 315mm

214558 Waste Bin



- No lid
- · Width: 365mm
- · Depth: 255mm
- · Height: 460mm
- 19L Capacity



- · Side accessory, includes side rail
- · Width: 255mm
- Depth: 170mm

Viva Cart Accessory Options



- · Side accessory, includes side rail
- Width: 330mm • Depth: 130mm · Height: 180mm



- Side accessory, includes side rail
- · Width: 571mm • Depth: 397mm · Height: 150mm



- Side accessory, includes side rail
- · Width: 355mm
- Depth: 95mm
- · Height: 80mm

214429 Bulk Storage Bins



- Top accessory
- · Requires an accessory bridge for mounting
- Set of five Width: 190mmDepth: 105mm · Height: 75mm

214563 Document Holder



- · Side accessory, includes side rail
- · Width: 255mm
- Depth: 160mm
- Height: 330mm
- · Files not included



- · Clear plastic
- · To suit file carts and document holder
- · Width: 310mm · Height: 240mm




- Side accessory, includes side rail
- Width: 213mmDepth: 395mm
- · Height: 113mm



- Side accessory, includes side rail
- Gloves not included
- 160mm
- 135mm
- 95mm


Viva Cart Accessory Options

219529 Magnetic label holder



- · Clear plastic front to protect label
- · Length: 80mm
- · Width: 50mm
- Thickness: 5mm
- · Six pieces per pack

219499 Label Holder - Clip on



- · Clips onto dividers, ABS tray and wire basket
- 20 pieces per pack
- Width: 40mm
- Depth: 18mm
- Height: 60mm



- · With serial number
- 50 pieces per pack



- · With serial number
- 50 pieces per pack

219553 Break-away Lock



- 1st drawer locking only
- Drug and equipment security
- To be used with tamper proof seals

219563 Break-away Lock — full length



- · Full cart length
- Drug and equipment security
- To be used with tamper proof seals



- · 3 Short dividers
- 3 Long dividers
- · 2 Locating strips



- · 2 Short dividers
- 2 Long dividers
- · 2 Locating strips



- · 3 Short dividers
- 6 Adjustable dividers
- · 6 T clips for securing dividers
- 2 Locating strips



- 3 Short dividers
- 4 Adjustable dividers
- 4 T clips for securing dividers
- 2 Locating strips

Viva Cart Accessory Options

219679 Adjustable Drawer Divider 76mm – Narrow



- · For the mini, narrow and double cart range
- 3 Short dividers
- 6 Adjustable dividers
- · 6 T Clips for securing dividers
- 2 Locating strips

219689 Adjustable Drawer Divider 155mm – Narrow



- For the mini, narrow and double cart range
- · 3 Short dividers
- 4 Adjustable dividers
- 4 T Clips for securing dividers
- 2 Locating strips

219189 Side Drawer Set



- · ABS Plastic
- · Width 450mm
- Depth 120mm
- · Height 665mm
- To be used with 1010mm and 1085mm height carts

219208 Monitor Holder Set — Short Arm



- Mounts to right side of cart
- Steel construction with powder coated finish
- Rotation 270°
- Pivot 180°
- · Weight capacity 8kg
- · Monitor not included

219218 Monitor Holder Set - Long Arm



- · Mounts to right side of cart
- · Steel construction with powder
- Multi adjustable arm
- Maximum length 250mm
- Weight capacity 10kg
- Monitor not included

219227 Notebook Holder – Short Arm



- · Mounts to right side of cart
- · Steel construction with powder coat finish
- · Rotation 270°
- Pivot 180°
- · Fixings to retain computer
- · Weight capacity 8kg
- · Computer not included

219228 Notebook Holder – Long Arm



- Mounts to right side of cart
- · Steel construction with powder coat finish
- Multi adjustable arm
- Maximum length 250mm
- Weight capacity 10kg
- · Computer not included

219224 Computer Drawer



- 76mm Drawer
- Computer not included

Viva Cart Accessory Options

219469 Wire Basket for Stock / Transport Carts



- · Width: 600mm · Length: 400mm
- Height: 70mm

219479 Wire Basket for Stock / Transport Carts



- · Width: 600mm · Length: 400mm
- · Height: 148mm



- Width: 600mm · Length: 400mm
- · Height: 226mm




- · Width: 600mm · Length: 400mm
- · Height: 71mm




- Width: · Length: 400mm
- · Height: 150mm


219329 Tray Divider for ABS Trays - Small



- · 3 Short
- 3 Long



- · 2 Short
- 2 Long



- 3 Short
- 6 Adjustable
- · 6 T clips for secure dividers



- · 3 Short
- 4 Adjustable
- · 4 T clips for secure dividers



- · Width: 51mm
- Length: 237mm
- To suit 76mm drawer

Viva Cart Accessory Options



- · Width: 130mm • Length: 237mm
- · To suit 155mm drawer

219429 Drawer Divider - 76mm short



- · Width: · Length: 368mm
- · To suit 76mm drawer

219439 Drawer Divider - 155mm short



- · Length: 368mm
- To suit 155mm drawer




- · Length: 542mm
- · To suit 76mm drawer



- · Width: 130mm • Length: 542mm
- · To suit 155mm drawer

219548 T clips in AS material



- 10 pieces per pack
- · Retains adjustable dividers



- · Four swivel castors available as the following standard:
 - Two locking
 - One directional



- · Four swivel castors available as the following standard:
 - Two locking
 - One directional



- · Four swivel castors available as the following standard:
 - Two locking
 - One directional

219628 Steel Castor - 150mm



- Four swivel castors available as the following standard:
 - Two locking
 - One directional

Viva Colour Options

Yellow · Standard cart colour · Standard cart colour · Standard cart colour · Standard cart colour Cream · Custom cart colour · Custom cart colour Lavender · Custom cart colour · Custom cart colour Light Blue Fresh Green · Custom cart colour · Custom cart colour Red Signline Option • Coloured signline to identify cart functions or location functions or location





• Coloured signline to identify cart functions or location



Blue Signline Option

• Coloured signline to identify cart

Grey Signline Option

• Coloured signline to identify cart functions or location



SURGICAL

Single-Use Packs	52
Single-Use Forceps	53
Reuseable Forceps	56
Single-Use Scissors	58
Reuseahle Scissors	50

Single-Use Packs



- Five piece pack
- Single use
- Sterile
- · Stainless steel

Pack includes:

- Mayo needle holder x 1
- Adson forceps plain x 1
- Adson forceps toothed x 1
- Sharp/Sharp scissor x 1
- Sharp end forceps x 1

FAH434 Debridement Pack



- · Five piece pack
- Single use
- Sterile
- · Stainless steel

Pack includes:

- BP handle no 3 x 1
- Iris stitch scissor curved x 1
- Silver probe with eye x 1
- Mosquito forceps straight x 1
- Treves toothed forceps x 1



FAH435 Suture Removal Pack



- Two piece pack
- Single use
- Sterile
- · Stainless steel

Pack includes:

- 1 x Adson forceps plain 120 mm x 1
- 1 x Scissor sharp/sharp x 1



- · Three piece pack
- Single use
- Sterile
- · Stainless steel

Pack includes:

- · Artery spencer wells forceps 200mm x 2
- Blunt/Blunt Cord Scissor 200mm x 1





FAH430 Artery Spencer Wells Forceps



- Single use
- Sterile
- Blue ends
- 200mm

Sizes Available:

• FAH431 130mm

FAH474-A Straight Mosquito Forceps



- Single use
- Sterile
- Blue ends
- 125mm



FAH475-A Curved Mosquito Forceps



- · Single use
- Sterile
- Blue ends
- 125mm





- Blue ends
- 160mm





- Single use
- Sterile
- · Blue ends
- 160mm



- Single use
 - Sterile
 - Blue ends
 - 140mm





- Single use
- Sterile
- Blue ends
- 140mm



- Single use
- Sterile
- Blue ends
- 240mm





- Smooth jaw forceps
- Single use
- Sterile
- Blue ends
- 200mm



FAH522 Roberts Forceps



- · Single use
- Sterile
- Blue ends
- 220mm



FAH525 McGill Forceps



- · Single use
- Sterile
- Blue ends

Sizes Available:

- FAH525 200mm
- FAH526 250mm



FAH527 Tenaculum Straight Forceps



- Single use
- Sterile
- Blue ends
- 250mm







- Single use
- Sterile
- Blue end
- 120mm



- Single use
- Sterile
- · Blue end • 120mm

FAH428 Artery Spencer Wells Forceps



- · Single use
- Sterile
- · Blue end
- 130mm


FAH429 McIndoe Dissecting Forceps



- Blunt End
- Single use
- Sterile
- · Blue end
- 150mm








- Single use
- Sterile
- Blue end
- 13cm

Sizes Available:

- FAH515 130mm
- FAH519 150mm



- · Single use
- Sterile • Blue end
- 140mm



- Sharp End
- · Single use
- Blue end
- 130mm

FAH520 Gillies Forceps One Tooth



- · One Tooth
- · Single use
- Sterile
- Blue end
- 150mm

Reuseable Forceps



- Double Tooth
- Reuseable
- · Non-Sterile
- 120mm



- 1 x 2 Tooth
- Reuseable
- · Non-Sterile • 180mm






- · Pressed Steel Economy
- Reuseable
- · Non Sterile
- 87mm



- · Blunt End
- Reuseable
- · Non-Sterile
- 130mm



Reuseable Forceps



- Sharp End
- Reuseable
- · Non-Sterile
- 130mm
- Stainless Steel




- Stainless Steel
- Reuseable
- · Fine Non-Sterile
- 90mm





- 1 x 2 Tooth
- Reuseable
- · Non-Sterile
- 130mm





Did you know...



We can custom make Single-Use Packs to your specification

...ask us how


Single-Use Scissors



- Single use
- Sterile
- · Stainless steel
- Blue ends

Sizes Available:

- FAH574 130mm
- FAH575 185mm
- FAH576 200mm



- Single use
- Sterile
- · Stainless Steel
- Blue ends
- 150mm





- Single use
- Sterile
- · Stainless steel
- Blue ends
- 130mm





- Single use
- Sterile
- Stainless steel
- Blue ends
- 115mm





- Single use
- Sterile
- · Stainless steel
- Blue ends
- 115mm





Reuseable Scissors



- Reuseable
- · Non-Sterile
- Stainless Steel
- 130mm



- Reuseable
- Non-Sterile
- · Stainless Steel
- 130mm





- Reuseable
- · Non-Sterile
- · Stainless steel
- 115mm



- Reuseable
- · Non-Sterile
- · Plastic/Stainless steel
- 190mm







- Reuseable
- · Non-Sterile
- 130mm





- Stainless Steel
- Reuseable
- · Non-Sterile
- Gold plated handles
- Sharp/Blunt
- 130mm

Sizes Available:

- FAH577 130mm
- FAH580 120mm





- Reuseable
- · Non Sterile
- Stainless Steel
- · Gold plated handles
- Sharp/Sharp

Sizes Available:

- FAH578 130mm
- FAH579 120mm





MONITORING & DIAGNOSTIC

Scales and Measuring	62
Oximeters	71
Sphygmomanometers — Mercury Type	72
Sphygmomanometers — Aneroid Type	75
Digital Blood Pressure Monitors	78
Vital Signs Monitors	78
Thermometers	79
Stethoscopes	80
Otoscopes	84
Ophthalmoscopes	85
Dermatoscopes	86
Diagnostic Station	86
Diagnostic Station Extension Modules for Ri-former	87
Diagnostic Station — Instrument Heads	88
Broselow Hinkle System	89
Dopplers	90
Defibrillators	91
Medical Lighting	92
Flow Chart Tables	92
Chart Holders	aз



- · Reset-to-zero function
- · Ideal for work in areas where there is no access to hospitals and baby clinics
- · Shatter-proof glass dial, corrosionresistant metal casing and internal parts and robust mechanics
- · Suspension hooks are made of galvanized steel and are extremely durable and safe
- Stable, hygienic and easy to clean durable nylon material sling seat

Code	Capacity	Graduation	Width	Depth	Height	Weight
214756 214757	5	25g 50a		225mm 225mm		
214/3/	ZJKY	Jog	220111111	22311111	JZIIIIII	1.5kg




- Large easy to read LCD figures
- · Carry handle that can be used to hang the scales when not in use
- · The breast-milk-intake function (BMIF) shows the exact amount of milk the baby has consumed.
- · Kg/lbs switch option
- Auto-HOLD function
- · Automatic switch-off
- · TARE function
- · Battery operated

Options Available:

- · 214740 Power adaptor with optional
- · 214741 Measuring rod

Capacity:	20kg
Graduation:	5g<10KG>10g
Width:	638mm
Depth:	105mm
Height:	300mm
Weight:	2.8kg





- With its dual function, this baby scale at the touch of a button, the tray can be detached quickly and easily from the base, leaving you with robust flat scales for children
- · Breast-milk-intake function (BMIF) shows the exact amount of milk the baby has consumed
- Kg/lbs switch option
- Auto-HOLD function
- · Automatic switch-off
- · TARE function
- Battery operated

Capacity:	50kg
Graduation:	20g<20KG>50g
Width:	552mm
Depth:	156mm
Height:	342mm
Weight:	2.5kg



214924 Seca Measuring Rod for Babies

- For precise measuring when baby is lying down
- · Can be mounted to table, wall or used as a mobile rod
- · Large head and foot positioners for ease of use
- Calipers fold for ease of storage
- · Manufactured from Aluminum

Measuring Range: 0-99mm Graduation Length: 1mm Width: 1047mm Depth: 120mm Height: 286mm Height when folded: 30mm Weight: 810g



214708 Seca Measuring Mat for Babies

- · Precise measurement of the length of babies and toddlers while lying down
- · Fixed head piece and the sliding foot positioner make it simple to use
- · Foldable space-saving solution for easy storage
- · Can be wall mounted

10-99mm Measuring Range: Graduation Length: 5mm 1250mm Width: 140mm Depth: Height: 300mm Width when folded: 120mm 575g Weight:



214726 Seca Measure Tape for Head Circ of Babies

- · Measures both the head circumference (front side) and the symmetry of the face (reverse side).
- · Practical dispenser ensures that they are stored safely.
- · Non-stretch Teflon synthetic material
- · Pack of 15

Measuring Range: 50-590mm Graduation Length: 1_{mm} Width: 25mm Depth: 1mm Height: 663mm 60g Weight:



214700 Seca Infantometer

- · Quick and easy to measure babies and toddlers up to two years old
- Raised and softly rounded sides guide the baby easily and safely into the right position
- · Foot piece is permanently mounted with rollers on two guide rails
- · Foot piece is lockable so the baby can be removed and the result noted later

Measuring Range: 330-1000mm Graduation Length: Width: 1103mm Depth: 169mm Height: 402mm Weight: 3.8g



- · Easy to use and provides weight quickly and conveniently without the need for batteries or power
- · Patient can self assess weight effortlessly and without assistance
- · User defined zero setting
- Transport castors

Capacity: Graduation: Column Width: Column Depth:	150kg 500g 295mm 910mm
Column Height: Tray Width:	500mm 278mm 75mm
Tray Depth: Tray Height: Weight:	273mm 6.9kg



•	Flat	large	easy	access	platform
---	------	-------	------	--------	----------

· Eye level beam for easy reading

· The optional measuring rod with a range from 600-2000mm for time-saving measuring and weighing in one step

- Equipped with integrated transport castors for mobile use.
- · Reset-to-zero function

Options Available:

· 214741 Measuring rod

Code	Capacity	Graduation	Width	Depth	Height	Weight
214650 214651	160kg 220kg	50g 100g	1556mm 1556mm		520mm 520mm	9

Capacity:

Width:

Depth:

Height:

Weight:

Graduation:

300kg

360mm

930mm

520mm

15.2kg

50g<150kg>100g

Scales & Measuring



- · Network capable with 360 degrees wireless technology for EMR enables measurements to be transmitted to an optional Seca wireless printer or Seca software on your PC
- · Body mass index function reader (BMI)
- Pre-TARE function
- · Auto clear, auto hold, auto print and auto reset functions
- Mother/Child function with auto deduct feature
- Transport castors
- · Optional measuring rod with a range from 600-2000mm for time-saving measuring and weighing in one step or receive data wirelessly from a separate digital stadiometer
- Battery operated

Options Available:

- · 214740 Power adaptor
- · 214741 Measuring rod


214878 Seca Mechanical Flat Scales



- · A stable, powder coated steel casing, a circular display
- · Easy to clean tread area of imitation leather
- · Reset-to-zero function

Capacity:	150kg
Graduation:	1kg
Width:	317mm
Depth:	117mm
Height:	477mm
Weight:	3.5kg





- · Kg/lbs switch-over
- · Tap-on function
- · Automatic switch-off
- · Auto-hold
- · Battery powered
- · Available in black or white







- Tough rubber non slip coating takes the heaviest challenges lightly
- Extra wide platform with easy access
- Kg/lbs option
- · Auto-hold
- · Automatic switch-off
- · Tap-on function
- · Battery powered

200kg
100g
433mm
47mm
373mm
2.9kg



214848 Seca Electronic Bariatric Flat Scales

- · It stands firmly on four leveling bases that guarantee stability, even when small children are weighed while held by an adult
- The mother/child-function ascertains the tare of the weight with just the touch of a button
- Kg/lbs option
- · Automatic switch-off
- · Tap-on function
- Battery powered

Capacity:	250kg
Graduation:	100g<150kg>200g
Width:	321mm
Depth:	60mm
Height:	365mm
Weight:	4.2kg



214923 Seca Measuring Tape

- Measures girth with millimeter precision
- · High-quality mechanics guarantee easy unwind and locks in place precisely
- · Housing sits comfortably and securely in the user's hand and is tough enough to withstand accidental dropping

Measuring Range:	0-2050mm
Graduation Length:	1mm
Width:	70mm
Depth:	22mm
Height:	65mm
Weight:	50g



214943 Seca Stadiometer

- · Ideal for mobile use also ideal for doctors practices and hospitals
- · Can be dismantled into several pieces and set up easily and quickly
- The spacer keeps the rod straight and stable without any fittings

Measuring Range: 200-2050mm Graduation Length: 1mm Width: 337mm Depth: 2130mm 590mm Height: Depth when folded: 177mm Height when folded: 624mm 2.4kg Weight:



- · Unmatched stability almost the same as a permanent installation
- · Ideal for mobile use also ideal for doctors practices and hospitals
- · Innovative designed assembly system constructed of high-quality materials
- · Adjustable spacer ensures a secure hold without any fittings
- · When disassembled, the stadiometer is easy to carry anywhere

200-2050mm Measuring Range: Graduation Length: 1mm Width: 328mm Depth: 2145mm Height: 574mm Weight: 3.6kg





- Fold-up armrests and footrests for easy access
- · Front fixed direction wheels with locking rear swivel castors
- Ergonomically shaped seat
- · Kg/lbs weigh results option
- · Auto hold function allows weight value to be displayed after the patient is removed assisting patient care first and retrieving the results later
- Tare function prevents additional weight (e.g. clothing) influencing the weighing result
- Battery powered
- Automatic switch-off to preserve battery life







582903 Seca Deluxe Chair Scale

- · For weighing patient whilst they are seated
- Separate fold-up armrests and slide in footrests for easy access
- · Front fixed direction wheels with locking rear swivel castors
- · Ergonomically shaped seat
- Kg/lbs weigh results option
- Auto hold function allows weight value to be displayed after the patient is removed assisting patient care first and retrieving the results later.
- Tare function prevents additional weight (e.g. clothing) influencing the weighing result
- An integrated RS232 interface allows the reliable transmission of data to a pc or seca printer.
- · Power adapter or rechargeable battery power supply
- · Automatic switch-off to preserve battery life

200kg Capacity: Graduation: 50g<150kg>100g Width: 563mm 906mm Depth: 970mm Height: Weight: 24.5kg



583403 Bariatric Chair Scale

- · Heavy duty construction
- High capacity
- · Hinged footrests for comfort and easier patient transfer
- · Hinged armrests for easier patient transfer
- Body Mass Index function
- · Fitted with data out port for connection to Printer
- Optional seat belt or harness
- · Internal rechargeable battery pack giving 80 hours continuous

Capacity: 300kg Graduation: 50g<150kg>100g Width: 530mm Depth: 460mm Height: 930mm Weight: 27kg





- Heavy Duty Construction for heavy use
- · High strength stainless steel armrests for patient safety and comfort
- · Heavy duty wheels with 2 locking
- · Vinyl padded seating for user comfort
- · Lockable wheels
- · Battery powered with optional mains power
- Electronic data integration enables data to be transferred to PC or printer
- Multi position screen can be viewed from front or rear of the scale

Capacity: 500kg Graduation: 100q Width: 695mm Depth: 410mm Weight: 102kg



214908 Seca Multifunction Hand Rail Scales

- · Equipped with an extremely low-level, easy-access platform
- · Stable handrail assists safe and comfortable weighing of heavy or unsteady patients
- · Integrated handrail is within the weight sensitive area to ensure accurate results
- A chair can be placed on the scales for patients who prefer to sit
- The pre-TARE function with three memory cells automatically deducts a stored weight (such as a chair) to determine net weight
- 2 rubber mobility wheels assist in moving of the scales
- When the scale is connected to a printer, the time of weighing and the patient's weight are automatically recorded and printed by the time module
- Adjustable dampening function makes it possible to easily determine weight even when interference occurs when weighing e.g. patient movement

- · Kg/lbs weigh results option
- Auto hold function allows weight value to be displayed after the patient is removed assisting patient care first and retrieving
- TARE function prevents additional weight (e.g. clothing) influencing the weighing result
- · Body mass index function reader (BMI)
- · Power adaptor and rechargeable batteries
- Automatic switch-off

Options Available:

214909 Measuring rod - BMI 60-2300mm

300kg Capacity: Graduation: 100g Width: 640mm Depth: 1150mm 660mm Height: 25.4kg Weight:



214910 Seca Multifunctional Scales

- · Patient can be safely weighed while standing, seated or in a wheelchair
- Equipped with an extremely low-level, easy-access platform
- Stable handrail assists safe and comfortable weighing of heavy or unsteady patients
- Integrated handrail is within the weight sensitive area to ensure accurate results
- Integrated folding seat
- · Wheelchair compatible with by a large (760 x 820mm) platform
- Barrier stop provided for the front wheels of the wheelchair
- · Roll on ramp included
- · Both patient and caregiver can easily read the net and gross weights in the conveniently positioned swiveling display
- The pre-TARE function with three memory cells automatically deducts a stored weight (such as a chair) to determine net weight
- Integrated transport wheels assist in moving of the scales

· Patient can be safely weighed while in

· Roll on and roll off function for ease

Can be folded for storage and for

· Locking devise ensures that scale

a wheelchair or on a chair

space saving

Stable handrail assists access

- When the scale is connected to a printer. the time of weighing and the patient's weight are automatically recorded and printed by the time module.
- Adjustable dampening function makes it possible to easily determine weight even when interference occurs when weighing e.g. patient movement
- · kg/lbs weigh results option
- · Auto hold function allows weight value to be displayed after the patient is removed assisting patient care first and retrieving the results later
- TARE function prevents additional weight (e.g. clothing) influencing the weighing result
- Body mass index function reader (BMI)
- Mains power
- · Automatic switch-off

360kg Capacity: Graduation: 100g Width: 910mm Depth: 1100mm 1064mm Height: Weight: 59.5kg

214633 Seca Wheelchair Scales



- stands safely when folded The pre-TARE function with three memory cells automatically deducts a stored weight (such as a chair) to determine net weight
- · Integrated transport wheels assist in moving of the scales

- · Adjustable dampening function makes it possible to easily determine weight even when interference occurs when weighing e.g. patient movement
- Kg/lbs weigh results option
- Auto hold function allows weight value to be displayed after the patient is removed assisting patient care first and retrieving the results later
- TARE function prevents additional weight (e.g. clothing) influencing the weighing result
- · Body mass index function reader (BMI)
- · Mains power
- · Automatic switch-off







214643 Seca Wheelchair Scales

- · Patient can be safely weighed while in a wheelchair
- Platform side rails keep wheelchair safe and secure
- Both patient and caregiver can easily read the results in the conveniently positioned swiveling display
- Roll on and roll off function for ease
- Can be folded for storage and for space saving
- The pre-TARE function with three memory cells automatically deducts a stored weight (such as a chair) to determine net weight
- Integrated transport wheels assist in moving of the scales

- · Adjustable dampening function makes it possible to easily determine weight even when interference occurs when weighing e.g. patient movement
- · Kg/lbs weigh results option
- · Auto hold function allows weight value to be displayed after the patient is removed assisting patient care first and retrieving the results later
- TARE function prevents additional weight (e.g. clothing) influencing the weighing result
- Body mass index function reader (BMI)
- · Power adaptor and rechargeable batteries
- Automatic switch-off

Capacity: 360kg Graduation: 100g Width: 1102mm Depth: 912mm Height: 1150mm Weight: 33.4kg



- · Patient can be safely weighed while in a bed, stretchers, wheelchairs or a chair
- Roll on and roll off function for ease
- Remote display with easy-to-read LCD figures
- Foldable with integrated transport handles for storage and for space saving
- The pre-TARE function with three memory cells automatically deducts a stored weight (such as a chair) to determine net weight
- Integrated transport wheels with steer castor assist in moving of the scales
- Adjustable dampening function makes it possible to easily determine weight even

- when interference occurs when weighing e.g. patient movement
- · Kg/lbs weigh results option
- Auto hold function allows weight value to be displayed after the patient is removed assisting patient care first and retrieving the results later
- TARE function prevents additional weight (e.g. clothing) influencing the weighing result
- · Body mass index function reader (BMI)
- · Power adaptor
- · Automatic switch-off

Options Available:

· 214918 Stand for display

Capacity: 360kg Graduation: 100g Width: 893mm Depth: 87mm Height: 1655mm Weight: 42.2kg





- · Multifunctional scales for wheelchair and seated patients
- · Roll on ramp supplied
- Remote display with easy-to-read LCD figures with wall mount provided
- Foldable with integrated transport handle for storage and for space saving
- The pre-TARE function with three memory cells automatically deducts a stored weight (such as a chair) to determine net
- Integrated transport wheels assist in moving of the scales
- Adjustable dampening function makes it possible to easily determine weight even

- when interference occurs when weighing e.g. patient movement
- Kg/lbs weigh results option
- · Auto hold function allows weight value to be displayed after the patient is removed assisting patient care first and retrieving the results later
- TARE function prevents additional weight (e.g. clothing) influencing the weighing
- · Body mass index function reader (BMI)
- Power adaptor
- · Automatic switch-off

Options Available:

· 214918 Stand for display

360kg Capacity: Graduation: 100q Width: 904mm 70mm Depth: Height: 1064mm Weight: 27kg



- · Electronic organ and diaper scales with stainless steel cover
- · The raised display is protected from soiling by fluids
- Sealed stainless steel surface ensures hygienic and keeps moisture away from the electronic parts
- The fine one-gram graduation ensures highly precise results
- Pre-TARE function a previously saved weight value is deducted from the currently measured value automatically for accurate NET weight
- TARE function prevents additional weight (e.g. container's) influencing the weighing result
- · Kg/lbs weigh results option
- · Auto hold function allows weight value to be displayed after the article has been removed
- · Battery powered
- · Automatic switch-off to preserve battery life

5kg Capacity: Graduation:1g <3kg>2g Width: 265mm Depth: 53mm 265mm Height: Weight: 1.9kg

Oximeters




- · Combines monitor and sensor into one lightweight, pocket-size, portable solution
- · Easy-to-use, one-button keypad
- Provides fast, reliable SpO2, pulse rate and pulse strength measurements
- · Monitor patients ranging from paediatric to adult
- · Large LED display for use in a wide range of light or dark environments
- Auto power shutdown after 8 seconds conserves batteries when not in use
- · Low-battery indicator flashes when remaining battery time drops under 30 minutes
- · Rugged design features four springs enclosed in a high impact polycarbonate shell

475657 Spectro 10 Pulse Oximeter • Large, bright, easy-to-read LED for at-a-glance assessment · Unique on-board cradle to store and protect finger sensor · Multiple power options Compatible with docking station, attachable printer, and BCI®

spot-check sensor Pulse amplitude Index (PI)

· Low battery indicator



Width:

Depth:

Height:

Weight:

83mm

42mm

155mm

340g





· Unique on-board cradle to store and protect finger sensor


· Multiple power options

· Compatible with docking station, attachable printer, and BCI® spot-check sensor Pulse amplitude Index (PI)

· Low battery indicator

· Patented serial autocorrelation technology

· Nellcor® sensor compatibility





Oximeters



- Large, bright, easy-to-read LED for at-a-glance assessment
- · Audible and visual alarms
- Intuitive 5-key navigation
- User-selectable Clinician, Home, and Sleep operating modes
- Unique on-board cradle to store and protect finger sensor
- · Compatible with docking station and attachable printer
- · Patented serial autocorrelation technology
- Nellcor® sensor compatibility

Width: 43.3mm Depth: 38.1mm Height: 57.2mm Weight: 85g

Sphygmomanometers - Mercury Type



- · Rugged metal case with a two-tone finish in light gray / black.
- · Chromium-plated metal parts
- Maximum error tolerance of +/- 3mmHg
- · 99.99% Pure mercury
- Precision glass column internal diameter 4.2mm +/- 0.2mm
- Latex bulb with chromium plated release valve
- · Precision air release valve, wear-free and with fine regulation
- · Microfilter for long life
- Cuff with two-tube latex bladder
- Metal faceplate with easy-to-read scale up to 300mmHg
- Mercury lock with special seal against mercury contamination
- Large storage compartment for cuff + latex bulb
- Cleaning device for glass column

Code	Cuff Type
475000	Cotton Bandage Cuff
475001	Cotton Hook Cuff
475002	Calibrated Nylon Velcro Cuff



٠	Desk	Model	in	metal	case
---	------	-------	----	-------	------

- Maximum error tolerance of +/- 3mmHg
- · Precision glass column
- Internal diameter 4.2mm +/- 0.2mm
- · Latex bulb with chromium plated air release valve
- · Precision air release valve, wear-free and with fine regulation
- Microfilter for long life
- · Nickel plated metal parts
- · Cuff with two-tube latex bladder
- · Easily legible metal scale up to 300mmHg
- Mercury lock with special seal against mercury contamination
- · Unbreakable long-life metal case
- Large compartment for cuff + bulb
- Cleaning device for glass column

Code	Cuff Type	Colour
475003	Cotton Bandage Cuff	Light Grey
475004	Cotton Hook Cuff	Light Grey
475005	Calibrated Nylon Velcro Cuff	Light Grey
475006	Calibrated Nylon Velcro Cuff	Slate Grey
475007	Calibrated Nylon Velcro Cuff	Blue
475008	Calibrated Nylon Velcro Cuff	Saffron
475009	Calibrated Nylon Velcro Cuff	Green

Sphygmomanometers - Mercury Type



- · Latest Riester measuring technology
- · Specially designed stand provides a very high level of stability
- Maximum error tolerance of +/- 3mmHg
- 99.99% pure mercury
- Precision glass column Internal diameter 4.2mm +/- 0.2mm
- · Latex bulb with chromium plated release valve
- · Precision air release valve, wear-free and with fine regulation
- · Microfilter for long life
- · Cuff with two-tube latex bladder
- · Easily legible tilted scale up to 300mmHg
- Coil tubing extendable up to 3m
- · Mercury lock with special seal against mercury contamination
- Resistant plastic housing
- · Cleaning device for glass column

Ries	- or	Mox	/a -	. Wall



- · Highest quality for general practice and hospital use
- Suitable for the harshest working conditions
- Maximum error tolerance of +/- 3 mmHg
- · 99.99% pure mercury
- Precision glass column Internal diameter 4.2mm +/- 0.2mm
- · Latex bulb with chromium plated release valve
- · Precision air release valve, wear-free and with fine regulation
- · Microfilter for long life
- · Cuff with two-tube latex bladder
- Easily legible scale up to 300mmHg
- · Mercury lock with special seal against mercury contamination
- · Unbreakable metal wall bracket
- · Fixed mount (non-swiveling)
- · Light gray finish
- · Coil tubing extendable up to 3m
- · Including screws and dowels for wall mounting
- · Cleaning device for glass column

Code	Cuff Type
475010 475011	Cotton Bandage Cuff Cotton Hook Cuff
475012	Calibrated Nylon Velcro Cufl

Cuff Type

Cotton Bandage Cuff

Calibrated Nylon Velcro Cuff

Cotton Hook Cuff

475013

475014

475015



- Flexible as it can swivel up to 65° in each direction
- · Can be converted to the anaesthesia model
- Maximum error tolerance of +/- 3mmHg
- 99.99% pure mercury
- Precision glass column Internal diameter 4.2mm +/- 0.2mm
- · Latex bulb with chromium plated release valve
- · Precision air release valve, wear-free and with fine regulation
- · Microfilter for long life
- · Cuff with two-tube latex bladder
- · Easily legible scale up to 300mmHg
- · Mercury lock with special seal against mercury contamination
- Coil tubing extendable up to 3m
- Inclusive of screws and dowels for all mounting
- · Cleaning device for glass column

Code	Cuff Type
475016	Cotton Bandage Cuff
475017	Cotton Hook Cuff
475018	Calibrated Nylon Velcro Cuff



Sphygmomanometers - Mercury Type



•	Precision on 5	casters providing	g maxımum	stability
	The motal has	icina providor obl	imum neate	oction

- for the high quality technology
- Maximum error tolerance of +/- 3mmHg
- 99.99% pure mercury
- · Latex bulb with chromium plated release valve
- · Precision air release valve, wear-free and with fine regulation
- · Microfilter for long life
- Cuff with two-tube latex bladder
- · Easily legible tilted scale up to 300mmHg
- Precision glass column Internal diameter 5.0mm +/- 0.2mm
- · Mercury lock with special seal against mercury contamination
- Light gray finish
- · Coil tubing extendible up to 3m
- · Stand height 1.05m, extendable to 1.30m
- · Cleaning device for glass column

Code	Cuff Type	Stand Diameter
475019	Cotton Bandage Cuff	380mm
475020	Cotton Hook Cuff	380mm
475021	Calibrated Nylon Velcro Cuff	380mm
475022	Cotton Bandage Cuff	550mm
475023	Cotton Hook Cuff	550mm
475024	Calibrated Nylon Velcro Cuff	550mm



- Mobile and Flexable with floor-mounting stability maximum error tolerance of +/- 3mm Hg
- 99.99% pure mercury
- Precision glass column Internal diameter 4.2mm +/- 0.2mm
- · Latex bulb with chromium plated release valve
- · Precision air release valve, wear-free and with fine regulation
- · Microfilter for long life
- · Cuff with two-tube latex bladder
- Easily legible tilted scale up to 300mmHg
- · Mercury lock with special seal against mercury contamination
- · Resistant plastic housing
- Coil tubing extendible up to 3m
- · Stand height 1.12m, extendable to 1.38m
- Cleaning device for glass column
- 550mm Diameter base is supplied with two locking castors

Code	Cuff Type	Stand Diameter
475025	Cotton Bandage Cuff	380mm
475026	Cotton Hook Cuff	380mm
475027	Calibrated Nylon Velcro Cuff	380mm
475028	Cotton Bandage Cuff	550mm
475029	Cotton Hook Cuff	550mm
475030	Calibrated Nylon Velcro Cuff	550mm



- Shock-proof technology
- · Air duct for stable pointer movements
- · Fast, ergonomic inflation due to optimized bulb design with integrated spoon
- Non-resistant opening of air release valve ensures precise and comfortable operation
- Shock-proof up to a falling height of 1200mm
- · Focus green silber 2008 design award
- Scale: Ø52mm white with blue pointer or black with red fluorescent pointer
- Valve base and air duct with metal precision valve
- Two-component ABS casing
- Metal threaded tube connection at the top of the casing for fast cuff exchange and ergonomical operation
- Maximum error tolerance of +/- 3mmHg
- · Extensive selection of various cuff sizes
- · Incl. Vinyl zippered bag
- · Weight: 173 gram

Options Available:

- 475120 Desk top storage box and 3 cuff sizes
- 475121 Three cuff sizes

Code	Cuff Type	Scale Colou
475031	Bandage Cuff	Black
475032	Hook Cuff	Black
475033	Velcro Cuff	Black
475034	Bandage Cuff	White
475035	Hook Cuff	White
475036	Velcro Cuff	White

Sphygmomanometers - Mercury Type



Riester Minimus 2

- · Compact, single-tube, graduated-scale sphygmomanometer
- · Highly polished chromium-plated, rugged metal housing with metal ring, corrosion-protected
- Latex bulb with chromium-plated air release valve
- · Metal valve base
- · Precision air release valve with fine adjustment and wear-free
- · Microfilter protects air release valve and measuring system
- · Spoon-shaped grip of stainless steel
- · Specially tempered copper-beryllium diaphragm
- · Metal connector for simple and fast changes of cuffs
- Diaphragm pressure-loading capacity up to 600mmHg
- Maximum error tolerance +/- 3mmHg
- Linear aluminum scale Ø49mm, easily legible up to 300mmHg
- · In vinyl zipper case
- · Comprehensive selection of different sizes and versions of cuffs



- · Twin tube model
- · Latex bulb with chromium-plated air release valve
- · Precision air release valve with fine adjustment and wear-free
- · Microfilter protects air release valve and measuring system
- · Spoon-shaped grip of stainless steel
- · Specially tempered copper-beryllium diaphragm almost non-aging
- · Metal connector for simple and fast changes of cuffs
- Diaphragm pressure-loading capacity up to 600mmHg
- Maximum error tolerance +/- 3mmHg
- · Linear aluminum scale Ø49mm, easily legible up to 300mmHg
- · In vinyl zipper case
- · Comprehensive selection of different sizes and versions of cuffs

Cuff Type Code 475040 Bandage Cuff 475041 Hook Cuff 475042 Velcro Cuff

Cuff Type

Hook Cuff

Velcro Cuff

Bandage Cuff

Code

475037

475038

475039

Sphygmomanometers - Aneroid Type



	Latex bulb for pumping up the cuff	Code	Cuff Type	Tube	Stand
٠	Metal valve base				Diameter
	Ergonomic spoon-shaped grip of stainless steel	475043	Bandage Cuff	Single	Aluminium
٠	Single-tube connection	475044	Hook Cuff	Single	Aluminium
	Precision air release valve with fine adjustment and wear-free	475045	Velcro Cuff	Single	Aluminium
	Microfilter protects air release valve and measuring system	475046	Bandage Cuff	Twin	Aluminium
•	Specially tempered copper-beryllium diaphragm, with precision movement	475047	Hook Cuff	Twin	Aluminium
	Diaphragm pressure-loading capacity up to 600mmHg	475048	Velcro Cuff	Twin	Aluminium
	Linear, tilted aluminum scale, from 0 to 300mmHg (easily legible)	475049	Bandage Cuff	Single	Plastic/Metal
	Maximum error tolerance +/- 3 mm Hg	475050	Hook Cuff	Single	Plastic/Metal
•	Comprehensive selection of different sizes and versions of cuffs	475051	Velcro Cuff	Single	Plastic/Metal
•	Available in metal with an aluminium housing and simple	475052	Bandage Cuff	Twin	Plastic/Metal
	tube - plug-in connection or sturdy plastic housing with	475053	Hook Cuff	Twin	Plastic/Metal
	chromium-plated tube - screw connection	/.7E0E/.	Volcro Cuff	Twin	Diactic / Motal

475054 Velcro Cuff

Plastic/Metal

Sphygmomanometers - Aneroid Type



- · Suitable for children
- · Choice of either chrome or sturdy plastic/metal casing
- Ergonomic spoon-shaped handle made of stainless steel
- Precision pressure-release valve, permits fine regulation
- · Micro-filter protects pressure-release valve and measurement system
- Special hardened copper-beryllium membranes, virtually unchangeable precision workings
- Membrane can withstand overpressures of up to 600mmHg
- · Linear scale, up to 300mmHg
- Maximum error tolerance of +/- 3mmHg
- Includes padded nylon zipper bag
- · Comprehensive range of different cuff sizes and designs
- Available with compatible stethoscope

Code	Cuff Type	Housing Type
475055 475056 475057	Velcro Cuff Velcro Cuff Velcro Cuff with Stethoscope	Metal Plastic/metal Metal
475058	Velcro Cuff with Stethoscope	Plastic/metal



Air release valve is regulated by finger-tip control	Code	Cuff Type	Colour
 Palm-style model, single-tube analog sphygmomanometer Latex-free bulb for pumping up the cuff Tube connection at the top of the pressure gage for unhindered blood pressure measurement Suitable for right or left handed users Precision air release valve with fine adjustment and wear-free Microfilter protects air release valve and measuring system Specially tempered copper-beryllium diaphragm, almost non-aging The precision movement guarantees reliable measurements Diaphragm can be pressurized up to 600mmHg Easily legible scale Ø64 from 0 to 300mmHg Maximum error tolerance of +/- 3mmHg 	475059 475060 475061 475062 475063 475064 475065 475066 475067 475068 475069	Bandage Cuff Hook Cuff Velcro Cuff Bandage Cuff Hook Cuff	Slate Grey Slate Grey Slate Grey Blue Blue Saffron Saffron Green Green
 In vinyl zippered case Comprehensive selection of different sizes and versions of cuffs 	475069	Velcro Cuff	Green
* CUITIDI ETISTVE SEIECLIUTI UT UTTETETIL SIZES ATTU VELSTUTIS UT CUITS			



- Stainless metal clamp for hooking the pressure gage to the cuff
- · Precision air release valve with fine adjustment and wear-free
- · Microfilter protects air release valve and measuring system
- · Specially tempered copper-beryllium diaphragm, with precision movement
- Diaphragm pressure-loading capacity up to 600mmHg
- · Linear scale Ø49mm from 0 to 300mmHg
- · Latex bulb for pumping up the cuff
- Maximum error tolerance +/- 3mmHg
- In vinyl zipper case
- · Comprehensive selection of different sizes and versions of cuffs

Code	Cuff Type	Housing Type
475071	Bandage Cuff	Chrome
475072	Hook Cuff	Chrome
475073	Velcro Cuff	Chrome
475074	Bandage Cuff	Black metal
475075	Hook Cuff	Black metal
475076	Velcro Cuff	Black metal
475077	Bandage Cuff	Black Plastic
475078	Hook Cuff	Black Plastic
475079	Velcro Cuff	Black Plastic

Sphygmomanometers - Aneroid Type



•	Generously dimensioned and high-contrast scale layout for optimum readability; scale up to 300mmHg	Code	Cuff Type	Cuff Size	Face Type
•	2 Tubes	475080	Bandage Cuff	Adult	Round
	Spacious basket on the reverse side for tubes and cuffs	475081	Hook Cuff	Adult	Round
	Latex bulb to inflate the cuff	475082	Velcro Cuff	Adult	Round
	Non-wearing air-release valve with fine adjustment	475083	Velcro Cuff	Large Adult	Round
	Micro-filter to protect the release valve and measurement system Specially hardened copper-beryllium membrane, can withstand	475084	Velcro Cuff	Child	Round
•	pressures of up to maximum 600mmHg	475085	Bandage Cuff	Adult	Square
•	Precision mechanism mounted on a special support, in order to	475086	Hook Cuff	Adult	Square
	ensure complete stability of the measuring system and the zero-point	475087	Velcro Cuff	Adult	Square
•	No zero-point fixation required	475088	Velcro Cuff	Large Adult	Square
	Maximum error tolerance: ±3mmHg Round model 147.2mm diameter	475089	Velcro Cuff	Child	Square



• Square model 145.5mm²

	Stable wall mounting made of glass-fibre reinforced plastic Total swivel radius 130°, i.e. 65° to the left and 65° to the right	Code	Cuff Type	Cuff Size	Face Type
•	Generously dimensioned and high-contrast scale layout for optimum readability; scale up to 300mmHg 2 Tubes Spacious basket on the reverse side for tubes and cuffs Latex bulb to inflate the cuff Non-wearing air-release valve with fine adjustment Micro-filter to protect the release valve and measurement system Specially hardened copper-beryllium membrane, which is resistant to aging, can withstand pressures of up to maximum 600mmHg Precision mechanism mounted on a special support, in order to	475090 475091 475092 475093 475094 475095 475096	Bandage Cuff Hook Cuff Velcro Cuff Velcro Cuff Velcro Cuff Bandage Cuff Hook Cuff Velcro Cuff	Adult Adult Large Adult Child Adult Adult Adult Adult	Round Round Round Round Round Square Square Square
	ensure complete stability of the measuring system and the zero-point	475098	Velcro Cuff	Large Adult	Square
•	No zero-point fixation required	475099	Velcro Cuff	Child	Square
•	Maximum error tolerance: ±3mmHg				



 Round Model 147.2mm diameter Square Model 145.5mm²

	Generously dimensioned and high-contrast scale layout for optimum readability; scale up to 300mmHg	Code	Cuff Type	Cuff Size	Face Type	Stand Diameter
	2 Tubes	475100	Bandage Cuff	Adult	Round	380mm
	Spacious basket on the reverse side for tubes and cuffs	475101	Hook Cuff	Adult	Round	380mm
	Latex bulb to inflate the cuff	475102	Velcro Cuff	Adult	Round	380mm
	Non-wearing air-release valve with fine adjustment	475104	Velcro Cuff	Large Adult	Round	380mm
•	Micro-filter to protect the release valve and measurement system	475105	Velcro Cuff	Child	Round	380mm
	Specially hardened copper-beryllium membrane, can	475106	Bandage Cuff	Adult	Round	550mm
	withstand pressures of up to maximum 600mmHg	475107	Hook Cuff	Adult	Round	550mm
•	Precision mechanism mounted on a special support,	475108	Velcro Cuff	Adult	Round	550mm
	in order to ensure complete stability of the measuring system and the zero-point	475109	Velcro Cuff	Large Adult	Round	550mm
	No zero-point fixation required	475110	Velcro Cuff	Child	Round	550mm
	Maximum error tolerance: ±3mmHg	475111	Bandage Cuff	Adult	Square	380mm
	Round Model 147.2mm diameter	475112	Hook Cuff	Adult	Square	380mm
	Square Model 145.5mm ²	475113	Velcro Cuff	Adult	Square	380mm
	Height can be adjusted from 860mm to 1120mm	475114	Velcro Cuff	Large Adult	Square	380mm
•	550mm Diameter base is supplied with two locking castors	475115	Velcro Cuff	Child	Square	380mm
•	Available alternatively with a powder-coated (stainless)	475116	Bandage Cuff	Adult	Square	550mm
	mobile stand diameter 380mm or a mobile stand diameter	475117	Hook Cuff	Adult	Square	550mm
	550mm made of particularly stable, stainless steel	475118	Velcro Cuff	Adult	Square	550mm
	Two wheels can be locked with the stand diameter 550mm	475119	Velcro Cuff	Large Adult	Square	550mm
•	Height can be adjusted from 0.86m to 1.12m	475120	Velero Cuff	Child	Square	550mm
		., 5120	, 0.0.0 0011	011110	545016	555

Digital Blood Pressure Monitors



- · Shows a user's reading, compared to internationally recognised guidelines for normal home blood
- Automatically activates when a user's wrist is at heart level, ensuring consistently accurate readings
- · Flashing orange and blue indicator lights help guide a user's wrist to heart level, making it easier to find the correct position
- Allows two different users to monitor and track their readings separately in the stored memory
- · Slim design is more discrete and convenient for portability, allowing users to monitor their blood pressure at home, work or anywhere
- This monitor can detect and alert a user to irregular heartbeats while blood pressure is being measured

- · Exclusive technology automatically displays the average of up to the last 3 readings taken within the last 10 minutes
- 100 memory storage for each person (200 total) with date and time stamp allows a user to review the last 100 readings with the touch of a button
- · Result time of 40 seconds



- · Alerts the user to a blood pressure reading that exceeds internationally recognised guidelines for normal home blood pressure levels
- · Dual sensors automatically double check each reading, providing users with the added reassurance that each reading is accurate
- Screen Indicator confirms that the cuff has been wrapped correctly on the user's arm
- Medium Large 22-42cm cuff size, with an easy to apply pre-formed shape.
- Exclusive technology automatically displays the average of up to the last 3 readings taken within the last 10
- Can detect irregular heartbeats while blood pressure is being measured.

- · Alerts the user if a blood pressure reading exceeds internationally recognised guidelines for normal home blood pressure levels
- 90 memory storage allows a user to review the last 90 readings with a touch of a button
- Result time of 24 seconds

Vital Signs Monitors



CAS 740

- Fast, accurate blood pressure readings for neonates through adults even in the most challenging situations such as high motion or low perfusion
- Monitor SpO2 and temperature either continuously or in "spot-check" mode
- · Accurate oral temperature in just 4 seconds
- · Ideal for medical/surgical patients on pain medications including PCA pumps, for hospital or office-based endoscopy procedures, and for the EMS applications
- · CASMED's proprietary motion artifact extraction (MAXNIBP®) technology
- Oximetry choices include, Masimo SET®, Nellcor® OxiMax® or Nonin®
- User removable NiMH battery pack, internal power supply and DC power option
- Flexible mounting solutions include cart, IV pole, bedrail, or wall
- · portable unit that weighs only 1.4kg

Options Available:

- 474758 Wireless (infrared) printer
- · 474759 Roll stand

Code MAXNIBP Sp02 Temperature 474754 ✓ ✓ 474755 ✓ ✓ 474756 ✓ ✓ 474757 ✓ ✓				
474755	Code	MAXNIBP	Sp02	Temperature
		√	√	
4/4/5/ ✓ ✓ ✓	474756	✓	,	√
	4/4/5/	√	√	√

Vital Signs Monitors



CAS 750


- · Fully configured monitor with ECG, Respiration, Temperature, Sp02, NIBP and EtC02
- Pulse oximetry choices including Masimo SET® and Nellcor® OxiMax®
- · MAXNIBP® (motion artifact extraction) for fast, accurate and reliable blood pressure measurements
- Oridion Microstream® EtCO2 option for intubated and non-intubated patients
- · User removable NiMH battery pack, internal power supply and DC power option
- Meets shock and vibration testing to 50g (RTCA DO-160C)
- · ECG (3 or 5 lead)
- · Temperature continuous and reusable
- · Flexible mounting solutions include cart, IV pole, bedrail, or wall
- · Portable unit that weighs only 2kg


Options Available:

- · 474768 Wireless (infrared) printer
- · 474769 Roll stand

Code	ECG	Sp02	MAXNIBP	NIBP	Temperature	ETC02
474760	√					
474761	\checkmark	\checkmark				
474762	\checkmark	\checkmark	\checkmark			
474763	\checkmark	\checkmark				\checkmark
474764	\checkmark	\checkmark	\checkmark			\checkmark
474765		\checkmark				\checkmark
474766		\checkmark	\checkmark			\checkmark
474767		✓		\checkmark		

Thermometers





- · Maximum thermometer
- With 3-digit display, memory and signal tone
- · Unbreakable and water-tight
- Measurement range: 32 43.9°C
- Accuracy: +/- 0.1°
- · Automatic switch-off after 10 min.
- · Incl. long-life button cell batteries
- · In plastic storage box

Accessories available:

- · 475259 Packet with 40 disposable probe sheaths
- · 475260 Packet with 1000 disposable probe sheaths



475294 Riester Thermo N Professional Thermometer

- Infrared tympanic thermometer for the measurement of body temperature.
- Smart dispenser box with 100 probe covers for table or pocket use
- · Accurate temperature measurement for adults and children within seconds
- · LCD display with backlighting for easy reading even in the dark
- Displays up to 12 stored temperatures
- Temperature values are displayed in a range from 0 to 100°C or 32°F to 212°F
- · Acoustic signal when measurement is completed or fever is detected
- · Clinically validated measuring technology
- · Automatic switch-off
- Supplied with CR 2032 battery for at least 1000 measurements

Accessories available:

- 475256 Dispenser box including 100 probe covers
- 475257 Pack of 100 disposable probe covers
- · 475258 Pack of 1000 disposable probe covers



•	Double-headed	chest-piece	made of	stainless	steel.
---	---------------	-------------	---------	-----------	--------

• Unique acoustic performance frequency range between 200Hz and 500Hz

• Special membranes on both sides for precise acoustics, Ø48 mm and 36mm, with particularly flat and soft non-chill rims for improved adaptation on the skin

· Anatomically shaped binaural made of stainless steel with reinforced, internal multiple spring

Soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal

Extra-strong Y-tube made of PVC with separate sound-conducting pathways for the left and right ears with particularly good audio-conductivity

Overall length: 72cm

· Latex-free

· Supplied with two pairs of replacement ear-tips, a replacement membrane each and a name plate

Frequency Analysis:

• 20Hz - 100Hz max. 5.9dB at 100Hz

100Hz – 1,500Hz max. 28.3dB at 320Hz



 Double chest-piece made of either stainless steel or pleasantly	Code	Chest piece	Tubing
light aluminium		Material	Colour
 Special membranes on both sides, Ø48mm and 36mm, with particularly flat and soft non-chill rims for improved adaptation on the skin Matt chromium-plated binaural with integrated reinforced double spring Extra-soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal 	475126	Aluminium	Black
	475127	Aluminium	Slate Grey
	475128	Aluminium	Blue
	475129	Aluminium	Saffron
 Extra-strong Y-tube made of PVC for shielding against undesired stray sounds Latex-free Overall length: 770mm Duplex deluxe is supplied with two pairs of replacement ear-tips, a replacement membrane each and a name plate 	475130 475131 475132 475133 475134	Aluminium Stainless Steel Stainless Steel Stainless Steel Stainless Steel	Green Black Slate Grey Blue Saffron

475135

Stainless Steel

Green

Tubing

Colour

Black

Blue

Slate Grey

Code

475123

475124

475125

Frequency Analysis:

- 20Hz 100Hz max. 3.9dB at 100Hz
- 100Hz 1,500Hz max. 22.0dB at 300Hz

475136 Riester Duplex Deluxe Baby

- Developed specially for babies and children
- · Precision double-headed chest-piece made of stainless steel
- Special membranes, Ø36mm, with particularly flat and soft non-chill rims for improved adaptation on the skin
- · Matt chromium-plated binaural with integrated reinforced double spring
- Extra-soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal
- Extra-strong Y-tube made of PVC for shielding against undesired stray sounds
- · Overall length: 765mm
- Duplex deluxe baby is supplied with two pairs of replacement ear-tips, a replacement membrane each and a name plate
- Blue coloured tubes

Frequency Analysis:

- 20Hz 100Hz max. 3.85dB at 100Hz
- 100Hz 1,500Hz max. 14.3dB at 300Hz



475137 Riester Duplex Deluxe Neonatal

- · Double chest-piece made of stainless steel specially for newborn babies and infants
- · Special membranes, Ø28mm, with particularly flat and soft non-chill rims for improved adaptation on the skin
- · Matt chromium-plated binaural with integrated reinforced double spring
- Extra-soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal
- Extra-strong Y-tube made of PVC for shielding against undesired stray sounds
- · Latex-free
- · Overall length: 760mm
- Duplex deluxe is supplied with two pairs of replacement ear-tips, a replacement membrane each and a name plate
- Blue coloured tubes

Frequency Analysis:

- 20Hz 100Hz max. 1.2dB at 55Hz
- 100Hz 1,500Hz max. 8.5dB at 300Hz



- · Double-headed chest-piece available in two types: chromium-plated brass or specially lightweight aluminium, galvanized
- Special membrane for perfect auscultation, Ø48mm, with particularly flat and soft non-chill rims for improved adaptation on the skin
- · Matt chromium-plated binaural, which can be adjusted by turning with external spring
- · Soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal
- Strong Y-tube made of PVC to shield against undesired stray sounds
- · Latex-free
- · Bell, Ø36mm
- · Overall length: 770mm
- · Supplied with a pair of replacement ear-tips and a replacement

Frequency Analysis:

- 20Hz 100Hz max. 3.6dB at 100Hz
- 100Hz 1,500Hz max. 21.7dB at 300Hz

Code	Chest piece Material	Tubing Colour
475138	Aluminium	Black
475139	Aluminium	Slate Grey
475140	Aluminium	Blue
475141	Aluminium	Saffron
475142	Aluminium	Green
475143	Chrome plated brass	Black
475144	Chrome plated brass	Slate Grey
475145	Chrome plated brass	Blue
475146	Chrome plated brass	Saffron
475147	Chrome plated brass	Green



475148 Riester Duplex Baby

- Developed specially for babies and children
- · Particularly light precision Double chest-piece made of aluminium
- · Special membrane, Ø36mm, with particularly flat and soft non-chill rims for improved adaptation on the skin
- Matt chromium-plated binaural, which can be adjusted by turning with external spring
- Soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal
- · Strong Y-tube made of PVC to shield against undesired stray sounds
- · Latex-free.
- · Bell, Ø28 mm.
- · Overall length: 765mm
- · Duplex baby is supplied with a pair of replacement ear-tips and a replacement membrane
- · Blue coloured tubes

Frequency Analysis:

- 20Hz 100 Hz max. 3.85dB at 100Hz
- 100Hz 1,500 Hz max. 14.3dB at 300Hz



475149 Riester Duplex Neonatal

- · Developed specially for new-born children and infants
- · Particularly small precision chest-piece made of aluminium
- Special membrane, Ø28mm, with particularly flat and soft non-chill rims for improved adaptation on
- · Matt chromium-plated binaural, which can be adjusted by turning with external spring
- Soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal
- · Strong Y-tube made of PVC to shield against undesired stray sounds

- · Latex-free
- Bell, Ø22mm
- Overall length: 760mm
- · Duplex neonate is supplied with a pair of replacement ear-tips and a replacement membrane
- Blue coloured tubes

Frequency Analysis:

- 20Hz 100Hz max. 1.2dB at 55Hz
- 100Hz 1,500Hz max. 8.5dB at 300Hz



- The Duplex Teaching Stethoscope with double chest-piece and two binaural has been developed especially for teaching purposes
- · Double-headed chest-piece made of stainless steel
- · Matt chromium plated binaural with integrated spring
- · Special membrane, Ø48mm, with particularly flat and soft non-chill rims for improved adaptation on the
- Bell, Ø36mm
- Overall length: 1150mm
- Duplex Teaching Stethoscope is supplied with two pairs of replacement ear-tips and a replacement membrane



- · The high quality stethoscope tristar® with three different sized double chest-pieces for adults, children/babies and new-born children is outstandingly suitable for perfect auscultation in all frequency ranges
- Double chest-pieces for Duplex, Duplex Baby and Duplex Neonatal made of aluminium with practical rapid-exchange connector
- Special membranes, Ø48mm, 36mm, 28mm, for first-class acoustics
- · Particularly flat and soft non-chill rims for improved adaptation on the skin
- Bells Ø36mm, 28mm, 24mm

- · Matt chromium-plated binaural with integrated reinforced double-spring
- Optimal sealing of the external auditory canal with soft, replaceable ear-tips with metal screw thread
- Particularly strong Y-tube made of PVC for optimal acoustics to shield against undesired stray sounds
- Overall length: 790mm, 785mm, 780mm
- · Latex-free
- Tristar® is supplied with two pairs of replacement ear-tips, a replacement membrane each and a name plate

Code	Tubing
	Colou

475151 Slate Grey 475152 Blue



- · The innovative stethoscope especially for nurses and nursing personnel is fitted with a completely new developed aluminium chest-piece – for particular comfort when taking blood pressure measurements
- Ergonomic handling thanks to novel design: extra-ordinarily flat aluminium chest-piece without edges, easy to push under the cuff when measuring blood pressure
- · Special membrane, Ø28mm, with particularly flat and soft non-chill rims for improved adaptation on the skin
- Matt chromium-plated binaural, which can be adjusted by turning

- Soft, replaceable ear-tips with metal screw thread for comfortable and effective sealing of the external auditory canal
- Reinforced Y-tube made of PVC to shield against disturbing stray sounds
- · Overall length: 770mm
- Latex-free.
- The anestophon® is supplied in a cardboard display box with a pair of replacement ear-tips and a replacement membrane
- 100Hz 1,500Hz
- · Max. 15.5dB at 300Hz

Code	Tubing Colour
475153	Black
475154	Slate Grey
475155	Blue
475156	Saffron
475157	Green



- The universal stethoscope ri-rap® with double chest-piece and double tube system convinces by its flexible range of applications. Very good acoustics in all frequency ranges
- Strong double tube with separate sound-conducting pathways for the left and right ears guarantees extraordinary audio-conductivity
- Alternatively with 400mm or 800mm tube length
- Heavy chromium-plated double chest-piece with two membrane sides, Ø45mm and 32mm

- · Special membranes with surface structure to adapt better to the skin
- · Both membrane sides can be simply and quickly refitted with the enclosed bells (Ø33.5mm, 27.3mm, 20.3mm) with the screw connections
- Replacement parts box: three bells, each with a transparent membrane, two pairs of replacement ear-tips

Code		ube ength	Tubing Colour
4751	58 4	₊0 cm	Black
4751	59 4	+Ocm	Slate Grey
4751	60 4	+Ocm	Blue
4751	61 4	Ocm	Saffron
4751	62 4	+Ocm	Green
4751	63 8	30cm	Black
4751	64 8	30cm	Slate Grey
4751	65 8	30cm	Blue
4751	66 8	30cm	Saffron
4751	67 8	30cm	Green





- The pinard special stethoscope is used to auscultate the heart sounds of the embryo in the womb. The shape of the bell provides the particularly good acoustics.
- · Supplied in a cardboard box.

Code	Model
475168 475169	Plastic Lightweight Aluminium

Otoscopes



- · Sealing precision optics pivotable to both sides with triple magnification for optimum view
- · Reusable or disposable ear speculum
- · Compatible with ear speculae from other renowned manufacturers
- Available in a choice of black or white finish

Code	Colour	Illumination	Volt	Kelvin Data
475246	Black	Halogen Direct Illumination	2.5V	3000k
475247	Black	Vacuum Direct Illumination	2.7V	2500k
475248	Black	Xenon Fibre Optics	2.5V	3200k
475249	Black	LED Fibre Optics	3.7V	5500k
475250	White	Halogen Direct Illumination	2.5V	3000k
475251	White	Vacuum Direct Illumination	2.7V	2500k
475252	White	Xenon Fibre Optics	2.5V	3200k
475253	White	LED Fibre Optics	3.7V	5500k



- · Fibre optics for optimal beaming and transmission of the light
- Bi-directional swivelling, sealing optical glass with 3-fold magnification
- Optional operation lens with 4-fold magnification available
- Metal fitting for ri-mini/pen-scope specula, compatible with specula by other well-known manufacturers
- · Suitable for pneumatic tests (supplied without ball)
- · Lamps with LED technology have a lifetime of at least 10,000 hours (compared to 20-30 hours with halogen and Xenon lamps) and are extremely energy-efficient
- · L2 is not fitted with auto specula ejection device
- · Handle options please refer page 86

Code	Illumination	Volt	Anti Theft Head
475210	Xenon	3.5V	No
475211	LED	3.5V	No
475212	Xenon	3.5V	Yes
475213	LED	3.5V	Yes



- Fibre optics for optimal beaming and transmission of the light
- Bi-directional swivelling optical glass with 3-fold magnification
- Operation lens with 4-fold magnification and glass mini optic ease the insertion of instruments
- Fitting for ri-scope specula and enlarged conduit for instruments
- · Suitable for pneumatic tests (supplied without ball)
- Lamps with LED technology have a lifetime of at least 10,000 hours (compared to 20-30 hours with halogen and Xenon lamps) and are extremely energy-efficient.
- Easy-to-operate specula ejection device
- · Handle options please refer page 86

Code	Illumination	Volt	Anti Thefl Head
475215	Xenon	3.5V	No
475216	LED	3.5V	No
475217	Xenon	3.5V	Yes
475218	LED	3.5V	Yes

Ophthalmoscopes



- Dioptre disc with 18 corrective lenses (+/- 1, 2, 3, 4, 6, 8, 10, 15, 20 dioptres)
- Easy-to-use aperture wheel with six different apertures (fixation star, large circle, small circle, red free filter, blue filter, semi circle)
- · High performance optics with aspherical condenser lens
- Spectacle protection
- · Parallel optical path
- · Available in a choice of black or white finish
- · Handle options refer page 86

Code	Illumination	Volt	Kelvin Data
475243	Halogen	2.7v	3000k
475244	Vacuum	2.7v	2500k
475245	LED Fibre Optics	3.7v	5500k



- · Fibre optics for optimal beaming and transmission of the light
- Bi-directional swivelling, sealing optical glass with 3-fold magnification
- Optional operation lens with 4-fold magnification available
- Metal fitting for ri-mini/pen-scope specula, compatible with specula by other well-known manufacturers
- · Suitable for pneumatic tests (supplied without ball)
- · Lamps with LED technology have a lifetime of at least 10,000 hours (compared to 20-30 hours with halogen and Xenon lamps) and are extremely energy-efficient
- · L2 is not fitted with auto specula ejection device
- · Handle options refer page 86

Code	Illumination	Volt	Anti Theft Head
475185	Xenon	3.5V	No
475278	LED	3.5V	No
475186	Xenon	3.5V	Yes
475279	LED	3.5V	Yes



- · Fibre optics for optimal beaming and transmission of the light
- Bi-directional swivelling optical glass with 3-fold magnification
- Operation lens with 4-fold magnification and glass mini optic ease the insertion of instruments
- Fitting for ri-scope specula and enlarged conduit for instruments
- · Suitable for pneumatic tests (supplied without ball)
- Lamps with LED technology have a lifetime of at least 10,000 hours (compared to 20-30 hours with halogen and Xenon lamps) and are extremely energy-efficient
- · Handle options refer page 86

Code	Illumination	Volt	Anti Theft Head
475188	Xenon	3.5V	No
475280	LED	3.5V	No
475217	Xenon	3.5V	Yes
475281	LED	3.5V	Yes

Dermatoscope



- Reliable method of dermatoscopic screening and early identification
- · Proven epiluminescence microscopy allows melanocytic and nonmelanocytic structures to be distinguished and enables precise observation of pigmented skin changes
- Illumination of the examination field with 3.5-V LED illumination and or 2.5-V HL halogen illumination resembles natural daylight
- 10-fold magnification of the skin structure with focusing achromatic lens
- · Choice of two skin-friendly and sterilisable contact plates: with scale from 0-10mm for exact measurement of pigmented skin lesions, or without scale
- Simple lamp change on the underside of the instrument head
- Stable casing of black chromed metal, dustproof construction
- · Practical eyepiece protection
- · Bayonet socket to attach the instrument head quickly and securely to the handle
- · See handle options below



•	Solid metal handles black chrome-plated	Handles				
•	Practical bayonet fitting for quickly switching instrument heads	Code	Handle Type	Batte	ry Type	
	Continuously adjustable rheotronic for regulating light intensity Activation by briefly tapping the rotating button to + for immediate 100 % light output	475285 475286	Type C Type C	Li-ion Lithiu	Rechargal m	ble
•	Continuously variable adjustment by briefly tapping to + or -	475287	Type AA	Li-ion	Rechargal	ble
•	Deactivation by longer tapping to -	475288	Type AA	Lithiu	m	
	Diode signals whether handle is on or off Automatic safety shutdown after 120 seconds	Batteries				
•	Ergonomically for comfortable handling Batteries are easy to replace at the base of the handle.	Code	Battery Type		Battery Size	Vo
	For 3.5-V ri-scope instrument heads. Handles are not supplied with batteries	475289 475290	Li-on Rechargo Lithium	eable	Type C Type C	3.5

Diagnostic Station



Options Available:

- Can be individually combined according to requirements and variably extendable to the right and the left
- Extendable up to a maximum of 5 handles with simultaneous removal of a maximum of 3 handles
- 3,5 V Handles for LED or xenon illumination

· 475293 Ri-charger for Li-ion battery 230V

- Automatic switching on/off of handles
- · Infinitely variable regulation of brightness as well as manual switching on/off possible on the handle
- Spiral cord expandable up to 3m
- · Instrument heads can be supplied with and without anti-theft security
- · Mains powered

Code	Model	Handles	Clock
475224	3.5 V/230 V	1	Yes
475225	3.5 V/230 V	1	No
475226	3.5 V/230 V	2	Yes
475227	3.5 V/230 V	2	No

Li-ion Rechargeable

Lithium

Anti Theft

Voll

3.5V 3.5V

Type AA 3.5V

Type AA 3.5V

Head

No

No

Yes

Yes

Code

475220

475221

475222

475291

475223 LED

Illumination Volt

3.5V

3.5V

3.5V

3.5V

Xenon

Xenon

LED

Diagnostic Station - Extension Modules for Ri-former



475283 Handle Module

- · Automatic switch-on/off of handles when removing or replacing them in the handle unit
- The adjusted light intensity setting is saved until the next examination
- Ergonomic and non-slip
- · Infinitely variable regulation of brightness as well as manual switching on/off possible on the handle
- Spiral cord expandable up to 3m
- For expanding the ri-former® base module, up to 4 handle modules possible
- · Complete with wall mounting plate, plugs, screws, and assembly plan



•	Generously dimensioned scale with 145.5 mm long sides and high-contrast scale layout guarantees optimum readability	Code	Cuff Type	Cuff Size
•	With extra sturdy wall mounting made of glass-fibre reinforced plastic	475228	Bandage Cuff	Adult
	Maximum error tolerance: +/- 3mm Hg	475229	Hook Cuf	Adult
	Supplied with spacious basket for storage of tubes and cuffs,	475230	Velcro Cuff	Adult
	as well as wall mounting plate, plugs and screws	475231	Velcro Cuff	Large Adult
		475284	Velcro Cuff	Children



475255 Ri-Thermo N

- Precise measurement of the body temperature in the ear. Clinical validation
- · Measurement takes approx. 1-2 seconds
- Digital display for optimum readability of the measurement values in °C or in °F
- Memory function for 12 measurements
- · Supplied with 25 probe covers



475282 Ear Specula Dispenser

- Specula dispenser with 5 tubes for up to 5 specula sizes
- Hygienic and practical solution, dispenses a new speculum for each examination
- Simple to clean and disinfect
- · Easy to refill and can be closed with a cover
- · Filling level of specula tubes can be seen
- · Can also be used independent of the diagnostic station
- · Complete with plugs and screws

Diagnostic Station - Instrument Heads



Code	Head	Light	Volt	Anti Thef Head
475211	L2	LED	3.5V	No
475213	L2	LED	3.5V	Yes
475216	L3	LED	3.5V	No
475218	L3	LED	3.5V	Yes



Code	Light	Volt	Anti Theft Head
475272	Xenon	3.5V	No
475273	Xenon	3.5V	Yes
475274	LED	3.5V	No
475275	LED	3.5V	Yes



Code	Head	Light	Volt	Anti Thei Head
475185	L2	Xenon	3.5V	No
475186	L2	Xenon	3.5V	Yes
475278	L2	LED	3.5V	No
475279	L2	LED	3.5V	Yes
475188	L3	Xenon	3.5V	No
475189	L3	Xenon	3.5V	Yes
475280	L3	LED	3.5V	No
475281	L3	LED	3.5V	Yes



Code	Light	Volt	Anti The Head
475268	Xenon	3.5V	No
475269	Xenon	3.5V	Yes
475270	LED	3.5V	No
475271	LED	3.5V	Yes



Code	Light	Volt	Anti The Head
475276	LED	3.5V	No
475277	LED	3.5V	Yes



Code	Light	Volt	Anti Thefi Head
475264	Xenon	3.5V	No
475265	Xenon	3.5V	Yes
475266	LED	3.5V	No
475267	LED	3.5V	Yes



Code	Light	Volt	Anti Theft Head
475261	Xenon-Slit	3.5V	Yes
475262	Xenon-Spot	3.5V	No
475263	LED-Spot	3.5V	Yes



Code	Light	Volt	Anti Theft Head
475220	Xenon	3.5V	No
475221	LED	3.5V	No
475222	Xenon	3.5V	Yes
475223	LED	3.5V	Yes

Broselow Hinkle System



- For use on paediatrics to young children
- · Utilises colour to categorise patients and simplify emergency care
- · Protective coating to ensure longevity
- Folds for easy storage



- · Seven colour pouches that include four equipment modules include intraosseous, intravenous, oxygen delivery equipment, intubation, laryngoscope handles, resuscitator bags, blood pressure cuffs, manometer, and forceps.
- Other equipment is contained in a separate clear pocket in the bag, allowing the user to clearly view the required devices in a paediatric emergency.

Options Available:

 290958 Colour pouches are attached with velcro backing to a flying carpet, making removal swift and easy.

Did you know...



We stock paediatric carts to use with the Broselow Hinkle System

...ask us about our range

Dopplers



- · No display, hand-held Doppler has excellent sound quality
- Accepts the full line of non-directional probes for obstetrical or vascular applications.
- Ergonomically designed to fit in the palm of your hand with comfort and allows easy access to each
- · Superior sound quality from high-fidelity speaker
- · Extended battery life
- · Enhanced probe sensitivity
- · Interchangeable probe capability
- User replaceable cable
- · Powered by 3 AA batteries
- · Each main unit comes with choice of one probe
- Weight: 320 grams
- Full 2 year product warranty

Code	Width	Depth	Height	Audio Recorder	Battery Type
475236 475237 475238	140mm 140mm 140mm	70mm		X ✓ X	3x AA 3x AA 3x AA Rechargable



- Large display, hand-held Doppler has excellent sound quality
- Accepts the full line of non-directional probes for obstetrical or vascular applications.
- · Ergonomically designed to fit in the palm of your hand with comfort and allows easy access to each control feature.
- Large display for indication of heart-rate and battery status
- Superior sound quality from high-fidelity speaker
- · Extended battery life
- Enhanced probe sensitivity
- · Interchangeable probe capability
- · User replaceable cable
- Powered by 3 AA batteries
- · Each main unit comes with choice of one probe
- · Weight: 320 grams
- Full 2 year product warranty

Code	Width	Depth	Height	Audio Recorder	Battery Type
475239	140mm	70mm	35mm	Χ	3x AA
475240	140mm	70mm	35mm	Χ	3x AA Rechargable
475241	140mm	70mm	35mm	✓	3x AA Rechargable

Width:

Depth:

Height:

Weight:

200mm

150mm

100mm

1000 grams



- · Large display, table-top Doppler has excellent sound quality
- · Accepts the full line of non-directional probes for obstetrical or vascular applications
- · Ergonomically designed to comfortably carry and allows easy access to each control feature
- · Indication of heart-rate and battery status
- · Two probe holders for multiple applications
- · Superior sound quality from high-fidelity speaker
- · Powered by 3 rechargeable batteries
- · Extended battery life
- · Enhanced probe sensitivity
- · Interchangeable probe capability
- User replaceable cable
- Each main unit comes with choice of one probe
- · Wall mount available
- · Full 2 year product warranty

Defibrillators



475234 Heartsine Samaritan 300P

- Compact & Lightweight 28-56% smaller than other AEDs on the market and weighing only 1.1kg
- · Easy to use Audio & visual prompts guide the user step-by-step through the rescue process - 3 large, easy-to-see icons illuminate - "Attach pads," "Do not touch the patient," and "It is safe to touch the patient" to facilitate the rescue proces
- Sophisticated SCOPE Biphasic waveform technology adjusts patient impedance to maximise effective shock
- The samaritan PAD has a rating of IP56 providing the 300P with the highest level of water resistance in the industry
- Heartsine's practical Pad-Pak combines battery and electrodes into one cartridge - one date to monitor and only one item to replace on expiry or after use

- · 10-year warranty
- · Drop tested in accordance with IEC 60601-1
- Field upgradeable to the latest AHA/ERC guidelines
- · Automatic self-check
- · Suitable for adults and children; Paediatric-Pak available for 0-8 years of age (<25kg or 55 lbs.)
- · Controls & electrodes are accessible even with your Heartsine samaritan PAD still in the case
- Integrated metronome prompts the CPR chest compression rate
- · Events are recorded with the time, date, ECG trace & duration, shock delivery information, and CPR intervals. This information is downloadable to a PC with optional SAVER® EVO software

475232 Heartsine Samaritan 500P



- ICG-based CPR advisor gives the rescuer feedback on compressions based on actual cardiac output: "Push Harder," "Push Faster," "Push Slower" or reassurance that they are performing "Good Compressions"
- Compact and lightweight, 28-56 percent smaller than other AEDs on the market and weighing only 2.4 lbs./1.1kg
- Easy to use. Audio and visual prompts guide the user step-by-step through the rescue process. Three large, easy-to-see icons illuminate: "Attach pads," "Do not touch the patient," and "It is safe to touch the patient" to facilitate the rescue process.
- Sophisticated SCOPE™ biphasic waveform technology adjusts patient impedance to maximise effective shock delivery
- Heartsine's practical Pad-Pak™ combines battery and electrodes into one cartridge - one date to monitor and only one item to replace on expiration or after use
- 10-year warranty
- Drop tested in accordance with IEC 60601-1
- Field upgradeable to the latest AHA/ERC guidelines

- · Automatic self-check
- The Samaritan PAD has a rating of IP56, providing the 500P with the highest level of water resistance in the industry
- · Suitable for adults and children
- · Controls and electrodes are accessible even with your Heartsine samaritan PAD still in the case
- · Integrated metronome prompts the CPR chest compression rate
- Events are recorded, with the time, date, ECG trace and duration, shock delivery information and CPR intervals. This information is downloadable to a PC with optional SAVER® EVO software





- · The trainer provides 8 pre-recorded rescue training scenarios without delivering an actual shock
- · Actual mirroring of the devices of the Samaritan PAD so users can familiarize themselves with controls, pads access, installation of a mock Pad-Pak™ (called a Trainer-Pak™ – all with authentic prompts and displays)
- 4 scenarios follow ERC 2010 Guidelines and 4 scenarios follow ERC 2000 Guidelines
- A pause function so the trainer can pause the automated scenario
- · Each unit comes complete with a remote control and AAA batteries, trainer-pak, battery charger, soft carry case with 2 zipper compartments, user manual, and 5 pairs of training electrode pads
- · The remote control can be programmed to control a number of devices

Code	Mode
475235	300P
7.75233	500P

Medical Lighting



- 50 Watt 240 volt dichroic bulb
- · Multi adjustable for variable angle viewing
- · Excellent performance with 1250 lux at one metre
- Beam diameter of 44cm
- · Mains powered



- 1.75X Magnification through a 120mm diameter 3 Diopter lens
- 22 watt circular fluorescent tube produces 1250 lumens of shadowless
- Angle poise spring balanced adjustable arm Full extension 1150mm
- · With protective dust cover flap
- · Comes complete with table clamp wall bracket or optional mobile stand

Flowchart Tables



- Height adjustable work surface 870-1370mm
- Stainless steel frame 760mm x 610mm
- Melamine timber work surface 800 wide x 610mm high
- Full width pen/ pencil holder at bottom of board
- · Easy to use one handed tilt mechanism
- · Optional basket available
- · Can be customised to individual requirements

Chart Holders



210329 Wire Chart Holder

- · For patient records and folders
- · Manufactured from powder coated steel
- Hangs on up to 50mm diameter rails/bed ends

Options Available:

· 210339 Wall Mount

Width: 390mm 410mm Height: Opening: 73 x 380mm





- For A4 size patient records
- · Manufactured from antimicrobial white ABS material
- Single chrome bull dog clip retains paper to board
- Hangs on up to 35mm diameter rails/bed ends
- Also available in "O" ring clip option or landscape orientation

Width: 230mm 400mm Height:

Material Thickness: 3mm



209439 A3 Bed Chart Holder

- For A3 size patient records
- · Manufactured from antimicrobial white ABS material
- · Single chrome bull dog clip retains paper to board
- Hangs on up to 35mm diameter rails/bed ends
- Also available in "O" ring clip option or landscape orientation

Width: 450mm Height: 400mm Material Thickness: 3mm

Did you know...



We frequently update our website. Stay updated on new products, developments, events and services

...visit us at www.ascothealthcare.com.au



EQUIPMENT EQUIPMENT

Patient Trolleys	96
Patient Trolleys Accessories and Options	102
Examination/Treatment Couches	107
Examination/Treatment Couches — Options	111
Blood Collection Chair/Dialysis Equipment	113
Cots	114
Bassinetts	115
Shower/Bath Trolleys	116
Shower/Bath Trolley Options	118



121819 Corey Day Surgery Patient Trolley

- · Full electric function with battery back up
- · Two way trendelenberg adjustment
- Central locking castors pedals conveniently
- Pressure relieving mattress welded seams
- Backrest function including CPR release option
- Removable I.V. pole mounts to any corner of the trolley
- Designed and manufactured in Australia

Accessory/Options

- · Electric knee break
- Foot extension board
- Oxygen bottle holder
- · Horizontal side rails

Length:	2230mm
Width:	750mm
Electric Height Range:	420-750mm
Max User Weight:	250kg



- · Aesthetically designed patient transport, procedure and recovery trolley
- Full electric function
- Powder coated top with replaceable crash bumpers
- 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring or 5th wheel option available see options page 102
- Stainless steel dropsides
- 75mm pressure care mattress with fully sealed hygiene
- Telescopic 2 Hook IV Stand with choice of 4 mounting locations and storage brackets when not in use.
- Made in Australia

Length: 2135mm Width: 815mm 450-850mm Electric Height Range: Mattress Size: 1900x680mm Max User Weight: 300kg



- · Aesthetically designed patient transport, procedure and recovery trolley
- Fully welded powder coated top with replaceable crash bumpers
- Twin column stability
- 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring or 5th wheel option available see options page 102
- Stainless steel dropsides
- 75mm pressure care mattress with fully sealed hygiene seams
- Telescopic 2 Hook IV Stand with choice of 4 mounting locations and storage brackets when not in use
- Foot controls can be operated from either side (Hydraulic only)
- Made in Australia

Туре	Length	Width	Height Range	Mattress Size	Max User Weight
Hydraulic	2140mm		500-830mm	1900 x 680mm	300kg
Electric	2140mm		490-890mm	1900 x 680mm	300kg



Contour Classic

- · Aesthetically designed patient transport, procedure and recovery trolley
- · Alloy and stainless steel construction for strength and excellent corrosion resistance
- Bolt together top allows for versatility and ability to customise for individual requirements
- Full X Ray translucent top
- · Twin column stability
- 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring or 5th wheel option available see options page 102
- 5 Riser stainless steel dropsides
- 75mm pressure care mattress with fully sealed hygiene seams
- Telescopic 2 Hook IV Stand with choice of 4 mounting locations and storage brackets when not in use.
- Foot controls can be operated from either side (Hydraulic only)
- · Also available in wider or narrow version
- · Made in Australia

Туре	Length	Width	Height Range	Mattress Size	Max User Weight
Hydraulic - Low	2135mm	815mm	530-760mm	1900 x 680mm	300kg
Hydraulic - Med	2135mm	815mm	565-830mm	1900 x 680mm	300kg
Hydraulic - High	2135mm	815mm	630-960mm	1900 x 680mm	300kg
Electric - Low	2135mm	815mm	495-895mm	1900 x 680mm	300kg
Electric - High	2135mm	815mm	565-965mm	1900 x 680mm	300kg





- · Alloy and stainless steel construction for strength and excellent corrosion resistance
- Bolt together top allows for versatility and ability to customise for individual requirements
- Fully welded mill finish stainless steel dropside
- Easy fold counterbalance action on gas assisted dropsides with zero transfer gap for ease of patient transfer
- Full X Ray translucent top
- Twin column stability
- $4 \times 200 \text{mm}$ Central locking wheels -1×10^{-5} Directional for ease of manoeuvring or 5th wheel option available see options page 102
- 75mm pressure care mattress with fully sealed hygiene seams
- Telescopic 2 Hook IV Stand with choice of 4 mounting locations and storage brackets when
- Foot controls can be operated from either side (Hydraulic only)
- Also available in wider or narrow version
- Made in Australia

Туре	Length	Width	Height Range	Mattress Size	Max User Weight
Hydraulic Electric	2135mm 2135mm			1900 x 680mm 1900 x 680mm	300kg 300kg





Accessory Available





Sliding top option





Retracted Extended



- · Aesthetically designed patient X Ray trolley
- · Alloy and stainless steel construction for strength and excellent corrosion resistance
- Bolt together top allows for versatility and ability to customise for individual requirements
- Full X Ray translucent top
- Ideal for C Arm X Ray Camera usage with maximum clearance
- Sliding top option to give greater X Ray coverage (340mm towards foot end and 140mm towards head from centre position)
- · Twin column stability
- \cdot 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring or 5th wheel option available see options page 102
- 5 Riser stainless steel dropsides
- · Split fold drop sides option available
- 75mm pressure care mattress with fully sealed hygiene seams
- Foot controls can be operated from either side
- · Also available in narrow version
- · Made in Australia

Hydraulic Type	Length	Width	Height Range	Mattress Size	Max User Weight
Low	2135mm	815mm	530-760mm	1900 x 680mm	300kg
Med	2135mm	815mm	565-830mm	1900 x 680mm	300kg
High	2135mm	815mm	630-960mm	1900 x 680mm	300kg

- Aesthetically designed patient X Ray trolley
- · Alloy and stainless steel construction for strength and excellent corrosion resistance
- Bolt together top allows for versatility and ability to customise for individual requirements
- Full X Ray translucent top
- Ideal for C Arm X Ray Camera usage with maximum clearance and total freedom of movement between columns and floor(available in left or right side chassis rail)
- Hydraulic backrest operation
- · Twin column stability
- 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring
- 5 Riser stainless steel dropsides
- 75mm pressure care mattress with fully sealed hygiene seams
- Also available in narrow version 1900 x 570mm
- · Made in Australia

Electric Type	Length	Width	Height Range	Mattress Size	Max User Weight
Low High	2135mm 2135mm	815mm 815mm			250kg 250kg



Accessories Available











Laser Mark System_01









For more details refer pages 00-00

Cassette Holder



Accessories Available









Counter Weight Wrist Supports Shoulder Wings Shoulder Support





Flat Cushion Scalloped Cushion Deep Cut Cushion

- · Aesthetically designed patient transport, X Ray, procedure and recovery trolley
- · Alloy and stainless steel construction for strength and excellent corrosion resistance
- Bolt together top allows for versatility and ability to customise for individual requirements
- Full X Ray translucent top
- Unobstructed head to foot tracking X Ray cassette holder
- 2 sided cassette holder allows for X Ray access from both side of the trolley
- Suits most X Ray cassettes- can be customised
- Twin column stability
- 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring or 5th wheel option available see options page 102
- 5 Riser stainless steel dropsides
- 75mm pressure care mattress with fully sealed hygiene seams
- Telescopic 2 Hook IV Stand with choice of 4 mounting locations and storage brackets when not in use.
- Foot controls can be operated from either side (Hydraulic only)
- Also available in wider or narrow version
- · Made in Australia

Туре	Length	Width	Height Range	Mattress Size	Max User Weight
Hydraulic - Low	2135mm	815mm	630-860mm	1900 x 680mm	300kg
Hydraulic - Med	2135mm	815mm	665-930mm	1900 x 680mm	300kg
Hydraulic - High	2135mm	815mm	730-1060mm	1900 x 680mm	300kg
Electric - Low	2135mm	815mm	595-995mm	1900 x 680mm	300kg
Electric - High	2135mm	815mm	665-1065mm	1900 x 680mm	300kg

- · Aesthetically designed patient trolley ideal for Ophthalmolgy, Dental, ENT and Plastic Surgery
- · Alloy and stainless steel construction for strength and excellent corrosion resistance
- Bolt together top allows for versatility and ability to customise for individual Requirements
- · Infinitely adjustable single touch button headrest to assist in head positioning
- · Headrest can traverse from highest to lowest whilst remaining horizontal
- Full X Ray translucent top
- · Twin column stability
- \cdot 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring or 5th wheel option available see options page 102
- 4 Riser stainless steel dropsides
- 75mm pressure care mattress with fully sealed hygiene seams
- Telescopic 2 Hook IV Stand with choice of 4 mounting locations and storage brackets when
- Foot controls can be operated from either side (Hydraulic only)
- Also available in wider or narrow version
- Made in Australia

Туре	Length	Width	Height Range	Mattress Size	Max User Weight
Hydraulic - Low	2135mm	815mm	530 - 760mm	1900 x 680mm	300kg
Hydraulic - Med	2135mm	815mm	565 - 830mm	1900 x 680mm	300kg
Hydraulic - High	2135mm	815mm	630 - 960mm	1900 x 680mm	300kg
Electric - Low	2135mm	815mm	495 - 895mm	1900 x 680mm	300kg
Electric - High	2135mm	815mm	565 - 965mm	1900 x 680mm	300kg



Accessories Available







Slide out stainless tray

Knee Stirrups

- · Aesthetically designed patient trolley specifically for gynaecology use
- · Alloy and stainless steel construction for strength and excellent corrosion resistance
- Bolt together top allows for versatility and ability to customise for individual requirements
- · Removable leg support allows for trolley to be transformed into a examination, OBS or
- · Supplied with slide out stainless steel tray for waste or instrument storage
- Choice of Stirrups available as option
- Full X Ray translucent top
- · Twin column stability
- 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring or 5th wheel option available see options page 102
- 4 Riser stainless steel dropsides
- 75mm pressure care mattress with fully sealed hygiene seams
- · Telescopic 2 Hook IV Stand with choice of 4 mounting locations and storage brackets when not in use
- Foot controls can be operated from either side (Hydraulic only)
- · Also available in wider or narrow version
- · Made in Australia

Туре	Length	Width	Height Range	Mattress Size	Max User Weight
Hydraulic - Low	2135mm	815mm	530 - 760mm	1900 x 680mm	300kg
Hydraulic - Med	2135mm	815mm	565 - 830mm	1900 x 680mm	300kg
Hydraulic - High	2135mm	815mm	630 - 960mm	1900 x 680mm	300kg
Electric - Low	2135mm	815mm	495 - 895mm	1900 x 680mm	300kg
Electric - High	2135mm	815mm	565 - 965mm	1900 x 680mm	300kg





- The hybrid solution incorporating the Ophthalmic and Gynotec ideal for multi use facilities
- · Alloy and stainless steel construction for strength and excellent corrosion resistance
- Bolt together top allows for versatility and ability to customise for individual requirements
- Full X Ray translucent top
- Twin column stability
- 4 x 200mm Central locking wheels 1x Directional for ease of manoeuvring or 5th wheel option available see options page 102
- · 4 Riser stainless steel dropsides
- 75mm pressure care mattress with fully sealed hygiene seams
- Telescopic 2 Hook IV Stand with choice of 4 mounting locations and storage brackets when not in use
- Foot controls can be operated from either side (Hydraulic only)
- Also available in wider or narrow version
- Made in Australia

Length	Width	Height Range	Mattress Size	Max User Weight
2135mm	815mm	530 - 760mm	1900 x 680mm	300kg
2135mm	815mm	565 - 830mm	1900 x 680mm	300kg
2135mm	815mm	630 - 960mm	1900 x 680mm	300kg
2135mm	815mm	495 - 895mm	1900 x 680mm	300kg
2135mm	815mm	565 - 965mm	1900 x 680mm	300kg
	2135mm 2135mm 2135mm 2135mm	2135mm 815mm 2135mm 815mm 2135mm 815mm 2135mm 815mm	2135mm 815mm 530 - 760mm 2135mm 815mm 565 - 830mm 2135mm 815mm 630 - 960mm 2135mm 815mm 495 - 895mm	2135mm 815mm 530 - 760mm 1900 x 680mm 2135mm 815mm 565 - 830mm 1900 x 680mm 2135mm 815mm 630 - 960mm 1900 x 680mm










- · Aesthetically designed patient transport, procedure and recovery trolley
- Hydraulic adjustable back rest
- Crash bumpers
- Swing down side rails manufactured from poly urethane material
- 100mm pressure care mattress with fully sealed hygiene seams
- 2 x IV Poles

2110mm Length: Width: 745mm Height: 750mm Max User Weight: 225kg





- · Can be adjusted to sitting position
- · Hydraulic height adjustment
- · Crash bumpers
- 4 x Central locking wheels with retractable 5th wheel for easy steering
- · Swing down side rails manufactured from poly urethane material
- 75mm pressure care mattress with fully sealed hygiene seams
- 2 x IV Poles

Accessories/Options

· X- Ray Cassette drawers





- · Aesthetically designed patient transport, procedure and recovery trolley
- Hydraulic height adjustment
- Crash bumpers
- 4 x Central locking wheels
- Swing down side rails manufactured from poly urethane material
- 75mm pressure care mattress with fully sealed hygiene seams
- 2 x IV Poles

Accessories/Options

· X- Ray Cassette drawers

2252mm Length: Width: 760mm Hydraulic Height Range: 618-845mm Max User Weight: 250kg



Narrow Version



• Narrow versions available for special applications and limited access

Custom Side Decals



• Customised decals to suit any environment

Custom Storage Tray



 Custom storage trays and brackets to suit most applications

Custom ID Lahels



Custom labels for ward and facility identification

Ezi-Trak



- Centre steering to make handling effortless
- Ram ensures continual ground contact
- Can be activated from any corner of the Trolley

Lowline Cover



- Allows a lower overall height to be achieved
- Suitable for electric or hydraulic trolleys

Tri-Control



- Allows for foot or head end control
- Decals allow fast identification of pedal function

Antı-statıc strıp



- Discharges any build up of static electricity
- · Suitable for any floor surface

Base Oxv Holder



- Suits oxygen bottles up to 140mm diameter
- 890mm long
- Retaining strap
- Stainless steel

Removable storage trav



- 385 x300x130mm
- Removable plastic tray
- 2 x Steel hooks

*Please note: Not all Patient Trolleys Accessories and Options suit every patient trolley- please check with your Ascot Product specialist to ensure suitability.



- · Mounted on head end of base
- For fast CPR requirements
- Red colour tab allows for fast identification



- For enhanced C Arm camera clearance
- 240mm height from floor



- For securing special needs patients
- Stainless steel
- To be used on electrically operated trolleys only



- · Used for patient comfort or long stay
- · Foot end handle operation
- Max height 150mm



- For electric drive units
- Custom made to suit most electric drive units



- Heavy duty stainless steel
- Non slip molded rubber push handles
- · Fold down when not in use
- · 150mm Height
- 250mm between handgrips



- · Sunny Orange
- Forest Green
- · Pastel Blue
- · Deep Violet
- · Flame Red



- Heavy fluid proof vinyl
- · Attaches at both ends of mattress
- · All sizes mattress sizes available



- · Allows greater access, whilst still providing patient support.
- · Locks at 45 degrees



- 700mm Long
- · Stainless steel
- Attaches to underside of contour top
- *Please note: Not all Patient Trolleys Accessories and Options suit every patient trolley- please check with your Ascot Product specialist to ensure suitability.



- 400mm Long
- Stainless steel
- Attaches to underside of Contour top




- · For oxygen delivery systems
- · Can be custom made to suit individual requirements
- Stainless steel



- · Assists easier slide transfer
- Suitable for unimpeded horizontal



- Designed to hold accessories
- Stainless steel



- Layered foam
- Slow recovery over medium density
- · 4 way stretch pressure relieving material

Mattress



- 50mm, 75mm (standard issue) and 100mm thicknesses
- Medium density foam
- · 4 way stretch pressure relieving material



- 50mm Black webbing
- · Snap buckle with easy adjustment



- · 270mm Long
- · Mounted in centre of trolley
- Stainless steel




- Allows for greater access to patients face and head
- Includes modified rigid bar for trolley strength



- 175mm High
- 600mm Wide
- Mounts from foot end sockets
- Stainless steel

*Please note: Not all Patient Trolleys Accessories and Options suit every patient trolley- please check with your Ascot Product specialist to ensure suitability.



- · 380mm wide
- 40mm deep
- 225mm height
- · Hangs from trolley end rail
- Can be fitted to drop down foot board or folding monitor board



- 235mm High
- 600mm Wide
- Mounts from foot end sockets
- Cross tube
- Stainless steel



- · Can be mounted at both ends
- · Folds to right side
- Optional reverse fold
- Stainless steel



- · 345mm High
- 600mm Wide
- Mounts from foot end sockets
- 2x additional cross tubes
- Stainless steel



- · Fixed height option
- · 25mm Diameter tube
- · Welded top
- · Stainless steel



- · Suitable for C Size bottles
- Fully Welded
- · Stainless steel



- · 450mm Length
- 200mm Width
- 250mm Height adjustment
- · Wrist break
- Padded for patient comfort



- · Folds down to increase mattress length
- · Padded for patient comfort
- · Integrated push handles



- 450mm x 600mm Tray
- 20mm Lip on tray
- Stainless steel



- 2x Tie straps for fastening monitors and equipment
- · Folds over when not in use
- · Can be used to push the trolley
- Stainless steel frame
- *Please note: Not all Patient Trolleys Accessories and Options suit every patient trolley- please check with your Ascot Product specialist to ensure suitability.



- Mounts on corner IV socket
- Max bottle size 120mm diameter
- Max bottle length 320mm
- · Stainless steel



- Mounts on Head or end rail
- Max bottle size 120mm diameter
- Max bottle length 320mm
- Stainless steel



- Suits 155 diameter and 500 long bottles
- · Hangs from head end
- · Allows front loading of bottle
- Stainless steel



- · Vinyl wrapped board
- 680mm Wide
- 400mm Deep
- 25mm Thick
- · Fits both classic and deluxe style drop sides



- · Holds 5/8" Bar
- Clamps to surgirails
- Alloy construction



- · Mounts onto head end accessory sockets
- Multi-adjustable tilt function



- 25mm Thick
- High density foam
- Fits both classic and deluxe Style dropside



- 6 Riser option
- 7 Riser option
- 16 Riser option
- · Can have reverse folding
- *Please note: Not all Patient Trolleys Accessories and Options suit every patient trolley- please check with your Ascot Product specialist to ensure suitability.

Did you know...



We supply NSW Air Ambulance with the Heli-transfer Trolley?

...ask us about this specialised product

600mm

1200mm

600mm

230kg

680mm

490mm-980mm

Examination / Treatment Couches



210423 Classic Examination Table

- · Rigid design with minimal working parts for maximum stability for all examination or surgical work
- Antimicrobial medical grade vinyl and foam for longevity and minimal infection risk.
- Easy to use adjustable backrest
- Powder coated steel frame

Head Section Length: 600mm Head Section Width: 600mm 1210mm Lower Section Length: 600mm Lower Section Width: 1810mm Overall Length: Overall Width: 600mm Overall Height: 820mm Max User Weight: 125kg

Head Section Length:

Head Section Width:

Lower Section Length:

Lower Section Width:

Height Range:

Max User Weight:



404093 Jago 2 Section Treatment Table

- · Electronically mains powered motor for hi-lo function
- Precision glide gas struts allow for easy adjustment of the head section
- Mobility castors allow treatment table to be moved effortlessly
- Rigid design with minimal working parts for maximum stability for all examination or surgical work
- Antimicrobial medical grade vinyl and foam for longevity and minimal infection risk.
- Designed and constructed to meet Australian Standards
- Face cut out with insert plug (optional)
- Charcoal is the standard colour and the others are optional

Colours Available










- · 3 section adjustment for greater flexibility
- · Electronically mains powered motor for hi-lo function
- Precision glide gas struts allow for easy adjustment of the head and footrest.
- Mobility castors allow treatment table to be moved effortlessly
- Rigid design with minimal working parts for maximum stability for all examination or surgical work
- Antimicrobial medical grade vinyl and foam for longevity and minimal infection risk
- Designed and constructed to meet Australian Standards
- Face cut out with insert plug (optional)
- Charcoal is the standard colour and the others are optional

Head Section Length: Head Section Width: 600mm 580mm Mid Section Length: Mid Section Width: 600mm 680mm Lower Section Length: Lower Section Width: 600mm Height Range: 490mm-980mm Max User Weight: 230kg











Examination / Treatment Couches



- · Electronically mains powered motor for hi-lo function
- Mobility castors allow treatment table to be moved effortlessly
- · Rigid design with minimal working parts for maximum stability for all examination
- · Antimicrobial medical grade vinyl and foam for longevity and minimal infection risk
- Designed and constructed to meet Australian
- · Full Electric actuation on Head section for effortless adjustment (404023)
- · Face cut out with insert plug (optional)
- Charcoal is the standard colour and the others are optional

Models Available:

- 404013 Manual Control Backrest
- 404023 Electric Backrest

Head Section Length: 680mm Head Section Width: 700mm 1200mm Lower Section Length: 700mm Lower Section Width: 1905mm Overall Length: Height Range: 475-1100mm Max User Weight: 250kg

Colours Available









680mm

700mm

580mm

700mm

680mm

700mm

1980mm

250kg

475mm-1100mm

Head Section Length:

Head Section Width:

Mid Section Length:

Mid Section Width:

Lower Section Length:

Lower Section Width:

Overall Length:

Height Range:

Max User Weight:



- Precision glide gas struts allow for easy adjustment of the head section (optional electric control)
- Mobility castors allow treatment table to be moved effortlessly
- Rigid design with minimal working parts for maximum stability for all examination or surgical work
- Antimicrobial medical grade vinyl and foam for longevity and minimal infection risk.
- Designed and constructed to meet Australian Standards
- Full Electric actuation on Head section for effortless adjustment (404063)
- Face cut out with insert plug (optional)
- · Charcoal is the standard colour and the others are optional
- · Shown with optional cover and central locking brakes

Models Available:

- 404053 Manual Control Backrest
- · 404063 Electric Backrest

Colours Available













Length:

Height Range:

Max User Weight:

Width:

Examination / Treatment Couches




- · Electronically mains powered motor for hi-lo and tilt function also available with battery powered option
- · Mobility castors allow effortless movement
- Antimicrobial medical grade vinyl and foam for longevity and minimal infection risk with seamless padded top surface for sliding transfers
- Excellent Sub frame hoist access
- 3 Support straps
- Adjustable arm supports with padded rests and fold away function for unrestricted access
- Heavy duty foot support
- Designed and constructed to meet Australian Standards
- Charcoal is the Standard color and the others are optional Models available
- · 402350 Mains Power
- · 402355 Battery Power

Colours Available









1900mm

680mm

170kg

480-1050mm

404140 Gynaecological and Uro Table


- Ideal for Gynae/urology work can be converted for general examination by adjusting sections
- Electronically mains powered motor for hi-lo function
- Precision glide gas struts allow for easy adjustment of the head section
- Mobility castors allow treatment table to be moved effortlessly
- Rigid design with minimal working parts for maximum stability for all examination or surgical work
- Antimicrobial medical grade vinyl and foam for longevity and minimal infection risk
- Supplied with removable autoclavable waste container and lid
- Supplied with padded knee supports with flexible angle and height adjustments to suit individual user requirements.
- Designed and constructed to meet Australian Standards
- Charcoal is the standard colour and the others are optional

680mm Head Section Length: Head Section Width: 700mm Mid Section Length: 780mm Mid Section Width: 700mm 380mm Lower Section Length: Lower Section Width: 700mm 1875mm Overall Length: Height Range: 475mm-1100mm Max User Weight: 250kg











Examination / Treatment Couches



- Electronically mains powered motor for hi-lo and tilt function also available with battery powered
- Antimicrobial medical grade vinyl and foam for longevity and minimal infection risk with seamless padded top surface for sliding transfers
- Excellent Sub frame hoist access
- Rapid 9 second raise/lower speed between common work heights
- Mobility castors allow effortless movement
- · Optional base cover available
- Also available in narrow top option (600mm)
- Designed and constructed to meet Australian Standards
- · Charcoal is the Standard color and the others are optional

		Code	Length	Width	Height Range	Max User Weight
		299200	1600mm	680mm	450-1050mm	180kg
Calausa Augilahla		299205	1800mm	680mm	450-1050mm	180kg
Colours Available						
Charcol Beige	Aqua Green Royal	Blue White	A	accessories	Available: See pag	es 111-112





- For Shower or change areas where space is at a premium
- · Waterproof sealed mattress with antimicrobial medical grade vinyl and foam for longevity and minimal infection risk.
- Easy installation with structural engineering drawings supplied with every table
- Also available in narrow top option (600mm)
- Also available in fixed height option (add "f" to product code)
- Max User weight 170kg
- Designed and constructed to meet Australian Standards
- Charcoal is the Standard color and the others are optional
- · Shower hose not supplied

Code	Model	Frame	Power Source	Base Mattress	Back Rest Mattress	Height Range*
299210 299220 299230	Shower Shower Shower	Stainless Steel Stainless Steel Stainless Steel with Adjustable Backrest	Battery Battery Battery	1600 x 680mm 1800 x 680mm 1100 x 680mm	n/a n/a 800 x 680mm	550-850mm 550-850mm 550-850mm
299240 299250 299260	Change Change Change	Powdercoat Steel Powdercoat Steel Powdercoat Steel with Adjustable Backrest	Mains power Mains power Mains power	1600x 680mm 1800 x 680mm 1100 x 680mm	n/a n/a 800 x 680mm	550-850mm 550-850mm 550-850mm

^{*}Range can be varied by changing mounting height

Colours Available



Examination / Treatment Couches - Options



- 1200mm Long
- 300mm High
- · Powder coated steel construction
- Folds away for easy access



- · For convenient hands free use
- · Weighted base to assist positioning
- Non slip foot controls



- · Powder coated steel construction
- · Roll holder removes for easy paper
- · Can be mounted at head or foot end on 2 Section Table
- · Can be mounted at head on 3 section table
- Paper not included



- · Holds accessories to treatment/ surgical table
- Adjustable to suit any position on mount rail
- Can have multiple mount attached at any one time



- · 2 Hook design
- Stainless steel construction
- Height range from mattress 750mm to 1100mm
- Must be used with universal access mount



- · Provides full support for any arm or hand procedures
- · Soft arm pad is contoured to suit the natural shape of the arm
- Adjustable height and angle for optimum working position
- · Must be used with universal access mount



- · Suitable for both Gynaecology /
- Soft support pad is contoured to suit the natural shape of the Leg/knee
- Adjustable height and angle for optimum working position
- Must be used with universal access mount



- · Supplied with 240volt charger
- Easy to remove for charging
- · Ideal where access to power is limited or for wet areas



- · High quality light source for procedures and examinations
- · Multi adjustable for optimum positioning
- Available with different bulb types and output options.
- Must be used with universal access mount



- · Provides extra storage
- Size 325 x 375mm
- Powder coated steel construction
- · Slides under table when not in use

Examination / Treatment Couches - Options



- Size 325 x 330mm
- Stainless steel construction
- Adjustable in height and position
- Raised edges prevent items from falling off the table
- Must be used with universal access mount



- Removable plug when face cut out not required
- · Chamfered edges ensure secure fit

	Jago 2 Section	Jago 3 Section	MPVT 2 Section	MPVT 3 Section	Tilt Table	Gynae	Change Table	Wall moun Change
Safety Side Rails	✓	✓	✓	✓	✓	✓	✓	✓
Foot Controller switch Hi/lo only	✓	✓	✓	✓	✓	✓	✓	✓
Foot Controller switch for Full electric function			✓	✓			✓	✓
Hygiene Paper Roll Holder	✓	✓	✓	✓	✓	✓		
Rechargeable Battery			✓		✓	✓	✓	✓
Basket	✓		✓					
Universal Access Mount (required for all accessories below)			✓	✓		✓	✓	
IV Pole			✓	✓			✓	
Arm Rest			✓	✓			✓	
Knee Support			✓	✓		STD		
Mayo Table	✓	✓	✓	✓		✓	✓	✓
Examination Light	✓	✓	✓	✓		✓	✓	✓

Blood Collection Chair / Dialysis Equipment



555903 Blood Collection Chair

- Sloping arms positioned for optimum angle for sample collection
- · Powder coated steel frame
- · Fully upholstered vinyl
- Choice of colors available
- · Step fitted with non slip rubber surface

Seat Height:	630mm
Seat Width:	450mm
Seat Length:	460mm
Overall Length:	740mm
Overall Width:	840mm
Step Height:	180mm



404340 Dialysis Recliner

- · Provides comfort during dialysis treatments
- Fully adjustable back, seat and legrest.
- · Remote control for ease of adjustment
- · Weight data display
- 4 x 100mm Locking castors
- Emergency CPR function
- · High density ABS plastics
- · Upholstery available in a range of colours

Seat Width: 600mm Overall Width: 920mm Overall Length: 1880mm Back Adjustment: -10-80° Seat Adjustment: 0-30° Height Range: 290mm Max User Weight: 240kg



404380 Dialysis Treatment Trolley

- · Provides comfort during dialysis treatments
- Fully adjustable back, seat and legrest.
- Remote control for ease of adjustment
- · Weight data display
- 4 x 100mm Locking castors
- Emergency CPR function
- High density ABS plastics
- · Also available with Monitor screen (shown)
- · Upholstery available in a range of colours

Seat Width: 700mm Overall Width: 950mm Overall Length: 2020mm Back Adjustment: 0-80° Seat Adjustment : 0-30° Height Range: 290mm Max User Weight: 240kg

Cots



- Side rail action drop down and under to enable close patient access
- Unique side rail safety catch system requiring dual action for release to ensure complete safety for caregiver and patient
- Side rail height 3 positions
- Castors 150mm central lock and steer - controls either end
- · Powdercoat finish
- · Built in push handle and corner buffer
- · Trendelenberg positioning
- Removable end panels with the option of:
- Vertical bar design panel
- Full polycarbonate design panel

Code	Model	Mattress Base Size	Height Range
621000	Fixed Height	1500 x 800mm	900mm
621001	Fixed Height	1200 x 800mm	900mm
621004	Variable Height - Electric	1500 x 800mm	760-960mm
621005	Variable Height - Electric	1200 x 800mm	760-960mm



621006 Euro Infant Crib

- · Side rails with clear lexan panels for unobstructed patient viewing
- 3 Position with safety mechanism
- Side rail height 3 positions
- Mattress platform 1000 x 520mm
- Variable height 760 1170mm (mechanical)
- Tilting gas assist action
- · Castors 125mm with 2 locking
- · Powder coat finish
- Corner buffers
- Removable end panels with the option of:
 - Vertical bar design panel
 - Full polycarbonate design panel



642303 Ultima Cot

- Removable head and foot ends for enhanced nursing access
- Trendelenberg and reverse trendelenberg with simple adjustment
- · Lightweight and durable side rails for effortless raising and lowering
- · Single hand side rail release feature provides safe locking at any chosen height
- 125mm castors, 1 x directional and 1 x locking
- · Mattress thickness 75mm
- · Mattress base height 810mm
- Storage tray
- 4 x IV Sockets
- Made in Australia to Australian Standards AS2130



- Removable head and foot ends for enhanced nursing access
- · Electrically operated trendelenberg and reverse trendelenberg
- · Lightweight and durable side rails for effortless raising and lowering
- · Single hand side rail release feature provides safe locking at any chosen height
- 125mm Locking castors
- Mattress thickness 75mm
- Mattress base height 905mm
- Storage tray
- 4 x IV Sockets
- · Made in Australia to Australian Standards AS2130

Width: 820mm 1450mm Length: Height: 1520mm

Width:

Length:

Height:

820mm

1450mm

1450mm

Bassinetts



- Clear acrylic tub 710 x 360 x 290/190mm
- 50mm thick mattress
- 2 White removable storage trays
- 4 x 100mm Castors
- Mattress base height 825mm

Code	Frame	Width	Length	Height
610201 610203	Stainless Steel Powder coated			



- Clear acrylic tub 710 x 360 x 290/190mm
- 50mm thick mattress
- Cabinet 400mm clearance with 2 doors
- 4 x 100mm Castors
- Mattress base height 825mm

Code	Frame	Width	Length	Height
	Stainless Steel Powder coated			



- Designed for twins
- Clear acrylic tub 640 x 510 x 230/180mm
- 50mm thick mattress
- 2 White removable storage trays
- 4 x 100mm Castors
- Mattress base height 825mm

Code	Frame	Width	Length	Height
653201	Stainless Steel	640mm	800mm	1065mm
653203	Powder coated	640mm	800mm	1065mm

Baby Baths



681703 Hi-Lo Baby Bath

- Powdercoated steel frame
- Electric height adjustable 670-870mm
- · Clear acrylic tub with drain outlet and plug
- 100mm Castors, 2 locking

Width: 420mm Length: 800mm Height: 1065mm

Shower/Bath Trolleys



- · Stable trolley platform for bathing, drying and dressing
- Also used as a treatment trolley, changing and transfer platform
- High ground clearance for enhanced hoist access
- Hydraulic high/low operation
- Double zinc, powder coated mild steel chassis, column
- · Critical components manufactured from stainless steel
- Plastic base cover
- Durable welded liner with clip removal
- Fold away drop sides with two hand safety release
- · Tilted surface prevents pooling and assists drainage
- · Push bars at each end assist with manoeuvrability
- 100mm synthetic castors, 3 locking & 1 directional locking
- Waterproof pillow for added comfort
- Also available with centralised braking system including 4 x 125mm castors with one directional castor at additional cost
- Easy to use drainage system
- Clothes storage compartment

Overall Width: 740mm Overall Length: 1980mm Platform Width: 600mm Platform Length: 1780mm 520-880mm Height Adjustment: Tub Depth: 200mm Max SWL: 170kg



298403 Aqualife

- · Clean state of the art design in powder coated steel
- Battery powered hi-lo function
- Drainage channels in bath liner allows quick draining to assist in safe transfers
- 4 x 150mm castors with central locking and directional steering function
- Adjustable side, head and foot rails.
- Trendelenberg tilt to 10 degrees

2048mm Length: Width: 770mm Liner Base Dimensions: 1780 x 600mm Height Range: 596-1055mm Max User Weight:





- · Twin lifting columns for rigidity and stability
- Easy action hydraulic Hi lo function accessible from
- Heavy duty poly tuff liner with drain hose and mounting hook
- Tilt function for quick draining
- Easy fold drop sides with 2 release handles for additional rigidity
- 4 x Anti marking bumpers
- 4 x 125mm Stainless steel castors (locking)
- · Fully Stainless steel construction

Models Available:

- · 298741 Aquabed Hydraulic
- 298751 Aquabed Electric

1950mm Length:* Width: 790mm Liner Base Dimensions: 1750mm x 560mm Height Range: 620mm-900mm Max User Weight: 180kg *Additional 120mm extra adjustment to length

Shower/Bath Trolleys



- · Bariatric compatible with extra strengthened plates and pins
- Twin lifting columns for rigidity and stability
- Easy action hydraulic Hi lo function accessible from either side
- Heavy duty poly tuff liner with drain hose and mounting hook
- Till function for quick draining
- Easy fold drop sides with 2 release handles for additional rigidity
- 4 x Anti marking bumpers
- 4 x 125mm Stainless steel Castors (locking)
- Fully Stainless steel construction

Models Available:

- 298771 Aqua Tuff Hydraulic
- · 298781 Aqua Tuff Electric

1950mm Length:* Width: 790mm Liner Base Dimensions: 1750mm x 560mm Height Range: 620mm-900mm Max User Weight: 300kg *Additional 120mm extra adjustment to length



298603 Aquaria

- · Fixed Position single column
- Low maintenance design with no electrics or hydraulics for Hi lo function
- Heavy duty poly tuff liner with drain hose and mounting hook
- Tilt function for quick draining
- Easy fold drop sides with 2 release handles for additional rigidity
- 4 x Anti marking bumpers
- 4 x 175mm Castors (locking)
- Triple coated steel with Stainless steel side and end rails

1950mm Length:* Width: 790mm

Liner Base Dimensions: 1750mm x 560mm 680mm-880mm can Fixed Height: be manually adjusted

in 50mm increments

Max User Weight: 180kg

*Additional 120mm extra adjustment to length



- · Single column design with minimal exposed moving parts
- · Easy action hydraulic Hi lo function accessible from either side
- · Heavy duty poly tuff liner with drain hose and mounting hook
- Tilt function for quick draining
- Easy fold drop sides with 2 release handles for additional rigidity
- 4 x Anti marking bumpers
- 4 x 175mm Castors (locking)
- · Triple coated steel with Stainless steel side and end rails

Models Available:

- · 298703 Aquarius
- · 298701 Aquarius Full Stainless Steel

Length:* 1950mm Width: 790mm

Liner Base Dimensions: 1750mm x 560mm Height Range: 680mm-880mm Max User Weight: 180kg

*Additional 120mm extra adjustment to length

Shower/Bath Trolleys



- · Single column design with minimal exposed moving parts
- Ergonomically moulded plastic base cover
- Easy action hydraulic hi lo function accessible from either side
- Heavy duty poly tuff liner with drain hose and mounting hook
- Tilt function for quick draining
- Easy fold drop sides with 2 release handles for additional rigidity
- 4 x Anti marking bumpers
- 4 x 200mm Castors with full central locking/ steering system that can be activated from any of the four corners of the trolley
- Triple coated steel with Stainless steel side and end rails

Length:* 1950mm Width: 790mm

Liner Base Dimensions: 1750mm x 560mm Height Range: 620mm-900mm Max User Weight: 180kg

Shower/Bath Trolleys Options



- · Replaces bath liner
- Light weight frame retained by washable fitted cover
- Cannot be used on Aqualift



- · Replaces bath liner
- 25mm Foam fully poly welded mattress
- Heavy duty vinyl
- · Cannot be used on Aqualift or Aqualife



- Standard length is 1100mm
- Can be made to any length required
- 2000mm hose will hook on head end
- Cannot be used on Aqualift or Aqualife



- Effortless and smooth one touch function
- Battery is removable for charging
- Electronics and fully sealed and rated to Ip65
- Suitable for Aquabed or AquaTuff only
- Aqualife comes as standard electric function



- · 100mm wider top
- Allows more room and comfort for Bariatric Clients
- · Greater area for turning patient
- · Cannot be used on Aqualift or Aqualife



- · For smaller patients or where space is limited
- Junior Top 1600mm
- Midi top 1740mm
- Cannot be used on Aqualift or Aqualife

Bath Liner Colour Selection Guide* (Standard colour: Royal Blue) *Not applicable on Aqualift or Aqualife



Maroon













Royal Blue Dark Blue



HEALTHCARE FURNITURE

Bedside Furniture	120
Wardrobes	122
Chairs	123
Garment Racks	128
Posture Mirror	128
Stools	129
Steps	129
Training Stairs	130
Privacy Screen	130

Bedside Furniture



- · Lightweight mobile table
- · Suitable to use over the bed or chair
- · Ideal to use while eating and for other household activities
- Adjustable height
- Spring loaded mechanism is quick and easy to operate, making it ideal for multiple clients, and multiple activity use
- Soft raised lip edge prevents items from slipping off table top
- · Wide base for greater stability
- U shape base enables the table to be positioned closer to the chair and the user
- · Fitted with four swivel castors, two of which are locking
- Disassembles for storage and transportation
- · Powder coated steel frame

Table Width: 810mm Table Depth: 450mm 720-1080mm Table Height: Base Width (Inner): 725mm



- · Lightweight mobile table
- · Suitable to use over the bed or chair
- · Ideal to use while eating and for other household activities
- · Adjustable height and angle
- Soft raised lip edge prevents items from slipping off table top
- · Wide base for greater stability
- U shape base enables the table to be positioned closer to the chair and the user
- · Fitted with four swivel castors, two of which are locking
- Disassembles for storage and transportation
- · Powder coated steel frame

Table Width: 810mm Table Depth: 450mm 685-1000mm Table Height: Base Width (Inner): 735mm



- Manufactured from ABS material, strong yet lightweight.
- · Slide out work surface and single drawer
- · Single cupboard with internal shelf
- · Folding hanging rail on both sides for towels
- · Shoe Shelf
- 4 x 50mm swivel castors, 2 x locking

Width: 460mm Depth: 460mm 870mm Height: *Height is overall including castors

Bedside Furniture



712203 Viva Low Height Bedside Cabinet

- · Manufactured from powder coated steel
- · Slide out work surface
- · Single drawer with key lock
- Single cupboard with internal adjustable shelf
- · Retractable stainless steel towel holders on both sides
- 4 x 50mm swivel castors, 2 x locking
- · Other colours available

Width: 460mm 510mm Depth: Height: 760mm *Height is overall including castors



712213 Viva Tall Bedside Cabinet

- · Manufactured from powder coated steel
- · Slide out work surface
- · Single drawer with key lock
- · Single cupboard with internal adjustable shelf
- · Retractable stainless steel towel holders on both sides
- · Shoe shelf
- 4 x 50mm swivel castors, 2 x locking
- · Other colours available

Width: 460mm Depth: 510mm Height: 920mm *Height is overall including castors



- · Manufactured from powder coated steel
- · Slide out work surface
- · Single drawer with key lock
- · Single cupboard with internal adjustable shelf
- · Retractable stainless steel towel holders on both sides
- 4 x 50mm swivel castors, 2 x locking
- · Other colours available

Width: 460mm 510mm Depth: Height: 920mm *Height is overall including castors

Bedside Furniture



- Timbergrain melamine construction
- · Solid european beech timber legs
- 3 drawers, top locking
- · Deep bottom drawer
- Polished with a 2 pack lacquer
- · Choice of colours and sizes available

Also Available:

• 711157 Bed head to suit

Width: Depth: Height: 540mm 460mm 750mm



- · Timbergrain melamine construction
- Top with front radius corners for aged care safety
- 3 drawers, top locking
- · Deep bottom drawer
- · Plinth base
- · Choice of colours and sizes available

Also Available:

· 711157 Bed head to suit

Width: 540mm Depth: 460mm Height: 750mm

Wardrobes



- Timbergrain melamine construction
- Solid european beech timber legs
- · 2 Doors (also available in 1 door style
- Internal hat shelf and hanging rail
- · Polished with a 2 pack lacquer
- · Choice of colours and sizes available

Width: Depth: Height: 900mm 500mm 1800mm

Wardrobes



711166 Grande Wardrobe

- Timbergrain melamine construction
- 1 Door style also available in 2 door style
- · Internal hat shelf and hanging rail
- Plinth base
- · Choice of colours and sizes available

Width: 500mm Depth: 500mm 1800mm Height:

Chairs



- · High back orthopaedic chair
- · Adjustable height and seat depth
- · Contoured backrest
- Heavy duty powder coated steel frame
- · Made in Australia
- · Available in a range of fabrics and vinyls Options Available:
- 800T Tray Removable, slide-in
- 830C Adjustable Legrest (refer page 13)
- 860MC Tilt Mobility Castors Fitted (pair)

Seat Width: 490mm Seat Depth: 430-510mm Seat Height: 420-570mm Back Height: 660mm Overall Width: 620mm Max User Weight: 200kg



8700 Susan Chair

- · High back orthopaedic chair
- Adjustable height and seat depth
- Unique contoured backrest provides comfortable lumbar and neck support
- · Heavy duty powder coated steel frame
- Made in Australia
- · Available in a range of fabrics and vinyls Options Available:
- 800T Tray Removable, slide-in
- 830C Adjustable Legrest (refer page 13)
- 860MC Tilt Mobility Castors Fitted (pair)

Seat Width: 530mm Seat Depth: 430-480mm Seat Height: 440-590mm 220mm Arm Height: 640mm Back Height: 650mm Overall Width: 200kg Max User Weight:



8800 Susan Recliner Chair

- · High back reclining orthopaedic chair
- · Adjustable height and seat depth
- Unique contoured backrest provides a comfortable lumbar and neck support
- Smooth gas assisted recline mechanism is operated by a hand lever located to the right of the seat
- Heavy duty powder coated steel frame
- Made in Australia
- · Available in a range of fabrics and vinyls Options Available:
- 800T Tray Removable, slide-in
- 830C Adjustable Legrest (refer page 13)
- 860MC Tilt Mobility Castors Fitted (pair)

Seat Width: 530mm Seat Depth: 420-470mm 440-590mm Seat Height: Arm Height: 220mm Back Height: 640mm 650mm Overall Width: Max User Weight: 200kg



- · Fully welded black powder coated frame
- Upholstered seat and ¾ Back
- · Stackable
- · Choice of upholstery materials

Width: 500mm Depth: 530mm Height: 815mm Seat Height: 500mm Seat Depth: 435mm



- · Fully welded black powder coated frame
- · Curved Front Arms
- Upholstered seat and ¾ Back
- Stackable
- · Choice of upholstery materials

Also Available:

• 711197 Chrome Frame

Width: 585mm Depth: 515mm Height: 815mm Seat Height: 500mm Seat Depth: 435mm 685mm Arm Height:





- Fully welded chrome frame
- Black curved front arms
- Upholstered seat and Back
- Stackable
- Choice of upholstery materials

Width: 580mm Depth: 570mm Height: 800mm Seat Height: 490mm Seat Depth: 465mm 650mm Arm Height:



· European beech construction

- Fully upholstered
- Legs polished with 2 pack lacquer
- Choice of upholstery materials

Width: 540mm Depth: 595mm Height: 910mm Seat Height: 510mm Seat Depth: 420mm



- European beech construction
- Fully upholstered
- · Legs polished with 2 pack lacquer
- Choice of upholstery materials

Also Available:

• 711192 In fill arm panels





Width: 610mm Depth: 595mm 910mm Height: Seat Height: 510mm Seat Depth: 690mm



- · European beech construction
- Fully upholstered
- Legs polished with 2 pack lacquer
- Choice of upholstery materials

Width: 630mm Depth: 880mm Height: 490mm Seat Height: 470mm Seat Depth: 500mm 690mm Arm Height:



- · European beech construction
- · Polished with a 2 pack lacquer
- · Fully upholstered
- Choice of upholstery materials
- Also available in ¾ backrest ideal for infection control

Width: 570mm Depth: 870mm Height: 490mm Seat Depth: 580mm Arm Height: 640mm



- European beech construction
- Fully upholstered
- Legs polished with 2 pack lacquer
- · Choice of upholstery materials

Width: 570mm Depth: 840mm Height: 470mm Seat Height: 630mm Seat Depth: 500mm Arm Height: 650mm



- European beech construction
- Fully upholstered
- · Legs polished with 2 pack lacquer
- Choice of upholstery materials

Width: 630mm Depth: 880mm Height: 480mm Seat Height: 430mm Seat Depth: 550mm 665mm Arm Height:





- Fully upholstered
- · Legs polished with 2 pack lacquer
- Choice of upholstery materials

Width: 660mm Depth: 930mm Height: 690mm Seat Height: 500mm Seat Depth: 460mm Arm Height: 660mm



- · European beech construction
- Fully upholstered
- Legs polished with 2 pack lacquer
- · Choice of upholstery materials

Width: 650mm Depth: 1040mm Height: 690mm Seat Height: 480mm Seat Depth: 860mm Arm Height: 620mm





- European beech construction
- Fully upholstered
- · Legs polished with 2 pack lacquer
- Choice of upholstery materials

Width: 1130mm 1040mm Depth: 690mm Height: Seat Height: 480mm Seat Depth: 800mm Arm Height: 620mm

Garment Racks



- Fully welded Stainless steel construction
- 125mm Castors (Locking also available)
- Rubber bumpers

Length: 1600mm Base Width: 600mm Height: 1600mm

Posture Mirror



- · Steel powdercoated frame
- · Adjustable mirror for optimum viewing
- · Stable "H" base
- · Optional colours available

Mirror Height: 1200mm Mirror Width: 380mm

Stools



557305 Guardian Treatment Stool

- · High quality gas stool features a deluxe comfortable padded seat
- Anti bacterial upholstery
- · Five castors base offers greater stability and easy maneuverability
- · Height adjustable for various treatment positions.

Seat Width: 340mm Seat Depth: 90mm Overall Height: 550-750mm



- High quality gas stool features a deluxe comfortable padded seat
- Shaped to encourage a better posture and circulation
- Anti bacterial upholstery
- · Five castors base offers greater stability and easy maneuverability
- · Height adjustable for various treatment positions

Seat Width: 450mm Seat Length: 350mm Overall Height: 560-760mm



557305 Guardian Saddle Stool with Backrest

- · Helps to reduce the discomfort of Sitting for long periods and improves seated posture
- · High quality gas stool features a deluxe comfortable padded seat and back
- Anti bacterial upholstery
- · Five castors base offers greater stability and easy maneuverability
- · Height adjustable for various treatment positions

Seat Width: 450mm Seat Length: 350mm Overall Height: 550-750mm

Steps



- Durable single step platform
- Manufactured from steel
- · Bright chrome
- Cross support for greater stability
- · Ribbed rubber top provides extra grip and prevents slipping

Options Available:

· 520503 Hammer tone powdercoat

Width: 440mm 350mm Length: Height: 230mm Step Area: 360 x 285mm



Steps



- Durable single step platform
- Stainless steel construction
- · Non slip aluminium tread plate
- · Non slip inset feet
- Custom sizes available

Code	Size	Width	Depth	Height
521001	Small	250mm	300mm	200mm
521101	Large	250mm	700mm	200mm

Training Stairs



- Two stairs up and 3 stairs down
- · Non slip flooring
- · Stairs constructed from timber material
- · Aluminum powder coated hand rail
- · Can be customised

Options Available:

- Dead-end configurations
- Straight configurations
- · Adjustable height hand rail

Stair Height: 130/200mm Stair Width: 750mm Rail Height: 50mm Max User Weight: 200kg

Privacy Screen




- Powder coated frame
- Folding frame for storage
- Block out curtains
- 50mm castors
- · Choice of colors available

Options Available:

- · 218503 Two fold
- · 218403 Three fold

Code	Size	Panel Size	Unfolded Length	Height
218503	2 Fold	900 x 1400mm	1800mm	1700mm
218403	3 Fold	900 x 1400mm	2700mm	1700mm



FACILITY SERVICE EQUIPMENT

Service Carts and Trolleys	132
Soiled Linen Trolleys	136
Clean Linen Trolleys	138
Linen Tables	139
Wet and Dry Linen Trolleys	139
Bulk Linen Trolleys	140
Wire Shelving	141
Waste Equipment	142
Mortuary Trolley	142

Service Carts and Trolleys



- 2 x Polypropylene shelves and handles
- 4 x Aluminium frames
- 4 x 100mm Castors, 2 locking

Also available:

• 772855 Includes side panels on 3 sides (not shown)

Code	Side Panels	Tray Size	Width	Overall Width*	Depth	Overall Height**
772805	No	720 x 450mm	760mm	900mm	490mm	1025mm
772855	Yes	720 x 450mm	760mm	900mm	490mm	1025mm
*Overall w	idth incl	udes handles				

**Overall height includes castors





- 2 x Polypropylene shelves and handles
- 4 x Aluminium frames
- 4 x 100mm Castors, 2 locking
- 2x Drawers W285 wide x L390mm

• 772955 Includes side panels on 3 sides (not shown)

Code	Side Panels	Tray Size	Width	Overall Width*	Depth	Overall Height**
772905	No	720 x 450mm	760mm	900mm	490mm	1025mm
772955	Yes	720 x 450mm	760mm	900mm	490mm	1025mm
*Overall width includes handles						
**Overall I	height in	cludes castors				



- 3 x Polypropylene shelves
- 2x Polypropylene handles
- 4 x Aluminium frames
- 4 x 100mm Castors, 2 locking

Also available:

• 772555 Includes side panels on 3 sides (see inset image)

Code	Side Panels	Tray Size	Width	Overall Width*	Depth	Overall Height**
772505	No	720 x 450mm	760mm	900mm	490mm	1040mm
772555	Yes	720 x 450mm	760mm	900mm	490mm	1040mm
*Overall w	idth incl	udes handles				



Facility Service Equipment

Service Carts and Trolleys



- 3 x Polypropylene shelves
- · 2x Polypropylene handles
- 4 x Aluminium frames
- 4 x 100mm Castors, 2 locking
- 2x Drawers W285 wide x L 390mm

• 772655 Includes side panels on 3 sides (not shown)

Code	Side Panels	Tray Size	Width	Overall Width*	Depth	Overall Height**
772605	No	720 x 450mm	760mm	900mm	490mm	1040mm
772655	Yes	720 x 450mm	760mm	900mm	490mm	1040mm

*Overall width includes handles

**Overall height includes castors



774205 Utility Cart - 2 Shelves

- 2 x Polypropylene shelves and handles
- 4 x Aluminium frames
- 4 x 100mm Castors, 2 locking

Tray Size: 620 x 450mm Width: 790mm Depth: 480mm 1040mm Overall Height:* *Overall height includes castors



774305 Utility Cart Narrow - 3 Shelves

- 3 x Polypropylene shelves
- 2 x Polypropylene handles
- · 4 x Aluminium frames
- 4 x 75mm Castors, 2 locking

Tray Size: 485 x 365mm Width: 655mm Depth: 370mm Overall Height:* 966mm *Overall height includes castors

Service Carts and Trolleys



- 3 x Polypropylene shelves
- 2 x Polypropylene handles
- 4 x Aluminium frames
- 4 x 100mm Castors, 2 locking

Tray Size: 620 x 450mm Width: 790mm Depth: 480mm Overall Height:* 1090mm *Overall height includes castors



- 3 x Polypropylene shelves
- 2 x Polypropylene handles
- 4 x Aluminium frames
- 4 x 100mm Castors, 2 locking

• 774755 Includes side panels on 3 sides (see inset image)

Code	Side Panels	Tray Size	Width	Overall Width*	Depth	Overall Height**
774605 774755	No Yes	915 x 520mm 915 x 520mm			1110mm 1120mm	
*Overall width includes handles **Overall height includes castors						



- · Heavy duty polypropylene material
- · Easy to remove for cleaning
- · 19 Litre capacity

Width: 255mm Length: 365mm 480mm Height:

-acility Service Equipment

Service Carts and Trolleys



- · Manufactured from ABS plastic and aluminium frame
- · Foot operated brake
- · Easy folding
- Upward folding load platform for large items
- 60kg Carrying capacity
- · Unit weight 7.3kg

Options Available:

· 772358 Spare basket

Width: 550mm 890mm Depth: Overall Height:* 1030mm *Overall height includes castors



- · Stainless steel construction
- 2 x Shelves
- · Easy clean edges
- · 4 x 125mm castors
- · Rubber corner bumpers

Length: Depth: 490mm Overall Height:* 900mm *Overall height includes castors



- · Stainless steel construction
- 3 x Shelves
- Easy clean edges
- 4 x 125mm castors
- Rubber corner bumpers

Length: 900mm Depth: 490mm Overall Height:* 900mm *Overall height includes castors



272601 Classic Basket Trolley

- Stainless steel construction
- 2 x Nylon coated 200mm deep removable baskets
- · Push handle
- · 125mm castors

750mm Length: Depth: 490mm Overall Height:* 900mm *Overall height includes castors



- Stainless steel construction
- 2 x Push handles
- 2 x 32 Litre bins (removable)
- · 4 x 125mm castors

Length: 720mm Depth: 420mm Overall Height:* 1050mm *Overall height includes castors

Soiled Linen Trolleys



- · For soiled linen
- 75mm Forked castors (not shown)

Options Available:

- 758001 Stainless steel
- 758003 Powder coat

Width: Length: Height:

380mm 540mm 850mm



- · For soiled linen
- 75mm Forked castors (not shown)

Options Available:

- 758051 Stainless steel
- · 758053 Powder coat

540mm Length: 850mm Height:



- For soiled linen
- 75mm Forked castors (not shown)

Options Available:

- 758101 Stainless steel
- 758103 Powder coat

Width: Length: Height:

1170mm 540mm 850mm



- · For soiled linen
- · With foot operated lid
- 75mm Forked castors (not shown)
- · Different lid colours available

Options Available:

- · 758201 Stainless steel
- 758203 Powder coat

Width: Length: Height:

380mm 540mm 850mm



- · For soiled linen
- · With foot operated lid
- 75mm Forked castors (not shown)
- · Different lid colours available

Options Available:

- 758251 Stainless steel
- 758253 Powder coat

Width: Length: 540mm 850mm Height:

Facility Service Equipment

Soiled Linen Trolleys



- · For soiled linen
- · With foot operated lid
- 75mm Forked castors (not shown)
- Different lid colours available or Colour ID strip (as shown in code 758858)

Options Available:

- · 758301 Stainless steel
- · 758303 Powder coat
- 758858 Colour ID strips



- · Can be ordered on single, double or triple linen trolleys
- Reduces bag capacity for lighter loads
- · Can be used on skips with or without lids

380/780/1170mm Length: 540mm Height: 850mm

Width:

Length:

Height:



- For soiled linen
- · Powder coated steel frame
- · With foot operated lid
- · 75mm twin wheel castors

Width: Length: Height:

490mm 450mm 910mm

1170mm

540mm

850mm



- For soiled linen
- · Powder coated steel frame
- · With foot operated lid
- 75mm twin wheel castors

Width: Length: Height:

840mm 450mm 910mm

756203 Advance Triple Linen Skip – with Lid



- · For soiled linen
- · Powder coated steel frame
- · With foot operated lid
- · 75mm twin wheel castors

Width: Length: Height:

1280mm 450mm 910mm

Soiled Linen Trolleys



- · Ideal for colour coding soiled linen
- · Durable material

Code	Colour
752306	White
752316	Red
752326	Blue
752336	Yellow
752346	Green

Clean Linen Trolleys



- · For clean linen
- · Powder coated steel
- 2 x Push handles
- · Shelf dimensions 1000mm x 500mm
- 4 x 150mm Castors, 2x Locking

Options Available:

• 722254 Front PVC hygiene cover



721303 Advance Mesh Clean Linen Trolley

- · Integrated push handle
- · Powder coated steel finish
- · 125mm Castors (4 Swivel on Small, 2 x Swivel and 2 x fixed on Large)
- 2 x Shelves · Also available in custom sizes

Options Available:

721303 Corner buffers

Width: Length: Height:

Width:

Length:

Height:

1200mm 500mm 1400mm

550mm

1000mm

1430mm



- 18 Tray capacity
- Garment rack
- · Integrated push handle
- · Powder coated steel finish
- · 125mm Castors (4 Swivel on Small, 2 x Swivel and 2 x fixed on Large)
- · Corner buffers

Options available:

- · 731954 15 Tray model
- · 731955 21 Tray model
- · 731956 30 Tray model

Width: 450mm Length: 1450mm Height: 1400mm

Linen Tables



723854 Linen Folding Table

- PVC Plastic top
- · Powder coated steel frame
- 100mm rubber castors(shown with optional locking castors)

Width: Length: Height:

600mm 1200mm 910mm

Wet and Dry Linen Trolleys



- · Durable rotomoulded plastic tub
- · Galvanised sheet metal base frame
- 125mm rubber swivel castors (2 x Fixed and 2 x Swivel on 720802 model)

Code	Capacity	WIOTH	Length	Height
720800	340 Litres	710mm	1000mm	780mm
720801	450 Litres	730mm	1280mm	840mm
720802	650 Litres	930mm	1530mm	840mm



- · Strong scissor action lift
- · Galvanised sheet metal frame
- 50/70/100 kg capacity coil spring

Also Available:

• 720308 10mm PVC plastic top with cut-outs

Code	Model	Width	Depth	Height
	PVC Top Galvanised Top		430mm 430mm	



720310 Spring Base for Linen Trolley — Rising Spring Type

- Folded sheet metal top
- 4 or 6 stainless steel springs
- Vinyl spring covers
- · Suits 340 and 450 litre tubs only

600mm
1200mn
30mm



- · Mesh sided basket
- Spring loaded base
- · Corner buffers and push handle
- · Powder coated steel finish
- 125mm swivel castors

Code	Model	Width	Length	Height
721805 721806		600mm 650mm	900mm 1200mm	1020mm 1050mm

Bulk Linen Trolleys



- · Full RHS frame
- · Galvanised mesh back & sides
- · Easy access open front
- · 150mm rubber castors

Code	Filp up Sneir	width	Debtu	Height
721605	No	1100mm	700mm	1400mm
721606	Yes	1100mm	700mm	1400mm



- · Full RHS frame
- RHS back & sides
- · Easy access open front
- · Powder coated steel finish
- · 150mm rubber castors



721608 Bulk Linen Trolley with front panel

- Full RHS frame
- RHS back & sides
- · Half height front panel
- · Easy access open front
- · Galvanised finish
- · 150mm rubber castors

Width: Length: Height:

Length:

Height:

700mm

1100mm

1400mm

580mm

1140mm

1570mm



- Durable rotomoulded plastic trolley
- 3mm galvanised base plate
- · Side handle cutouts
- 150mm rubber castors
- · Range of colours available

Width: 710mm 1120mm Length: Height: 1650mm



- · Durable rotomoulded plastic trolley
- · Open top for maximum linen fill
- · 3mm galvanised base plate
- · Side handle cutouts
- · 150mm rubber castors
- · Range of colours available

Width: Length: 1120mm Height: 1650mm

Wire Shelving



- 5 x Flat wire shelves
- · Easy clean plated finish
- 125mm Castors with 2 x Locking
- Shown with optional back/slide option

Width: 1200mm Depth: 450mm Overall Height:* 1800mm

*Overall height includes castors



791042 Wire Mobile Dump Bin Shelving Unit

- 2 x Flat wire shelves
- 3 x Dump bin style shelves
- · Easy clean plated finish
- 125mm Castors with 2 x Locking

Width:	910mm
Depth:	450mm
Overall Height:*	1800mm
*Overall height inclu	ides rastors

Width:

Height:

450mm

220mm

Height





· Easy to fit with no tools required







- · Easy clean plated finish
- Easy to fit with no tools required
- · 4 different widths



COOC	WIGGII	ricigiic
791092	390mm	140mm
791102	540mm	140mm
791112	850mm	140mm
791122	1150mm	140mm

Width

Waste Equipment



- Fully welded Stainless steel construction
- To suit 45 litre bin
- 50mm Castors
- · Bin not included



- · Stainless steel body with powder coated lid
- Designed for use with wide plastic bags
- Solid platform to support waste bags
- Bag holder 350 x 235mm
- · Incorporated clip holds bag securely
- 50mm castors

Code	Pedal Operated Lid	Width	Depth	Height
230101	Yes	410mm	280mm	810mm
230301	No Lid	410mm	280mm	810mm

Mortuary Trolleys



- Stainless steel construction
- Hi Low function electrically operated with battery back up
- · Removable side and end rails
- 4 x 200mm Castors 2 x locking and 1 x steer

Also Available:

· 299551 Fixed height model

Code Width Length Height	
299451 650mm 2200mm 450mm- 299551 650mm 2200mm	n-1450mm





Product	Section	Page
ABS Trays	Medical Equipment and Carts	47
Adjustable dividers	Medical Equipment and Carts	45-48
Anaesthetic Carts	Medical Equipment and Carts	10-14
Apron Rack	Medical Equipment and Carts	39
Aqua Tuff	Patient Care Equipment	117
Aquabed	Patient Care Equipment	116
Aqualife	Patient Care Equipment	116
Aqualift Patient Shower/Bath Trolley	Patient Care Equipment	116
Aqualine	Patient Care Equipment	118
Aquaria	Patient Care Equipment	117
Aquarius	Patient Care Equipment	117
Arm Chairs	Healthcare Furniture	124-128
Arm Tables	Medical Equipment and Carts	41

В

Product	Section	Page
Babies Measuring Rod	Monitoring and Diagnostic	63
Baby Baths	Patient Care Equipment	115
Baby Scale	Monitoring and Diagnostic	62
Basket Trolley	Facility Service Equipment	135
Bassinet with Cabinet	Patient Care Equipment	115
Bassinetts	Patient Care Equipment	115
Bath Trolleys	Patient Care Equipment	116-118
BD® Sharps Bin Brackets	Medical Equipment and Carts	42
Bed chart Holders	Monitoring and Diagnostic	93
Bed Chart Holders A3	Monitoring and Diagnostic	93
Bed Chart Holders A4	Monitoring and Diagnostic	93
Bed/ Platform Scales	Monitoring and Diagnostic	70
Bedside Cabinet	Healthcare Furniture	120-122
Bedside Furniture	Healthcare Furniture	120-123
Bent Arm Illuminator	Monitoring and Diagnostic	88
Bin Trolley	Facility Service Equipment	135,142
Blood Collection Chair	Patient Care Equipment	113
Blood Pressure Monitors	Monitoring and Diagnostic	78
Bottle Holder	Medical Equipment and Carts	32,44
Bottle Rack	Medical Equipment and Carts	39
Boundary Patient Trolley	Patient Care Equipment	96
Bowl Stand	Medical Equipment and Carts	40
Break away lock	Medical Equipment and Carts	45
Broselow Hinkle System	Monitoring and Diagnostic	89
Broselow Hinkle System Kit	Monitoring and Diagnostic	89
Broselow Hinkle System Tape	Monitoring and Diagnostic	89
Bulk Linen Trolleys	Facility Service Equipment	140
Bulk Storage Bins	Medical Equipment and Carts	44

C

Product		Page
Cabinets- Bedside	Healthcare Furniture	120-122
Cardiac Board	Medical Equipment and Carts	42
Cart Accessories/options	Medical Equipment and Carts	42-49
Case Carts	Medical Equipment and Carts	37
Castor Options	Medical Equipment and Carts	48
Catheter Holder	Medical Equipment and Carts	43
Chair Scale	Monitoring and Diagnostic	67-68
Chairs	Healthcare Furniture	123-128
Change Table	Patient Care Equipment	110
Chart Holders	Monitoring and Diagnostic	93
Chart Trolleys	Medical Equipment and Carts	29
Classic Basket Trolley	Facility Service Equipment	135
Classic Examination Table	Patient Care Equipment	107
Classic Multi Purpose Trolley	Facility Service Equipment	135
Classic Patient Trolley	Patient Care Equipment	97
Clax Cart with Basket	Facility Service Equipment	135
Clean Linen Trolleys	Facility Service Equipment	138
Colour options	Medical Equipment and Carts	49
Column Scales Electronic	Monitoring and Diagnostic	65
Computer Drawer	Medical Equipment and Carts	46
Computing Carts	Medical Equipment and Carts	31-33
Corey Patient Trolley	Patient Care Equipment	96
Cots	Patient Care Equipment	114
Countour Patient Trolleys	Patient Care Equipment	96-100
CPR Board	Medical Equipment and Carts	42
Crash Carts	Medical Equipment and Carts	7-9
CSSD Carts	Medical Equipment and Carts	37
CSSD Tables	Medical Equipment and Carts	36-37

D

Product		Page
Daniels® Sharps Bin Brackets	Medical Equipment and Carts	42
Defibrillator Shelf	Medical Equipment and Carts	42
Defibrillators	Monitoring and Diagnostic	91
Deluxe Patient Trolley	Patient Care Equipment	97
Dental Carts	Medical Equipment and Carts	23,25
Dermatoscope	Monitoring and Diagnostic	86,88
Diagnostic Station	Monitoring and Diagnostic	86-87
Dialysis Recliner	Patient Care Equipment	113
Dialysis Treatment Trolley	Patient Care Equipment	113
Digit Finger Pulse Oximeter	Monitoring and Diagnostic	71
Digital Blood Pressure Monitors	Monitoring and Diagnostic	78
Dividers	Medical Equipment and Carts	45-48
Document Holder	Medical Equipment and Carts	44

D - continued

Product		Page
Dopplers	Monitoring and Diagnostic	90
Double Sided Carts	Medical Equipment and Carts	24
Drawer dividers	Medical Equipment and Carts	45-48
Drawer seals	Medical Equipment and Carts	45
Dressing Trolleys	Medical Equipment and Carts	4-6
Drying Rack	Medical Equipment and Carts	37
Dump Bin Mobile Wire Shelving Unit	Facility Service Equipment	141

Ε

Product		Page
Electric Cot	Patient Care Equipment	114
Electric Patient Trolleys	Patient Care Equipment	96-100
Electronic Baby and Child Scales	Monitoring and Diagnostic	62
Electronic Column Scales	Monitoring and Diagnostic	65
Electronic Flat Scales	Monitoring and Diagnostic	65-66
Emergency Carts	Medical Equipment and Carts	7-9
Endoscopy Carts	Medical Equipment and Carts	22
Endosurge Patient Trolley	Patient Care Equipment	98
Endo-X Patient Trolley	Patient Care Equipment	98
Euro Infant cot	Patient Care Equipment	114
Euro Infant crib	Patient Care Equipment	114
Examination / Treatment Couches	Patient Care Equipment	107-110
Examination / Treatment Couches - Options	Patient Care Equipment	111-112
Examination Lamp	Monitoring and Diagnostic	92
Examination Table	Patient Care Equipment	107
Eye- level Beam Mechanical Column Scales	Monitoring and Diagnostic	64
Ezi-Trak	Patient Care Equipment	102

F

Product		Page
File Carts	Medical Equipment and Carts	29-30
File Holder	Medical Equipment and Carts	44
Finger Pulse Oximeter	Monitoring and Diagnostic	71-72
Flat Scales	Monitoring and Diagnostic	65-66
Flowchart Tables	Monitoring and Diagnostic	92
Folding Stadiometer	Monitoring and Diagnostic	67
Folding Tables Linen	Facility Service Equipment	139
Forceps	Surgical	53-57
Full Locking Bar	Medical Equipment and Carts	45

G

Product		Page
Garbage Bin	Medical Equipment and Carts	43
Garbage Bin Trolley	Facility Service Equipment	142
Garment Racks	Healthcare Furniture	128
Gas Cylinder Holder	Medical Equipment and Carts	43
Gas Cylinder Trolleys	Medical Equipment and Carts	38
General Purpose Equipment Trolley	Medical Equipment and Carts	40
Glove Dispenser	Medical Equipment and Carts	44
Gynaecological and Uro Table	Patient Care Equipment	109
Gynotec Patient Trolley	Patient Care Equipment	100

Н

Product		Page
Hand Rail Scales	Monitoring and Diagnostic	69
Hanging Scales	Monitoring and Diagnostic	62
Hi-Lo Baby Bath	Patient Care Equipment	115
Hydraulic Patient Trolleys	Patient Care Equipment	96-101

I

Product		Page
Infant cot	Patient Care Equipment	114
Infant crib	Patient Care Equipment	114
Infantometer	Monitoring and Diagnostic	64
Instrument Trolleys	Medical Equipment and Carts	2-4
Intravenous Stands	Medical Equipment and Carts	35-37
Isolation Carts	Medical Equipment and Carts	15-16
IT Equipment Cart	Medical Equipment and Carts	31-33
IV Pole Accessories	Medical Equipment and Carts	35
IV Poles	Medical Equipment and Carts	33-35
IV Set Up Cart	Medical Equipment and Carts	14

J

Product		Page
Jago 2 Section Treatment Table	Patient Care Equipment	107
Jago 3 Section Treatment Table	Patient Care Equipment	107

K

Product		Page
Keyboard Holder	Medical Equipment and Carts	33,46
Kick Bucket and Stand	Medical Equipment and Carts	40
Kimguard Drying Rack	Medical Equipment and Carts	37

L

Product	Section	Page
Label Holder	Medical Equipment and Carts	45
Lamps for Examinations	Monitoring and Diagnostic	92
Lead Apron Rack	Medical Equipment and Carts	39
Linen Bags	Facility Service Equipment	138
Linen Tables	Facility Service Equipment	139
Linen Tray Storage Trolley	Facility Service Equipment	138
Linen Trolleys	Facility Service Equipment	136-140
Lithotomy Tables	Medical Equipment and Carts	41
Lounges	Healthcare Furniture	127-128

M

Product	Section	Page
Magnetic Label Holder	Medical Equipment and Carts	45
Magnifying Examination Lamp	Monitoring and Diagnostic	92
Mayo Tables	Medical Equipment and Carts	41
Measuring Mat for Babies	Monitoring and Diagnostic	63
Measuring Rod	Monitoring and Diagnostic	63,67
Measuring Rod for Babies	Monitoring and Diagnostic	63
Measuring Tape	Monitoring and Diagnostic	66
Measuring Tape for Head Circ of Babies	Monitoring and Diagnostic	63
Mechanical Column Scales	Monitoring and Diagnostic	64
Mechanical Column Scales with Eye- level Beam	Monitoring and Diagnostic	64
Mechanical Flat Scales	Monitoring and Diagnostic	65-66
Medical Lighting	Monitoring and Diagnostic	92
Medication Carts	Medical Equipment and Carts	24-27
Mini Carts	Medical Equipment and Carts	23
Moist Linen Trolley	Facility Service Equipment	139
Monitor Holder set	Medical Equipment and Carts	32,33,46
Mortuary Trolleys	Facility Service Equipment	142
MPVT Surgical Table 2 section	Patient Care Equipment	108
MPVT Surgical Table 3 section	Patient Care Equipment	108
Multi Purpose Trolley	Facility Service Equipment	135
Multi- Storage Basket	Medical Equipment and Carts	44
Multi-X Patient Trolley	Patient Care Equipment	99

Ν

Product	Section	Page
Narrow Carts	Medical Equipment and Carts	23
Narrow Patient Trolley	Patient Care Equipment	102
Nasal Speculum	Monitoring and Diagnostic	88
Nest of Tables	Medical Equipment and Carts	39
Notebook Holder	Medical Equipment and Carts	33,46



Product		Page
Omnisurge Patient Trolley	Patient Care Equipment	100
Operation Otoscopes	Monitoring and Diagnostic	88
Ophthalmic Patient Trolley	Patient Care Equipment	99
Ophthalmoscopes	Monitoring and Diagnostic	85,88
Organ and Diaper Scale	Monitoring and Diagnostic	71
Otoscopes	Monitoring and Diagnostic	84,88
Overbed Table	Healthcare Furniture	120
Oximeters	Monitoring and Diagnostic	71-72
Oxygen Tank Holder	Medical Equipment and Carts	43
Oxygen Trolleys	Medical Equipment and Carts	38

P

Product		Page
Paediatric Emergency Cart	Medical Equipment and Carts	9
Paediatric Emergency Tape	Monitoring and Diagnostic	89
Pan Bottle Rack	Medical Equipment and Carts	39
Patient Records Carts	Medical Equipment and Carts	29-30
Patient Trolleys	Patient Care Equipment	96-101
Patient Trolleys Accessories and Options	Patient Care Equipment	102-106
Plaster Carts	Medical Equipment and Carts	21
Platform Scales	Monitoring and Diagnostic	70
Posture Mirror	Healthcare Furniture	128
Pre Pack Medication Carts	Medical Equipment and Carts	27
Prep Tables	Medical Equipment and Carts	36-37
Privacy Screen	Healthcare Furniture	130
Probe Holder	Medical Equipment and Carts	32
Procedure Carts	Medical Equipment and Carts	19-23
Pull Tie Seals	Medical Equipment and Carts	45
Pulse Oximeter	Monitoring and Diagnostic	71-72

R

Product		Page
Resusitation Carts	Medical Equipment and Carts	17-18
Retinoscope	Monitoring and Diagnostic	88
Rounds Cart	Medical Equipment and Carts	27
Rubbish Bin	Medical Equipment and Carts	43

S

	Section	Page
Scales and Measuring	Monitoring and Diagnostic	62-71
Scissors	Surgical	58-59
Service Carts and Trolleys	Facility Service Equipment	132-135
Sharps Bin Brackets	Medical Equipment and Carts	42
Sharps Containers	Medical Equipment and Carts	42
Shower / Bath Trolleys	Patient Care Equipment	116-118
Shower / Bath Trolleys - Options	Patient Care Equipment	118
Shower Change Table	Patient Care Equipment	110
Side Chairs	Healthcare Furniture	124-128
Side Drawer set	Medical Equipment and Carts	46
Signline Options	Medical Equipment and Carts	49
Single Use Instruments	Surgical	52-58
Soiled Linen Bags	Facility Service Equipment	138
Soiled Linen Trolleys	Facility Service Equipment	136-137
Sphygmomanometers - Aneriod Type	Monitoring and Diagnostic	75-77
Sphygmomanometers - Mercury Type	Monitoring and Diagnostic	72-75
Stadiometer	Monitoring and Diagnostic	67
Step Stool	Healthcare Furniture	129-130
Steps	Healthcare Furniture	129-130
Stethoscopes	Monitoring and Diagnostic	80-83
Stock Carts	Medical Equipment and Carts	28
Stools	Healthcare Furniture	129
Storage Linen Tray Trolley	Facility Service Equipment	138
Stretcher Trolleys	Patient Care Equipment	96-101
Suction Pump Holder	Medical Equipment and Carts	44
Surgeon Step Stool	Healthcare Furniture	129-130
Surgery Trolleys	Patient Care Equipment	96-101
Surgical Tables	Patient Care Equipment	107-110
Suspension Files	Medical Equipment and Carts	44

T

Product	Section	Page
T Clips	Medical Equipment and Carts	48
Tab Lock	Medical Equipment and Carts	45
Tamper proof Drawer Seals	Medical Equipment and Carts	45
Theatre Equipment	Medical Equipment and Carts	39-41
Thermometers	Monitoring and Diagnostic	79
Tilt Bins	Medical Equipment and Carts	43
Tilt Table	Patient Care Equipment	109
Toungue Blade Holder	Monitoring and Diagnostic	88
Training Stairs	Healthcare Furniture	130
Transport Cart	Medical Equipment and Carts	28
Tray Storage Trolley- Linen	Facility Service Equipment	138
Treatment Table	Patient Care Equipment	107-108
Treatment Trolley	Patient Care Equipment	113
Twins Bassinet	Patient Care Equipment	115



Product		Page
Ultima Cot	Patient Care Equipment	114
Ultima Electric Cot	Patient Care Equipment	114
Urology Table	Patient Care Equipment	109
Utility Carts	Facility Service Equipment	132-135



Product		Page
Vital Signs Monitors	Monitoring and Diagnostic	78-79

W

Product	Section	Page
Wall Mount Shower/ Change Table	Patient Care Equipment	110
Wardrobes	Healthcare Furniture	123
Waste Bag Holder	Facility Service Equipment	142
Waste Containers	Medical Equipment and Carts	43
Waste Equipment	Facility Service Equipment	142
Wet and Dry Linen Trolleys	Facility Service Equipment	139-140
Wheel Options	Medical Equipment and Carts	48
Wheelchair Scales	Monitoring and Diagnostic	69-70
Wire Baskets	Medical Equipment and Carts	47
Wire Chart Holders	Monitoring and Diagnostic	93
Wire Mobile Shelving Unit	Facility Service Equipment	141
Wire Shelving	Facility Service Equipment	141

Terms & Conditions

1. DEFINITIONS

- 1.1 In these conditions:
 - "Additional Charges" includes all delivery, handling and storage charges, packing costs, goods and services tax, stamp duty, interest, legal and other costs of recovery of unpaid money and all other government imposts and all money, other than the Purchase Price, payable by the Buyer to the Seller arising out of the sale of the Goods.
 - "Buyer" means the party purchasing the Goods from the Seller.
 - "Goods" means the goods supplied to the Buyer by the Seller.
 - "Purchase Price" means the list price for the Goods as charged by the Seller at the date of delivery or such other price as may be agreed by the Seller and the Buyer prior to delivery of the Goods.
 - "Seller" means John Kenneth Anderson and Louise Elizabeth Anderson trading as Ascot Healthcare ABN 98 699 318 258
 - "Terms and Conditions" means these terms and conditions of trade.

2. GENERAL

- 2.1 An order given to the Seller is binding on the Seller and the Buyer, if:
 - (a) a written acceptance is signed for or on behalf of the Seller; or
 - (b) the Goods are supplied by the Seller in accordance with the order.
- 2.2 An acceptance of the order by the Seller is then to be an acceptance of these Terms and Conditions by the Seller and the Buyer and these Terms and Conditions will override any conditions contained in the Buyer's order. The Seller reserves the right to accept a part only of any order by notifying the Buyer in writing or by delivering the Goods to the Buyer. No order is binding on the Seller until accepted by it.
- 2.3 An order which has been accepted in whole or in part by the Seller cannot be cancelled by the Buyer without obtaining the prior written approval of the Seller, which it may refuse in its absolute discretion.

3. WARRANTY

- 3.1 Certain laws imply terms, conditions and warranties ("Prescribed Terms") into contracts for the supply of goods and prohibit the exclusion, restriction or modification of such terms, conditions and warranties. The liability of the Seller in respect of a breach of a Prescribed Term or any warranty made under these Terms and Conditions is limited, to the extent permissible by law and at the option of the Seller, to the:
 - (a) replacing the Goods or the supply of equivalent Goods;
 - (b) repair of the Goods;
 - (c) the payment of the cost of replacing the Goods or of acquiring equivalent Goods; or
 - (d) the payment of the cost of having the Goods repaired.
- 3.2 To the extent permitted by law, all other warranties whether implied or otherwise, not set out in these Terms and Conditions are excluded and the Seller is not liable in contract, tort (including, without limitation, negligence or breach of statutory duty) or otherwise to compensate the Buyer for:
 - (a) any increased costs or expenses;
 - (b) any loss of profit, revenue, business, contracts or anticipated savings;
 - (c) any loss or expense resulting from a claim by a third party; or
 - (d) any special, indirect or consequential loss or damage of any nature whatsoever.

4. ADVICE AND INFORMATION

Any advice of information provided by the Seller in relation to the Goods or their use under any specific conditions, the life and wear of the Goods or their immunity from the possibility of attack by corrosion, pitting, erosion, chemical, electrolytic action or otherwise is given in good faith and is believed by the Seller to be appropriate and reliable but is given without any liability as to the suitability of the Goods for a particular purpose.

5. DELIVERY

- 5.1 The times quoted for delivery are estimates only and the Seller accepts no liability for failure or delay in delivery of Goods. The Buyer is not relieved of any obligation to accept or pay for Goods by reason of any delay in delivery. Goods may be delivered by instalments at the discretion of the Seller.
- 5.2 All Additional Charges are payable by the Buyer in addition to the Purchase Price of the Goods.
- 5.3 Risk in the Goods passes to the Buyer on delivery.
- 5.4 Unless otherwise agreed, delivery shall be deemed to have taken place:
 - (a) if the Goods are to be collected from the Seller's premises, then:
 - (i) just prior to the Goods being loaded onto the carrier organised by the Buyer; or
 - (ii) at the time and date when the Goods are scheduled to be collected by the Buyer,

whichever occurs first; or

(b) if the Goods are to be delivered to Buyer's address as nominated by the Buyer on the order, then just prior to the Goods being unloaded from the carrier at the nominated address in accordance with the order, which order is delivered to the Buyer at the Buyer's expense.

5. PRICE AND PAYMENT

- $6.1\,\,\,\,\,\,$ The Buyer must pay the Purchase Price and the Additional Charges to the Seller.
- 6.2 If the Buyer is in default, the Seller may at its option withhold further deliveries or cancel a contract without prejudice to any of its existing rights.
- 6.3 Unless otherwise agreed to in writing by the Seller, the Purchase Price must be paid by the Buyer in full within 30 days of the date of invoice. The Buyer is not entitled to withhold payment or make any deduction from the Purchase Price in respect of any set-off or counter-claim. The Buyer is liable to pay interest at the rate equal to the Commonwealth Bank of Australia overdraft rate plus 2% on all outstanding amounts calculated from the due date of payment until full payment is received by the Seller.
- 6.4 If the Buyer is in default, the Buyer agrees to pay the Seller all costs and disbursements including legal costs on a solicitor and own client basis incurred by the Seller in collecting or attempting to recover money outstanding.

7. RETENTION OF TITLE

- 7.1 Ownership in and title to the Goods remains with the Seller until payment in full for the Goods and all sums due and owing by the Buyer to the Seller on any account has been made. Until the date of payment:
 - (a) the Buyer has the right to sell the Goods in the ordinary course of business;
 - (b) until the Goods have been sold by the Buyer in the ordinary course of the Buyer's business, the Buyer holds the Goods as bailee for the Seller;
 - (c) the Goods are always at the risk of the Buyer.

Terms & Conditions

- 7.2 The Buyer is deemed to be in default immediately upon the happening of any of the following events:
 - (a) if any payment to the Seller is not made promptly before the due date for payment;
 - if the Buyer ceases to carry on business or stops or suspends payment or states its intention of so doing or is unable to pay its debts as they fall due or if any cheque
 or bill of exchange drawn by the Buyer payable to the Seller is dishonoured;
- 7.3 In the event of a default by the Buyer, then without prejudice to any other rights which the Seller may have at law or under this contract:
 - (a) the Seller or its agents may without notice to the Buyer enter the Buyer's premises or any premises under the control of the Buyer for the purposes of recovering the Goods.
 - (b) the Seller may recover and resell the Goods;
 - (c) if the Goods cannot be distinguished from similar Goods which the Buyer has or claims to have paid for in full, the Seller may in its absolute discretion seize all goods matching the description of the Goods and hold same for a reasonable period so that the respective claims of the Seller and the Buyer may be ascertained. The Seller must promptly return to the Buyer any goods the property of the Buyer and the Seller is in no way liable or responsible for any loss or damage to the Goods or for any loss, damage or destruction to the Buyer's business howsoever arising from the seizure of the Goods.
 - (d) In the event that the Buyer uses the Goods in some manufacturing or construction process of its own or some third party, then the Buyer must hold such part of the proceeds of sale of such manufacturing or construction process as relates to the Goods in trust for the Seller. Such part will be an amount equal in dollar terms to the amount owing by the Buyer to the Seller at the time of the receipt of such proceeds. The Buyer will pay the Seller such funds held in trust upon the demand of the Seller.

8. PERSONAL PROPERTY SECURITIES ACT ("PPSA")

The prices and delivery dates given in quotations are for the quantity of goods specified therein. Any deviation when ordering may render the quotation subject to revision.

- 8.1 Defined terms in this clause that are not defined in these Terms and Conditions have the same meaning as given to them in the PPSA.
- 8.2 The Seller and the Buyer acknowledge that these Terms and Conditions constitute a Security Agreement and give rise to a Purchase Money Security Interest ("PMSI") in favour of the Seller over the Goods supplied or to be supplied to the Buyer as Grantor pursuant to the Terms and Conditions.
- 8.3 The Goods supplied or to be supplied under these Terms and Conditions fall within the PPSA classification of "Other Goods" acquired by the Buyer pursuant to these Terms and Conditions.
- 8.4 The Seller and the Buyer acknowledge that the Seller as Secured Party, is entitled to register its interest in the Goods supplied or to be supplied to the Buyer as Grantor under the Terms and Conditions on the PPSA Register as Collateral.
- 8.5 To the extent permissible at law, the Buyer:
 - (a) waives its right to receive notification of or a copy of any Verification Statement confirming registration of a Financing Statement or a Financing Change Statement relating to a Security Interest granted by the Buyer, as Grantor, to the Seller;
 - (b) agrees to indemnify the Seller on demand for all costs and expenses, including legal costs and expenses on a solicitor / client basis, associated with the;
 - i) registration or amendment or discharge of any Financing Statement registered by or on behalf of the Seller; and
 - (ii) enforcement or attempted enforcement of any Security Interest granted to the Seller by the Buyer.
 - (c) agrees that nothing in sections 130 and 143 of the PPSA will apply to the Terms and Conditions or the Security under the Terms and Conditions;
 - (d) agrees to waive its right to do any of the following under the PPSA:
 - (i) receive notice of removal of an Accession under section 95;
 - (ii) receive notice of an intention to seize Collateral under section 123;
 - (iii) object to the purchase of the Collateral by the Secured Party under section 129;
 - (iv) receive notice of disposal of Collateral under section 130;
 - (v) receive a Statement of Account if there is no disposal under section 132(4);
 - (vi) receive a Statement of Account under section 132(3)(d) following a disposal showing the amounts paid to other Secured Parties and whether Security Interests held by other Secured Parties have been discharged.
 - (vii) receive notice of retention of Collateral under section 135;
 - (viii) redeem the Collateral under section 142; and
 - (ix) reinstate the Security Agreement under section 143.

9. RETURN OF ITEMS

- 9.1 To the extent permitted by law, return of Goods will not be accepted by the Seller except by prior agreement in writing with the Seller.
- 9.2 The Buyer must obtain a Return Authority Number ("RAN") from the Seller before returning any Goods. The Seller will send a return authority form with the RAN to the Buyer and the Buyer must attach this form with the returned Goods together with a copy of the delivery docket/invoice and any other relevant correspondence.
- 9.3 Goods are returned to the Seller at the Buyer's expense. Returned Goods must be in their original packaging and in unused and re-saleable condition.
- 9.4 Goods that have been custom made, processed or acquired cannot be returned by the Buyer and are not refundable.
- 9.5 Items returned are subject to a restocking fee of 15% of the gross invoice value of the returned items or \$35.00, whichever is greater.
- 9.6 Credit for or replacement of returned Goods will be at the sole discretion of the Seller.

10. LAW

This contract shall be governed in all respects by the law of the state in which the Goods are manufactured or at the option of the Seller by the law of the state in which the quotation is given by the Seller and any disputes hereunder shall be referred to arbitration in that state in accordance with the Arbitration (Civil Actions) Act 1983 or any similar statutory enactment then in force.

11. FORCE MAJEURE

The Seller is not liable for any delay or any breach or default under these Terms and Conditions due to any act of God, labour dispute, difficulty in procuring materials, accidents, legislative restrictions or other act whatsoever (where similar or not to the forgoing) beyond the Seller's reasonable control.

12. WAIVER

No waiver of any of these Terms and Conditions or failure to exercise a right or remedy by the Seller will be considered to imply or constitute a further waiver by the Seller of the same or any other term, condition, right or remedy.

13. SEVERABILITY

Any part of these Terms and Conditions being the whole or part of any clause(s) shall be capable of being severed without affecting any other part of these Terms and Conditions.

This catalogue is to be used as a guide only, and due care has been taken to ensure all information in this product guide is correct at time of publication, however variations may occur. Some of the products shown may be equipped with optional extras at extra charge. Ascot Healthcare will not be liable in any way as a result of any reliance, by any person, on anything contained in this product guide.

Due to the printing process, colors shown in this product guide are indicative only and may vary from actual product. Ascot Healthcare reserves the right to change or modify the design, technical specifications, features or appearance of any product without prior notice.

The sale of all products and services are subject to our 'Terms and Conditions' which are available upon request.

Ascot Healthcare[®] July 2012 No part of this publication may be copied, reproduced, scanned or stored in any electronic database, whether in whole or in part, in any form or by any means without the written approval of Ascot Healthcare.

